



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Deena Newell
The Scotts Company
14111 Scottslawn Road
Marysville, OH 43041

AUG 4 2010

Subject: Revised Disposal Instructions per PR Notice 2007-4; Revised Warranty Statement
Ornamental Herbicide II
EPA Reg. No. 538-172
Application, Dated May 12, 2010

Dear Ms. Newell:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 for the subject product.

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label changes requested fall within the scope of the PR Notice. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please call me directly at (703) 305-1243 or Susan Stanton of my staff at (703) 305-5218.

Sincerely,

Kathryn Montague, Product Manager 23
Herbicide Branch
Registration Division (7505P)
Office of Pesticide Programs

EPA United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
---	--	-----------------------

Application for Pesticide - Section I

1. Company/Product Number 538-172	2. EPA Product Manager Kathryn Montague	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Ornamental Herbicide II	PM# PM-23	
5. Name and Address of Applicant (Include ZIP Code) The Scotts Company 14111 Scottslawn Road Marysville, OH 43041 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section II

<input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated XX-XX-XX <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated XX-XX-XX <input type="checkbox"/> "Me Too" Application <input type="checkbox"/> Other - Explain below.
---	---

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of label change per PR Notice 2007-4. See attached letter for certification.

Section III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If "Yes" Unit Packaging wgt. No. per Container	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If "Yes" Package wgt. No. per Container	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input checked="" type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)
*Certification must be submitted			
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) Retail Container 50 lb	5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Other Flexo-printed bag with pressure sensitive laminated booklet <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Deena Newell	Title Federal Registration Scientist	Telephone No. (Include Area Code) (937) 644-7314
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature The Scotts Company BY: <i>Deena Newell</i>	3. Title Federal Registration Scientist	
4. Typed Name Deena Newell	5. Date May 12, 2010	



The Scotts Company LLC

and Subsidiaries

May 12, 2010

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202-4501

Re: EPA Reg. No. 538-172, Ornamental Herbicide II
Notification of Label Change per PR Notice 2007-4

Dear Sir or Madam:

This notification is to update the labeling of the above referenced registration per PR Notice 2007-4. To support this notification, please find attached:

- EPA Form No. 8570-1, Application for Pesticide Registration/Amendment
- Two copies of label – one with highlighted changes; the other a “clean copy”

Please note: The Agency had requested we make changes to our warranty statements that we use on our labeling for products sold into the ornamental horticultural industry. In response to this request, we obtained prior approval of revised warranty statements from the Agency and agreement that we could include the revisions with our 2007-4 notifications (see attached emails dated May 5-6, 2010). Therefore, we have incorporated the changes into this label (pages 16-17). This section should not require review by the Agency but will allow incorporation of the changes into future label printing.

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions regarding this submission, please contact me by phone at 937-644-7314, or by email at Deena.Newell@scotts.com.

Sincerely,

Deena Newell
Federal Registration Scientist

Enclosures

4/20

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text.]

EPA Reg. No. 538-172

Note to PM: Technical Specimen Label

[OH2®]

[**Scotts®**]

Ornamental Herbicide II

Provides [For] preemergence control of weeds in container and field grown
ornamentals.

- Excellent, broad spectrum weed control
- Even distribution of particles at the proper application rate
- Application to dry foliage only
- Application timing when plants are not breaking dormancy or making a flush of growth
- Application at least two (2) weeks prior to enclosure in greenhouse/shadehouse type structures and two (2) weeks prior to shipping plant material

Packaging
Unit Size: 50 lb bag
Stock #XXXXXX
(See next page for label information)

**The Scotts Company
14111 Scottslawn Road
Marysville, OH 43041**

If you have questions regarding the use of this product,
call TOLL FREE 1-800-492-8255

5/20

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text.]

EPA Reg. No. 538-172

NOTE TO PM: FRONT PANEL

GROUP 3 14 HERBICIDES

MASTER LABEL

**Ornamental
Herbicide II**

[Scotts®]

Ornamental
Herbicide II

- Provides [For] preemergence control of weeds in container and field grown ornamentals.

ACTIVE INGREDIENTS:

Oxyfluorfen†	2.00%
Pendimethalin††	1.00%

OTHER INGREDIENTS:	<u>97.00%</u>
Total	100.00%

† CAS #42874-03-3
†† CAS #40487-42-1

EPA Reg. No. 538-172

EPA Est. 538-OH-1^S; 8378-IN-1^K; 9198-OH-1^M
Superscript used is the first letter of run code on end of container.

Product of USA

*Licensed under one or more of the following U.S. Patents: 3,920,742;
4,066,441.

The Scotts Company
14111 Scottslawn Road
Marysville, Ohio 43041

© 2010. The Scotts Company LLC. World rights reserved.

Net Weight 50 lbs (22.68 kg)

KEEP OUT OF REACH OF CHILDREN

CAUTION

[See attached labeling for directions for use and additional precautionary statements.]

6/20

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text.]

EPA Reg. No. 538-172

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling poison control center or doctor, or going for treatment. You may also call 1-877-561-6584 for emergency medical assistance.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Causes eye injury. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid inhalation.

Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to this product are made of any waterproof material. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart.

Mixers, loaders, applicators and other handlers must wear:

- coverall over long-sleeved shirt and long pants
- chemical-resistant footwear plus socks
- chemical-resistant gloves
- chemical-resistant apron for mixers and loaders

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text.]

EPA Reg. No. 538-172

Engineering Controls

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

User should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards: This pesticide is toxic to wildlife and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Use with care when applying in areas adjacent to any body of water. Runoff from treated areas may be hazardous to organisms in neighboring areas. See Directions for Use for additional restrictions. Apply this product only as specified on the label. Do not contaminate water when disposing of wash water. In case of spills, either collect for use or dispose of properly.

GUSSETS:

RIGHT GUSSET

[Scotts®]	Ornamental Herbicide II
-----------	----------------------------

LEFT GUSSET

[Scotts®]	Ornamental Herbicide II
-----------	----------------------------

BACK

Ornamental
Herbicide II

[Scotts®]	Ornamental Herbicide II
-----------	----------------------------

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text.]

General Information

Ornamental Herbicide II is a pre-emergent herbicide for container and field grown ornamentals in nurseries and does not control established weeds. Ornamental Herbicide II combines two selective herbicides on one granule, giving the user a broad spectrum of weed control and ornamental plant tolerance. Ornamental Herbicide II is not registered for use on vegetable or edible fruit crops, turf, bedding plants or flowering crops except as described in the plant tolerance list. For season-long weed control, repeat herbicide applications are required at approximately 3-month intervals during the growing season.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, chemical-resistant gloves made of any waterproof material, and shoes plus socks.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR part 170). The WPS applies when this product is used to produce agricultural plants on farms, forest, nurseries or greenhouses.

Keep all persons, children and pets out of the treated areas until dusts have settled.

For use only on container, field grown, and landscape ornamentals. This herbicide product has been extensively researched; however, testing has not been conducted on all species or cultivars, or under all growing conditions. In some instances performance characteristics may vary.

RESISTANCE MANAGEMENT

Ornamental Herbicide II is both a Group 3 and a Group 14 herbicide. Any weed population may contain or develop plants naturally resistant to Group 3 and/or Group 14 herbicides. Weed species with acquired resistance to Group 3 and/or Group 14 herbicides may eventually dominate the weed population if Group 3 and/or Group 14 herbicides are used repeatedly in the same field or in successive years as the primary method of control for targeted species. This may result in partial or total loss of control of those species by Ornamental Herbicide II or other Group 3 and/or Group 14 herbicides.

To delay herbicide resistance consider:

- Avoiding the consecutive use of Ornamental Herbicide II or other target site of action Group 3 or Group 14 herbicides that have a similar target site of action, on the same weed species.
- Using tank-mixtures or premixes with herbicides from different target site of action groups as long as the involved products are all registered for the same use, have different sites of action, and are both effective at the tank mix or prepack rate on the weed(s) of concern.
- Basing herbicide use on a comprehensive IPM program.
- Monitoring treated weed populations for loss of field efficacy.
- Contacting your local extension specialist, certified crop advisors, and/or manufacturer for herbicide resistance management and/or integrated weed management recommendations for specific crops and resistant weed biotypes.
- Contacting The Scotts Company at 800-492-8255 or www.scottsprohort.com [www.scottspro.com] for further information or to report suspected resistance.

Bold, italicized text is information for the reader and is not part of the label.
 [Bracketed information is optional text.]

EPA Reg. No. 538-172

The species listed below have been tested under actual growing conditions and found tolerant at the recommended application rate.

Abilea

x grandiflora (Glossy Abelia)

Acacia

latifolia longifolia (Bush Acacia)

Acer

palmatum 'Atropurpureum' (Red Cutleaf Japanese Maple)

Achillea

millefolium 'Cerise Queen' (Yarrow)

Araucaria

heterophylla (Norfolk Island Pine, Star Pine)

Azalea Kurume, Glen Dale hybrid, et al.

'Coral Bells', 'Fashion', 'Hardigzer Beauty', 'Hershey's Red' 'Mother's Day',
 'Mrs. G.G. Gerbing', 'Twenty Grand' (Azalea)

Berberis

spp. 'Crimson Pygmy' (Barberry)

thunbergii 'Atropurpurea' (Red-Leaf Japanese Barberry)

Betula

papyrifera (Paper Birch, Canoe Birch)

Brassaia (see Schefflera)*

Buxus

microphylla 'Green Velvet'

microphylla japonica (Japanese Boxwood)

microphylla koreana (New Large Leaf Asiatic Boxwood)

sempervirens 'Suffruticosa' (True Dwarf Boxwood)

Callistemon

citrinus (C. lanceolatus) (Lemon Bottlebrush)

Camellia

japonica 'Lady Laura'

sasanqua (Sasanqua Camellia)

Campanula

persicifolia 'Blue'

Catharanthus

roseus 'Vinca Blue Pearl'

Ceanothus*

(Lilac)

Cercis

canadensis (Eastern Redbud)

Chamaecyparis

lawsoniana 'Ellwoodii' (Ellwood Cypress)

obtusa (Hinoki False Cypress)

pisifera 'Filifera Aurea' (Cypress)

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text.]

Chamaedorea

elegans (Chamaedorea,Parlor Palm)

Coreopsis

verticillata 'Moonbeam'

Cornus

florida (White Flowering Dogwood)

Cortaderia

selloana (Pampas Grass)

Cotoneaster

apiculatus (Cranberry Cotoneaster)

dammeri 'Coral Beauty' (Bearberry Cotoneaster)

Crataegus*

(Hawthorn)

Cupressus

sempervirens (Italian Cypress)

Cytisus

scoparius 'Burkwoodii' (Scotch Broom)

Deutzia

x 'Magician'

Dianthus

spp. 'Baths Pink'

deltoides 'Arctic Fire'

Escallonia

spp. 'Fradesii'

langleyensis 'Apple Blossom'

Euonymus

fortunei 'Emerald `N Gold'

fortunei 'Gracilis'

fortunei 'Sarcoxie'

japonica 'Aureo-variegata' (Gold Spot Euonymus)

japonica 'Grandifolia' (Big Leaf Euonymus)

x kiautschovicus 'Manhattan'

Forsythia

x intermedia 'Lynwood Gold'

Fothergillia

gardenii 'Mt Airy'

Fragaria

x 'Pink Panda' (Sand Strawberry)

Gardenia

jasminoides 'August Beauty' (Cape-jasmine)

'Radicans'

Hemerocallis

spp.'Happy Returns' (Daylily)

Hydrangea

macrophylla 'Nikko Blue' (Bigleaf Hydrangea)

Hypericum

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text.]

patulum 'Hidcote' (St. Johnswort)

Ilex

- 'Blue Girl' (Dwarf Holly)
- opaca (American Holly)
- cornuta 'Burfordii' (Burford Holly)
- cornuta 'Burfordii Nana' (Dwarf Burford Holly)
- crenata 'Convexa' (Japanese Holly)
- crenata 'Helleri' (Heller's Japanese Holly)
- hybrid 'Nellie R. Stevens'
- vomitaria 'Nana' (Dwarf Yaupon Holly)

Juniperus

- chinesensis 'San Jose' (San Jose Juniper)
- chinesensis 'Sea Green' (Sea Green Juniper)
- conferta (Shore Juniper)
- horizontalis 'Plumosa' (Andorra Juniper)
- horizontalis 'Wiltonii' (Blue Rug Juniper)
- sabina 'Tamariscifolia' (Tam Juniper)

Ligustrum

- ibolium 'Variegatum' (Ibolium Privet)
- japonicum (Japanese Privet)
- japonicum 'Rotundifolium' (Japanese Privet)
- japonicum 'Texanum' (Wax Leaf Privet, Texas Privet)
- senensis (Chinese Silver Privet)
- vicaryi (Vicary Golden Privet)

Lonicera

- fragrantissima (Winter Honeysuckle)

Loropetalum

- chinensis 'Burgundy'

Lupinus

- spp. 'RH My Castle' (Lupine)

Magnolia

- soulangiana (Saucer Mahonia)

Mahonia

- bealei (Leatherleaf Mahonia)
- repens (Creeping Mahonia)

Monarda

- didyma 'Claire Grace'

Nandina

- spp. 'Compacta'

Nerium

- oleander (Oleander)

Pachysandra

- terminalis (Japanese Spurge)

Philodendron

- selloum (Split Leaf Philodendron)

Photinia

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text.]

EPA Reg. No. 538-172

fraseri (Fraser's Photinia)

Picea

glauca 'Conica' (Dwarf Alberta Spruce)

Pieris

japonica (Lily-of-the-Valley Shrub)

Pinus

halepensis (Aleppo Pine)

thunbergiana (Japanese Black Pine)

Pittosporum

tobira 'Wheeler's Dwarf' (Tobira, Mock Orange)

Podocarpus spp.

Potentilla

fruticosa 'Katherine Dykes' (Bush Cinquefoil)

Prunus

cistena 'Dwarf Red-Leaf' (Dwarf Red-Leaf Plum)

Pyracantha

spp. 'Mohave'

coccinea 'Lalandei Monrovia' (Scarlet Firethorn)

Quercus

acutissima (Sawtooth Oak)

shumardii (Shumard Red Oak)

Raphiolepis

indica 'Pink Lady' (India Hawthorn)

Rhododendron

'Nova Zembla'

Salvia

spp. splendens 'Lavender Vista'

'May Knight'

Santolina

virens (Green Lavender Cotton)

Scabiosa

columbaria 'Butterfly Blue'

columbaria 'Pink Mist'

Schefflera*

actinophylla (Schefflera, Queensland Umbrella Tree)

arboricola (Arboricola, Dwarf Schefflera)

Spiraea

bumalda 'Goldflame'

Syringa

meyeri 'Pallbin' (Lilac)

vulgaris (Common Lilac)

Taxus

cuspidata 'Intermedia' (Taxus, Yew)

Thuja

occidentalis 'Pyramidalis' (American Arborvitae)

occidentalis 'Globosa' (Globe Arborvitae)

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text.]

Trachelospermum*

jasminoides (Star Jasmine)

Tsuga

canadensis (Canada Hemlock)

Viburnum

davidii (David Viburnum)

Vinca

spp. 'Bowles Variety' (Periwinkle)

Weigela

florida 'Pink Princess'

Xylosma

congestum (spp. senticosum) (Shiny Xylosma)

****Species not yet approved by the state of California.***

The species listed below have been tested and results do not warrant use at this time.

Achillea

spp. 'Coronation Gold' (Yarrow)

Ageratum

spp. 'Hawaii Blue'

Azalea

'Hino-crimson'

'Snow'

Calluna

spp. 'Forsey' (Heather)

Celosia

spp. 'Castle Yellow'

Chrysanthemum

spp. 'Legends'

Clematis

x 'Duchess of Edinburgh'

Dianthus

caryophyllus

Digitalis

spp. 'Excelsior'

Echinacea

spp. 'Magnus'

pallida

purpurea 'Leuchstern'

Erica

mediterranea

Euonymus

alata compacta

Geranium

spp. 'Pinto Red'

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text.]

Hydrangea

arborescens 'Annabelle'

Lantana

spp. 'Patriot Desert Sunset'

Leucanthemum

maximum 'White Knight' (Shasta Daisy)

Lilium

orientalis 'Mr. Ruud'

Magnolia

stellata 'Pinkie'

Papaver

orientale 'Pizzicato Mix' (Poppy)

Penstemon

spp. 'Thorn'

Petunia spp.

Potentilla

fruticosa 'Goldfinger'

Prunus

glandulosa (Dwarf Flowering Almond)

Rhododendron

spp. 'English Roseum'

'Hino-Crimson'

'Snow'

Rudbeckia

spp. (Coneflower)

'Goldstrum'

Sarcococca

hookeriana humilis

Scabiosa

spp. 'Pink Carnival'

Sedum

spectabile 'Autumn Joy'

brevifolium (Stonecrop)

Tagetes

erecta (Marigold)

Vinca

minor (Dwarf Periwinkle)

Zinnia spp.

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text.]

Gives preemergence control of the following weeds:

Grassy Weeds

Annual bluegrass	<i>(Poa annua)</i>
Barnyardgrass	<i>(Echinochloa crusgalli)</i>
Crabgrass	<i>(Digitaria sanguinalis)</i>
Sprangletop	<i>(Leptochloa uninervia)</i>

Broadleaved Weeds

Bittercress	<i>(Cardamine pensylvanica)</i>
Common Chickweed	<i>(Stellaria media)</i>
Cudweed	<i>(Gnaphalium obtusifolium)</i>
Dandelion	<i>(Taraxacum officinale)</i>
Eclipta	<i>(Eclipta prostrate)</i>
Fireweed	<i>(Epilobium angustifolium)</i>
Fleabane	<i>(Erigeron strigosus)</i>
Groundsel	<i>(Senecio vulgaris)</i>
Marestail	<i>(Gonyza canadensis)</i>
Oxalis	<i>(Oxalis stricta)</i>
Pearlwort	<i>(Sagina procumbens)</i>
Pepperweed	<i>(Lepidium virginicum)</i>
Pigweed	<i>(Amaranthus retroflexus)</i>
Shepherdspurse	<i>(Capsella bursa-pastoris)</i>
Sowthistle	<i>(Sonchus arvensis)</i>
Spurge, Garden	<i>(Euphorbia hirta)</i>
Spurge, Prostrate	<i>(Euphorbia supina)</i>
Spurge, Spotted	<i>(Euphorbia maculata)</i>

APPLICATION RECOMMENDATIONS

- Apply to dry foliage only
- Water in immediately to wash the particles off the plant foliage
- Apply 2.3 lbs. product per 1,000 sq. ft.
- Repeat application at 3-month intervals

Before each application, remove any existing weeds. Apply product with a properly calibrated rotary spreader that will assure accurate, even particle distribution. Product can also be applied by aerial equipment.

Apply to DRY FOLIAGE only. To test for moisture, rub hands over plant foliage. WATER IN with ½ - 1 inch immediately after application to wash the particles off the plant foliage and to activate the herbicide.

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text.]

For season-long weed control, repeat applications are required at approximately 3-month intervals during the growing season.

The maximum application is 6 lbs/season at 2 lbs ai/acre/application.

CONTAINER GROWN ORNAMENTALS

POTTED LINERS—Remove established weeds from liners prior to transplanting into containers. Following planting and prior to chemical application irrigate with approximately ½ inch of water to firm potting media around root systems. After two regular waterings and foliage has dried, broadcast product evenly over the container growing area. Water in with ½ to 1 inch immediately after application.

BARE-ROOTED LINERS – Remove established weeds before herbicide application. Broadcast product evenly over the container growing area 3 to 4 weeks after potting. Water in with ½ to 1 inch immediately after application.

INDIVIDUAL CONTAINER APPLICATIONS

For situations where broadcast application of the product is not appropriate, apply the product uniformly over the entire container surface at the rates in the following table (1 gm product/sq. ft.):

<u>CONTAINER SIZE</u>	<u>SURFACE AREA (SQ FT)</u>	<u>GMS OF PRODUCT/ CONTAINER</u>	<u>VOLUME OF PRODUCT PER CONTAINER</u>
1 gal (6" diam)	0.20	0.20	1/8 tsp
2 gal (9" diam)	0.44	0.44	¼ tsp
3 gal (10" diam)	0.55	0.55	¼ tsp (rounded)
5 gal (12" diam)	0.79	0.79	¼ tsp (heaping)
15 gal (17" diam)	1.60	1.60	½ tsp

FIELD GROWN ORNAMENTALS

Apply immediately after planting or prior to weed seed germination following complete weed removal. Before application the soil should be loosened by light cultivation.

Water the product in with ½ to 1 inch immediately after application.

PRECAUTIONS/LIMITATIONS

Do not apply to moist foliage.

Do not apply while plants are producing a new flush of spring growth. Tender, newly forming leaves are especially sensitive and may be injured by the herbicide.

Do not apply when extreme cold stress (35°F or lower) is expected.

Do not apply product in enclosed greenhouse or polyhouse structures as ornamental injury may result. Product should not be applied within two (2) weeks prior to enclosure in greenhouse type structure or within two (2) weeks prior to shipping.

Do not apply to plant types whose leaves channel the herbicide granules to the leaf base (such as *Yucca spp.* and *Dracaena spp.*).

Do not apply in wind conditions that affect distribution of the product.

If metallic surfaces (nursery equipment, automobiles, etc.) are present at the application site, do not use this product under windy conditions (5-10 MPH) due to its staining potential.

Not for use on vegetables. Do not use on fruit trees that will bear fruit within one year of application.

Users who wish to use Ornamental Herbicide II on ornamental species or non-bearing fruit trees not listed on this label may determine suitability for such uses by making trial application of this product at a recommended rate to a small number of plants. Prior to using this product on a large number of plants, the trial treatment should be observed for signs of herbicidal injury for 3 to 6 months to determine if the treatment is safe to the target plant species.

Non-bearing fruit trees such as citrus (oranges, grapefruit, etc.), pome fruits (apples, pears, etc.) and stone fruits (cherries, peaches, etc.) are plants which will not bear fruit for at least one year following application.

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text.]

EPA Reg. No. 538-172

The user assumes responsibility for any crop damage or other liability from the use of this product on ornamental plant species not recommended on this label.

Not recommended for use on bedding plants, liner production beds, flowers, ground covers, vegetables, and turf.

Do not incorporate product into soil or potting media nor apply product directly to bare roots.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing:

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available, or dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

DISCLAIMER AND LIMITATION OF LIABILITY

IMPORTANT NOTICE FROM THE SCOTTS COMPANY LLC AND SCOTTS-SIERRA HORTICULTURAL PRODUCTS COMPANY ("SCOTTS"). PLEASE READ BEFORE USE.

To the extent consistent with applicable law, user or buyer accepts the conditions, disclaimer of warranties and limitations of liability. Read the entire directions for use, conditions of warranties and limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once for full refund.

CONDITIONS: The directions for use of this product are believed to be adequate and the user or buyer must always follow the label directions carefully and exercise judgment and caution when using this product under their growing conditions. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness, unsatisfactory or substandard results or other unintended consequences may result because of such factors as weather conditions, presence or absence of other materials, or the manner of use or application, all of which are beyond the control of Scotts. All such risks shall be assumed by the user or buyer.

20/20

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text.]

EPA Reg. No. 538-172

WARRANTY: This product corresponds to all claims and descriptions set forth on the label and is reasonably fit for the purposes set forth in the directions for use on the label when used in accordance with those directions. This warranty is subject to the conditions and limitations stated herein. Scotts recognizes that the rights and remedies of the user or buyer are subject to the provisions of the applicable law, but makes no other warranties or representations, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Scotts is authorized to make any warranties beyond those contained herein or to modify the warranties contained therein. Subject to the user's or buyer's rights and remedies under the applicable law, Scotts disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: Subject to the user's or buyer's rights and remedies under the applicable law, the exclusive remedy of the user or buyer and the liability of Scotts or its affiliates, for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid by the user or Buyer for the quantity of this product involved or, at Scotts' election, the replacement of the product. To the extent consistent with applicable law, Scotts must have prompt notice of any claim so that a timely investigation of buyer's or user's claim can be made. Buyer and all users shall promptly notify Scotts of any claims, whether based on contract, negligence, strict liability, other tort or otherwise or be barred from any remedy.

The Scotts Company
14111 Scottslawn Road
Marysville, Ohio 43041

OH2® is a registered trademark of OMS Investments, Inc. for its brand of Herbicide products.