

Scotts
ProLurf

ACCEPTED

OCT 26 1981

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 101-108-01

Fungicide 7

- systemic fungicide that prevents and controls dollar spot (including benzimidazole tolerant strains), brown patch, anthracnose and rust

Net Weight 29³/₁₆ lbs (13.24 kg)

For Professional Use Only

8645

Fungicide 7

Scotts
ProLurf

Fungicide 7

8645

Fungicide 7

Scotts
ProLurf

8645

Fungicide 7 8645

Scotts
ProLurf Fungicide 7

Directions for use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For use on lawns, tees and putting greens consisting of Kentucky bluegrass, annual bluegrass, bermuda, perennial ryegrass, fine fescue or mixtures where these grasses predominate.

TO PREVENT DOLLAR SPOT, ANTHRACNOSE AND RUST apply to moist or dry foliage at the RECOMMENDED RATE when environmental conditions favor disease activity. Repeat the application at 2 week intervals throughout the expected disease period.

TO CONTROL ACTIVE DOLLAR SPOT, ANTHRACNOSE AND RUST apply to moist or dry foliage at two week intervals. Use the DOUBLE RATE for light to moderate disease infestations and the HEAVY RATE for severe disease infestations. When the disease activity is under control, apply at the RECOMMENDED RATE at two week intervals.

TO PREVENT BROWN PATCH apply to moist or dry foliage at the DOUBLE RATE when environmental conditions favor disease activity. Repeat the application at 2 week intervals throughout the expected disease period.

TO CONTROL ACTIVE BROWN PATCH apply to moist or dry foliage at the HEAVY RATE every two weeks. When the disease activity is under control, apply at the DOUBLE RATE at two week intervals.

To avoid product pick-up, lightly irrigate treated areas soon after application.

Storage and disposal
Do not contaminate water, food, or feed by storage or disposal.

STORAGE Store in a clean, dry place. Re seal opened bags by folding top down and securing.

PESTICIDE DISPOSAL Pesticide or mixture that cannot be used according to label instructions must be disposed of according to Federal, State, or local procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL Dispose of bags according to approved Federal, State, or local procedures under the Resource Conservation and Recovery Act.

ProLurf Division
The O. M. Scott & Sons Company
Marysville, Ohio 43041

Suggested Spreader Settings

to provide proper distribution, calibrate spreader before use.

20" - 100 lbs (45 kg) spreader: 22 GPM @ 1.5 MPH, 1.5 GPM @ RECOMMENDED RATE
 24" - 120 lbs (54 kg) spreader: 28 GPM @ 1.5 MPH, 1.8 GPM @ DOUBLE RATE
 28" - 160 lbs (72 kg) spreader: 36 GPM @ 1.5 MPH, 2.4 GPM @ HEAVY RATE

SPREADER	SPREADER	SPREADER	SPREADER
TYPE	TYPE	TYPE	TYPE
Hand Broadcast	Hand Broadcast	Hand Broadcast	Hand Broadcast
1.5 mph	1.5 mph	1.5 mph	1.5 mph
1.5 mph	1.5 mph	1.5 mph	1.5 mph
1.5 mph	1.5 mph	1.5 mph	1.5 mph
1.5 mph	1.5 mph	1.5 mph	1.5 mph