

1 of 6  
1723  
538-175

FRONT:

Treats 5,000 sq. ft. (465m<sup>2</sup>)

SCOTTS  
LAWN PRO (LOGO)

ANNUAL  
PROGRAM

**ACCEPTED**  
  
JUL 18 1983  
  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 538-175

(ILLUS.)

STEP 2

of 4 easy steps  
to a better lawn.

Weed Control plus Fertilizer ; *ok*

NET WEIGHT 14-1/16 lbs (6.38 kg)

32-3-4

KEEP OUT OF REACH OF CHILDREN ✓  
CAUTION  
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION. Causes eye injury. Avoid contact with eyes, skin or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. May be harmful if swallowed. Avoid inhalation. Do not contaminate feed or foodstuffs. ✓

Environmental Hazards: Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. ✓

Storage and Disposal: Do not contaminate water, food or feed by storage or disposal. ✓

STORAGE: Store in a clean, dry place. Reseal opened bags by folding top down and securing. ✓

CONTAINER DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection. ✓

20% 6  
acid  
1.381  
2.795  
OK  
2.488

FRONT CONTINUED:

ACTIVE INGREDIENTS:

2,4-Dichlorophenoxyacetic acid . . . . .	1.22%
2-(2-Methyl-4-chlorophenoxy) propionic acid . . . . .	1.22%
Dicamba 3,6-Dichloro-o-anisic acid . . . . .	0.048%

INERT INGREDIENTS: . . . . .	97.512%
Total	100.00%

EPA Reg No 538-175 EPA Est 538-OH-1  
Weed Control plus Fertilizer

32-3-4

GUARANTEED ANALYSIS

Total nitrogen (N) . . . . .	32%
0.7% ammoniacal nitrogen	
20.7% urea, methylene ureas nitrogen	
10.6% water insoluble nitrogen	
Available phosphoric acid (P <sub>2</sub> O <sub>5</sub> ) . . . . .	3%
Soluble potash (K <sub>2</sub> O). . . . .	4%

Derived from monoammonium phosphate, urea, methylene ureas, and potassium sulfate.

U S Pat Nos 3,705,794; 3,989,470

Product of USA

The O M Scott & Sons Company

Marysville, Ohio 43041



RIGHT GUSSET

SCOTT'S  
LAWN PRO (LOGO)

ANNUAL  
PROGRAM

STEP 2




LEFT GUSSET

SCOTT'S  
LAWN PRO (LOGO)

ANNUAL  
PROGRAM

STEP 2



4/26/60

BACK:

SCOTTS LAWN PRO (LOGO)  
Annual Program

Now it is easy for you to have a better lawn

- . SAVE MONEY - Why even consider a Lawn Care Service? Scotts Annual Program will give you a beautiful lawn for less money.
- . GUARANTEED RESULTS - Each Step is designed to the specific season to give you a healthier, greener lawn.
- . SIMPLE and EASY - No more guesswork. You simply apply the right product - one step at a time.
- . START ANYTIME - You can start into the Program anytime of the year. Just check the month and select the appropriate Step listed below.

Step 1. Early Spring February - April

Crabgrass Preventer plus Fertilizer - prevents crabgrass while providing deep, thick greening for 2 months.

STEP 2. LATE SPRING APRIL - JUNE

WEED CONTROL plus FERTILIZER - CONTROLS DANDELIONS, CLOVER, CHICKWEED AND OTHER BROADLEAF WEEDS WHILE GREENING YOUR LAWN FOR 2 MORE MONTHS.

Step 3. Summer June - August

Insect Control plus Fertilizer - controls white grubs, chinch bugs, sod webworms, and other lawn insects plus keeps your lawn green through the Summer.

Step 4. Fall August - November

Fertilizer - specially formulated for the Fall - the best time to develop a stronger root system for a healthier, thicker lawn. Helps your lawn green up even quicker next Spring.

?,  
STEP 2 DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

BACK CONTINUED:

Application

- . Apply when weeds are actively growing, but not before yellow dandelion blooms have appeared.
- . For best results, apply to moist foliage.
- . Do not over apply, especially under the drip zone of desirable shrubs and trees as some of the control ingredients are root absorbed.
- . Don't use on creeping bentgrass lawns or on newly seeded and sodded lawns until after the fourth mowing. Don't plant grass for one month after using this product and don't apply when daytime temperatures are consistently 90 degrees or above.
- . Allow at least 4-6 weeks between program applications.

Watering or Rain

- . Do not water your lawn for 24 hours after application. Water will wash the weed control off the weed's leaves and reduce the effectiveness of this product. This product should not be applied if rain is expected within the next 24 hours.

Tips on Spreading

- . Do not apply during windy days.
- . First apply 2 header strips
- . Overlap spreader application area to avoid strips of untreated lawn.
- . Shut off spreader when you reach the header strip or any time you stop.

(ILLUS.)

Spreader

- . Be careful when applying this product near shrubs, flower beds or vegetable gardens as weed control may damage these desirable plants. The Scotts PF spreaders provide excellent controlled application to protect these areas.

Feeding Rate Scotts PF, Standard or Automatic

4-1/2

BACK CONTINUED:

If you have Questions

We designed this program to make having a better lawn as simple and easy as possible. But you may still have some questions about your lawn during the year. If so, you can contact the Scotts Lawn Pro retailer where you bought this program. They are ready to answer your questions and provide any help or information that you may need.

OR

You can get the answers by talking directly with one of Scotts lawn counselors. Simply dial this toll-free number 800-543-TURF (in Ohio 800-762-4010).

SCOTTS POLICY  
No-Quibble Guarantee

If for any reason you are not satisfied with results after using any Scotts product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you back a refund check promptly.

