

MASTER LABEL

PU 23
538-175

FRONT:

(S-2433)
PACKAGE COPY FOR #23614
Super Plus 2 for Grass
Weed Control plus FERTILIZER
03/08/88 AR 03/29/88 AR
03/30/88 VS 04/05/88 VS
05/26/88 AR 07/21/88 AR
08/04/88 VS 06/16/89 VS
10/11/89 VS 04/03/90 VS/CR
05/14/90 VS/CR


(Scotts (R))
(Lawn Pro) step™ 2
(R)

23614 (placed vertically) (Above copy to be inverted.)

Treats 5,000 sq ft (Bag)
Treats 1,000 sq ft (Shaker Container)

(Scotts (R))
(Lawn Pro)
(R)

Scotts Best
Annual Program



SCOTTS POLICY
No-Quibble
Guarantee
SEE BACK FOR DETAILS

step™ 2

of 4 easy steps to
a better lawn

(ILLUS.)

Super Plus 2 for Grass/
Weed Control
plus Fertilizer

NET WEIGHT XX.X lbs (Bag)
NET WEIGHT X.X lbs (Shaker Container)

XX-X-X

KEEP OUT OF REACH OF CHILDREN
CAUTION
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION. Causes eye injury. Avoid contact with eyes, skin or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. May be harmful if swallowed. Avoid inhalation. Do not contaminate feed or foodstuffs. ~~Wear long pants, long-sleeved shirt and shoes when applying this product.~~

~~Do not apply to lawns that have been treated with other Scotts products.~~

Environmental Hazards: Do not apply when weather conditions favor drift from

STORAGE: Store in a clean, dry place. Reseal opened (container) or (bag by folding top down and securing).

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag (or container) . Discard bag (or container) in trash.

ACTIVE INGREDIENTS:

2,4-Dichlorophenoxyacetic acid	X.XXX%	0.68-1.37
2-(2-Methyl-4-chlorophenoxy) propionic acid	X.XXX%	0.68-1.37
Dicamba 3,6-Dichloro-o-anisic acid	X.XXX%	0.027-0.05
INERT INGREDIENTS:	XX.XXX%	
Total	100.000%	

EPA Reg No 538-175 EPA Est 538-OH-1

Super Plus 2 for Grass/
Weed Control plus Fertilizer

XX-X-X

Guaranteed Analysis

Total nitrogen (N)	XX%
X.X% ammoniacal nitrogen	
XX.X% urea, methylene ureas nitrogen	
X.X% water insoluble nitrogen	
Available phosphoric acid (P ₂ O ₅)	X%
Soluble potash (K ₂ O)	X%

Derived from monoammonium phosphate, urea, methylene ureas, and potassium sulfate.

U S Pat No 3,705,794; 3,989,470

Product of USA

The O M Scott & Sons Company, Marysville, Ohio 43041

GUSSETS

RIGHT GUSSET

	(Scotts (R))	Scotts Best		SCOTTS POLICY
	(Lawn Pro)	Annual		No-Quibble
23614	(R)	Program	step™ 2	Guarantee
1				SEE BACK FOR DETAILS

LEFT GUSSET

(Scotts (R))	Scotts Best		SCOTTS POLICY	
(Lawn Pro)	Annual		No-Quibble	23614
(R)	Program	step™ 2	Guarantee	1
			SEE BACK FOR DETAILS	

BACK:

PULL TAB
and remove for
pour spout
(ILLUS.)

Easy
Open PULL HERE

Treats 5,000 sq ft (Bag)
Treats 1,000 sq ft (Shaker Container)

(Scotts (R))
(Lawn Pro)
(R)

Scotts Best
Annual
Program

STP2 23614
5M
PROOF
OF
PURCHASE
(Scotts)

Now it's easy for you to have a better lawn

Save money

Start anytime

Why even consider a lawn care service? Scotts Annual Program will give you a beautiful lawn for about half the cost.

You can start the Annual Program anytime of the year. Just check the month and select the appropriate Step listed below.

Simple and easy

Guaranteed results

No more guesswork. You simply apply the right product - one Step at a time.

Each Step is designed for the specific season to help give you a healthier, greener lawn.

(ILLUS.)

(The 4 Steps listed below will be placed horizontally in one row.)

step 1. Early Spring February-April

Crabgrass Preventer plus Fertilizer - prevents crabgrass, foxtail, spurge, oxalis, chickweed and other annual weeds while providing deep, thick greening for up to 2 months. This is Scotts best fertilizer plus crabgrass preventer. In the Pacific Northwest, Step 1 is "Moss Control plus Fertilizer".

step 2. Late Spring April-June

Weed Control plus Fertilizer - controls dandelions, clover, chickweed and other broadleaf weeds while greening your lawn for up to 2 more months. This is Scotts best weed and feed.

step 3. Summer June-August

Insect Control plus Fertilizer - controls white grubs, chinch bugs, sod webworms and other lawn insects plus keeps your lawn green through the Summer.

step 4. Fall August-November

Lawn Fertilizer - specially formulated for the Fall - the best time to develop a stronger root system for a healthier, thicker lawn. Helps your lawn green up even quicker next Spring. This is Scotts best fall fertilizer.

BACK CONTINUED:

STEP 2 DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

LEFT COLUMN

Application

- . Apply when weeds are actively growing, but not before yellow dandelion blooms have appeared.
- . ~~Apply to moist or dry foliage, however, for best results, apply to moist foliage.~~
- . Be careful when applying this product near shrubs, flower beds or vegetable gardens as weed control may damage these desirable plants.
- . Do not over apply, especially under the drip zone of desirable shrubs and trees as some of the control ingredients are root absorbed.
- . Don't use on Dichondra, St Augustine, creeping bentgrass, bahia, or centipedegrass lawns or on newly seeded and sodded lawns until after the fourth mowing. Don't plant grass for one month after using this product and don't apply when daytime temperatures are consistently 90 degrees or above.
- . Allow at least 4-6 weeks between program applications.

Watering or Rain

- . Do not water your lawn for 24 hours after application. Water will wash the weed control off the weed's leaves and reduce the effectiveness of this product.
This product should not be applied if rain is expected within the next 24 hours.

RIGHT COLUMN

(The following instructions to be used on 5,000 sq ft Bag only).

Tips on Spreading

Scotts Drop:

- . Do not apply during windy days.
- . First apply 2 header strips.
- . Overlap spreader application area to avoid strips of untreated lawn.
- . Shut off spreader when you reach the header strip or any time you stop.

(ILLUS.)

(ILLUS.)

BACK CONTINUED:

EasyGreen™ Rotary:

- Slide shut-off lever to the right, application automatically starts and stops when you do
- Avoid misses by making each pass about 30 inches from the previous one so some overlapping occurs

Speedy Green™ Rotary:

- Shut off spreader anytime you stop

~~Avoid misses by making each pass about 5 feet from the previous one so some overlapping occurs~~

Scotts Spreader Settings

Scotts Drop Spreaders	X	Scotts EasyGreen™ Rotary	XX	Scotts Speedy Green™	X
-----------------------------	---	--------------------------------	----	----------------------------	---

Additional Spreader Settings (Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

Cyclone Rotary (Model B)	XX
Central Drop (#205)	XX
Sears Drop (#19810)	X
Ortho Drop (#5000)	X
Greenview Drop (Spred II)	X
Precision Drop (Red Devil)	X

(The following instructions to be used on 1,000 sq ft shaker container only).

APPLICATION RATE (Actual Size) contents of this package covers a 25 ft. by 40 ft. area (1,000 sq. ft.)

Picture of shaker carton

Use lightweight shaker carton to sprinkle evenly over lawn as shown.

Picture of dime

If you have questions

We designed this Program to make having a better lawn as simple and easy as possible. But you may still have some questions about your lawn during the year. If so, you can contact the Scotts Lawn Pro retailer where you bought this Program. They are ready to answer your questions and provide any help or information that you may need. -OR- You can get the answers by talking directly with one of Scotts lawn counselors. Simply dial this toll-free number 1-800-543-TURF (in Ohio 1-800-762-4010).

BACK CONTINUED:

PC 7007

**Scotts Policy
No-Quibble Guarantee**

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

0 (UPC) 0
32247 23614

SCOTTS...the lawn people
MARYSVILLE, OHIO 43041

(c) 1989, The O M Scott & Sons Company. All rights reserved.

(Description below will be inverted.)

(Scotts (R))
(Lawn Pro)
(R)

step™ 2

23614 (placed vertically)

1189R/15-21