



Application for Pesticide - Section I

1. Company/Product Number 538-175	2. EPA Product Manager Joanne I Miller	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Super Plus 2 for Grass	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) The Scotts Company 14111 Scottslawn Road Marysville, OH 43041 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

Amendment - Explain below. Final printed labels in response to 8/21/95 Agency letter dated _____

Resubmission in response to Agency letter dated _____ "Me Too" Application.

Notification - Explain below. Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Additional Brand Name: Please add to the record the following brand name.
 "Weed & Feed for Lawns"

Section - III

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container

3. Location of Net Contents Information
 Label Container

4. Size(s) Retail Container

5. Location of Label Directions
 On Label
 On Labeling accompanying product

6. Manner in Which Label is Affixed to Product
 Lithograph
 Paper glued
 Stenciled Other _____

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Vincent Snyder Jr.	Title Senior Technical Associate	Telephone No. (Include Area Code) 513-644-7131
----------------------------	-------------------------------------	---

Certification
 I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature THE SCOTTS COMPANY BY: <i>Vincent Snyder Jr.</i>	3. Title Senior Technical Associate	6. Date Application Received (Stamp)
4. Typed Name Vincent Snyder Jr.	5. Date 1/24/96	

Scotts
Weed & Feed

Treats 11,000 sq. ft.



Weed & Feed

For Lawns

Do not use on St. Augustinegrass, dichondra, or bentgrass lawns



24-4-6

The Scotts Difference.

- Clears out dandelions and more than 70 other broadleaf weeds
- Thick, green, weed-free turf
- Scotts No Quibble Guarantee
- Toll free Consumer Hotline: 1-800-543-TURF

Active Ingredients

2,4-Dichlorophenoxyacetic acid	1.05%
2-(2-methyl-4-chlorophenoxy)propionic acid	6.95%
Dicamba (3,6-dichloro-2-amino acid)	0.04%
Inert Ingredients	91.96%
	TOTAL 100.00%

EPA Reg. No. 538-125 EPA Est. No. 55640-09-001


NET WEIGHT 36.21 LBS.
(16.42 kg)

KEEP OUT OF REACH OF CHILDREN
CAUTION
See back for additional precautionary statements.

Treats 11,000 sq. ft.



4611



24611



Treats 11,000 sq. ft.

Weed & Feed for Lawns 24-4-6
Guaranteed Analysis
 Total nitrogen (N) 27%
 0.8% ammoniacal nitrogen
 12.1% urea nitrogen
 1.0% water-soluble organic nitrogen
 1.2% water-insoluble nitrogen
 Available phosphate (P₂O₅) 3%
 Soluble potash (K₂O) 6%
 Derived from: monoammonium phosphate, urea, methylene urea, sulfate of potash and sulfate of potash.
 *Contains 4.2% slowly available methyleneurea and dimethylammonium nitrogen.
 U.S. Pat. No. 3,438,238
 Product of the U.S.A.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRICED FOR BROAD STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION. Causes eye injury. Avoid contact with eyes, skin or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. May be harmful if swallowed. Avoid inhalation. Do not contaminate feed or foodstuffs. Do not allow people (other than the applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried or dust has settled. When using this product, wear long-sleeved shirt, long pants, socks, and shoes.

After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

Environmental Hazards: Do not apply when weather conditions favor drift from target area. Drift or runoff may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water by cleaning when disposing of equipment washwaters.

The Scotts Company
 14111 Scottsdown Rd
 Marysville, OH 43041



Weed & Feed

24-4-6 For Lawns

Do not use on St. Augustinegrass, dichondra, or bentgrass lawns

WEEDS CONTROLLED

aster	clover (red)	lamb'squarter	red sorrel (sheep sorrel)
bindweed	clover (white)	lespedeza (seedling)	scarlet pimpernel
bittercress	cudweed	lippia (matchweed)	shadflower (whitewort)
black medic	curly dock	mallow	shepherdspurse
bristly ox-tongue	dandelion	monardella	smartweed
buckhorn	dichondra	morningglory	sowthistle
bull thistle	dollarweed	mustard	spurweed
bucklover	English daisy	pennycress	stitchweed
buttonweed	eveningprimrose	pepperweed	three-seeded mercury
Canada thistle	filaree	pigweed	thyme-leaved sandwort
carpetweed	floribunda	plantain	vetch
cat's ear (coast dandelion)	ground ivy	prickly lettuce	wild carrot
centaury	hawkweed	puncturevine	yellow arrow
chickweed	heal-all	purstane	yellow rocket
chicory	henbit	pursley (Florida)	
cinqfoil	horseweed	pusstoe	
clover (hop)	knotted (seedling)	ragweed	

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. This product applies 1.5 pounds of 24-D per acre per application. The maximum number of broadcast applications per treatment site is two per year.

Application

- Apply when weeds are actively growing, but not before yellow dandelion blooms have appeared.
- Apply to moist or dry foliage; however, for best results, apply to moist foliage.
- Be careful when applying this product near shrubs, flower beds or vegetable gardens as weed control may damage these desirable plants.
- Do not over apply, especially under the drip zone of desirable shrubs and trees as some of the control ingredients are not absorbed.
- Do not use on Dichondra, St. Augustinegrass, creeping bentgrass, bahia, or centropogon lawns or on newly seeded and sodded lawns until after the fourth mowing. Do not plant grass for one month after using this product and do not apply when daytime temperatures are consistently 90 degrees or above.
- Allow at least 4-6 weeks between applications.

Watering or Rain

- Do not water your lawn for 24 hours after application. Water will wash the weed control off the weed's leaves and reduce the effectiveness of this product.
- This product should not be applied if rain is expected within the next 24 hours.

Tips on Spreading

Scotts Drop:

- Do not apply during windy days.
- First apply 2 header stops.

- Overlap spreader application area to avoid strips of untreated lawn.
- Shut off spreader when you reach the header strip or any time you stop.
- EasyGreen® Rotary:**
 - Slide shut-off lever to the right; application automatically starts and stops when you do.
 - Avoid misses by making each pass about 30 inches from the previous one so some overlapping occurs.
- SpeedyGreen® Rotary:**
 - Shut off spreader anytime you stop.
 - Avoid misses by making each pass about 3 feet from the previous one so some overlapping occurs.

Spreader Settings

Scotts Drop Spreaders	Scotts EasyGreen Rotary	Scotts SpeedyGreen Rotary
5 1/4	25 1/2	3

Additional Spreader Settings (Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

Additional Spreader Settings:

EZ Drop, Republic (#530)	5
EZ Broadcast, Republic (#540)	2-1/2
Red Devil Drop (#FH-22)	6
Red Devil Rotary (#SB-50)	5
Quaker Drop (Model #10850)	6
Quaker Rotary (Model #10301)	3-3/4

STORAGE: Store in a clean, dry place. Reclose opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

Questions?
 Call Scotts' toll-free
 Consumer Hotline:
 1-800-543-TURF

Scotts No Double Guarantee
 If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.



the Scotts people
 Marysville, Ohio 43041
 Made in the U.S.A.


©1996 The Scotts Company. World rights reserved.



Weed & Feed

For Lawns

Treats 11,000 sq. ft.



24611

ed
 Lawns
 adra, or



1.05%
 0.95%
 0.04%
 .97.95%
 TAL 100.00%
 55640-OH 001

BEST AVAILABLE COPY