

538-175

6-26-2007

116



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

JUN 26 2007

Lisa R. McClellan
Senior Regulatory Scientist
The Scotts Company
14111 Scottslawn Road
Marysville, OH 43041

SUBJECT: Application for Pesticide Notification – Revisions per PRN 2007-1 and Warranty
Super Plus 2 for Grass
EPA Reg. No. 538-175
Application Dated May 25, 2007

Dear Ms. McClellan:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

A handwritten signature in black ink, appearing to be "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 05-31-98

EPA

United States
Environmental Protection Agency
Washington, DC 20460

- Registration
- Amendment
- Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 538-175	2. EPA Product Manager Joanne Miller	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Super Plus 2 for Grass	PM# PM-23	
5. Name and Address of Applicant (Include ZIP Code) The Scotts Company 14111 Scottslawn Road Marysville, Ohio 43041 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

NOTIFICATION
JUN 26 2007

Section II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated XX-XX-XX
<input type="checkbox"/> Resubmission in response to Agency letter dated XX-XX-XX	<input type="checkbox"/> "Me Too" Application
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification for general label revisions per PR Notices 98-10 and 2007-1. (See attached letter)

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) Plastic Bag		
*Certification must be submitted		If "Yes" Unit Packaging wgt. No. per Container			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container TBD		5. Location of Label Directions <input type="checkbox"/> On Bag <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other _____ <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Lisa R. McClellan	Title Senior Regulatory Scientist	Telephone No. (Include Area Code) (937) 641-7691
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature BY:	3. Title Senior Regulatory Scientist	
4. Typed Name: Lisa R. McClellan	5. Date: May 25, 2007	



3/6

May 25, 2007

Sherada Hobgood
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

NOTIFICATION

**SUBJECT: Super Plus 2 for Grass, EPA Reg. No. 538-175
Notification for general label revisions**

JUN 26 2007

Dear Ms. Hobgood:

Enclosed are the following to support this Notification per PR Notices 98-10 and 2007-1:

- (1) Registration application, Form 8570-1
- (2) Two (2) copies of the final printed label, with changes highlighted.

The following revisions were made:

- 1) Fertilizer ratio: 29-2-3
- 2) Addition of the following marketing claims:
 - a. Our Best Annual Program
 - b. LawnPro 4-Step Program
 - c. New and Improved!
 - d. Improves lawn's ability to absorb water and nutrients
 - e. Builds stronger, deeper roots for more effective water use
 - f. Feeds and Strengthens
 - g. Helps lawn stand up to heat, drought, and wear and tear
 - h. Builds Thick Green Turf from the Roots Up
 - i. Kills Weeds Completely
 - j. Kills dandelions, clover and other broadleaf weeds
 - k. Better Weed Control** (back panel: **As compared to previous formula)
 - l. Apply to a wet lawn for best results
 - m. Moisture Control Formula - Make the most of every drop
- 3) Miscellaneous: Dedicated to A Beautiful World – Trusted by generations of homeowners, Scotts is dedicated to helping you enhance and protect the natural beauty of your home environment.
- 4) Application:
 - a. Apply in Late Spring: April-June
 - b. Feeds and treats 5,000 sq ft
 - c. Additional Late Fall Feeding – [Art] Super WinterGuard with Plus 2 Weed Control – September-November – 4 to 6 weeks after Early Fall Lawn Fertilizer Feeding. Apply as last feeding in fall to help prepare your lawn for winter and kill fall weeds.
 - d. New spreader settings: Scotts SpeedyGreen and EdgeGuard section: 3 ½
 - e. Additional Spreader Settings: 4 ½, 2 ½ and 2 ½

5/6

23614
12


OUR BEST ANNUAL PROGRAM

Scott's

LawnPro
4-STEP
PROGRAM

NOTIFICATION
JUN 26 2007

NEW and
IMPROVED!



STEP 2

WEED CONTROL
PLUS FERTILIZER

Apply in Late Spring:
April - June

- Improves lawn's ability to absorb water and nutrients
- Builds stronger, deeper roots for more effective water use
- Feeds and Strengthens
- Helps lawn stand up to heat, drought, and wear and tear
- Builds Thick, Green Turf from the Roots Up
- Kills Weeds Completely
- Kills dandelions, clover and other broadleaf weeds
- Better Weed Control**

Scott's BEST annual program for a picture-perfect lawn
• Apply to a wet lawn for best results

Moisture Control® Formula
Makes the most of every drop

ACTIVE INGREDIENTS:	
2,4-D	12%
Mesopropyl	0.5%
Diuron	0.5%
OTHER INGREDIENTS:	86.5%
	100.0%

EPA Reg. No. 538-175 EPA Reg. No. 538-071
1048 194757 11048 11049 779 11048 11118-00-9

NET WT. 13.79 lb (6.25 kg)

KEEP OUT OF REACH
OF CHILDREN
CAUTION
See back for additional precautionary statements
See back for directions

29-2-3



Do NOT use on St. Augustine grass,
Floratam, Dichondra, Lippia, Carpetgrass,
or Bentgrass, etc.

Feeds and treats
5,000 sq ft

NEW and IMPROVED
STEP 2
WEED CONTROL
PLUS FERTILIZER



Apply in
Late Spring
April - June



Moisture Control® Formula
Makes the most of every drop

23614

FEEDS AND TREATS 5,000 SQUARE FEET



Now it's easy for you to have a better lawn

Early Spring
February - April
Crabgrass Preventer plus Fertilizer - prevents crabgrass, foxtail, spurge, oxalis, chickweed and other annual weeds while providing deep, thick greenings for up to 2 months. In the Pacific Northwest, STEP¹ is "Turf Builder[®] With Moss Control". For St. Augustinegrass, STEP¹ is "Super Bonus[®] S".

Late Spring
April - June
Weed Control plus Fertilizer - controls dandelion, clover, chickweed and other broadleaf weeds while greening your lawn for up to 2 more months. For St. Augustinegrass, STEP² is "Super Turf Builder[®]".

Summer
June - August
Insect Control with Fertilizer - controls chinch bugs, sod webworms (lawn moths) and other lawn insects plus greens your lawn through the summer. For grub control, apply Scott's GrubEx[®] Season-Long Grub Control anytime from April to mid-August.

Fall
August - November
Lawn Fertilizer - specially formulated for the fall - the best time to develop a stronger root system for a more vigorous, thicker lawn. Helps your lawn green up even quicker next spring.

Start anytime

You can begin the Annual Program anytime of the year. Just check the month and select the appropriate Step listed. Apply the remaining Steps at two-month intervals.

Simple and easy

No more guesswork. You simply apply the right product - one Step at a time.

Guaranteed results

Each Step is designed to the specific season to help give you a greener lawn.

Additional Late Fall Feeding - Super WinterGuard[®] with Plus 2[®] Weed Control

September - November
4 to 6 weeks after Early Fall Lawn Fertilizer feeding.
Apply at last feeding in fall to help prepare your lawn for winter and fall fall weeds.



STEP 2

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product applies 1.5 pounds of 2,4-D per acre per application. The maximum number of broadcast applications per treatment site is two per year.

Application

- Apply when weeds are actively growing, but not before yellow dandelion blooms have appeared.
- Apply to moist or dry foliage, however, for best results, apply to moist foliage.
- Be careful when applying this product near shrubs, flower beds or vegetable gardens as weed control may damage these desirable plants.
- Do not over apply, especially under the drip zone of desirable shrubs and trees as some of the control ingredients are root absorbed.
- Do not use on dichondra, St. Augustinegrass, creeping bentgrass, bahia, or centipedegrass lawns or on newly seeded and sodded lawns until after the fourth mowing. Don't plant grass for one month after using this product and don't apply when daytime temperatures are consistently 90°F or above.
- Allow at least 4-6 weeks between program applications.

Watering or Rain

- Do not water your lawn for 24 hours after application. Water will wash the weed control off the weed's leaves and reduce the effectiveness of this product.
- This product should not be applied if rain is expected within the next 24 hours.

Spreading Tips

Apply header strips. Then apply product in longest direction of lawn. For best results, use a Scott's spreader.

Spreader Settings	DIRECTIONS
Scott's AccuGreen [®] Drop Spreaders	5 1/2 Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.
Scott's PrecisionGreen [®] Drop Spreader	4 3/4 Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.
Scott's SpeedyGreen [®] & EdgeGuard [®] Rotary Spreaders	3 1/2 Make each pass about 5 feet from previous pass to overlap spread width.

Additional Spreader Settings:
EZ Drop, Republic (#530) 4 1/2
EZ Broadcast, Republic (#540) 2 1/2
Scotts Broadcast Tractor Spreader 2 1/2
(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)



KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION, causes eye injury. Avoid contact with eyes, skin or clothing. May be harmful if swallowed. Avoid inhalation. Do not contaminate feed or foodstuffs. Do not allow people (other than the applicator) or pets on treatment area during application. Do not enter treatment areas until dust has settled. When using this product, wear long-sleeved shirt, long pants, socks, and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

FIRST AID:

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment.

Environmental Hazards:

Do not apply when weather conditions favor drift from target area. Drift or runoff may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

STORAGE:

Store in a clean, dry place. Reseal opened bag by folding top down and securing.

DISPOSAL:

If Empty: Do not reuse this container. Place in trash or offer for recycling if available.

If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Step 2 [™] Weed Control Plus Fertilizer	29-2-3	F 643
Guaranteed Analysis		
Total nitrogen (N)	29%	
7.7% ammoniacal nitrogen		
11.7% urea nitrogen		
8.8% other water soluble nitrogen*		
0.8% water insoluble nitrogen		
Available phosphate (P ₂ O ₅)	2%	
Soluble Potash (K ₂ O)	3%	
Sulfur (S)	9%	
9% combined sulfur (S)		
Derived from: urea, methyleneurea, potassium sulfate, ammonium sulfate, ammonium phosphate.		
*Contains 6.4% slowly available methylenediurea and dimethylenetriurea nitrogen.		

Product of U.S.A. U.S. Patent No.: 5,102,440

The Scotts Company, 14111 Scottslawn Rd., Marysville, OH 43041

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-sc.com>

Questions/Information

Consumer Helpline
1-800-543-TURF (8873)

Visit our website
www.scotts.com

The Scotts Company
14111 Scottslawn Rd.
Marysville, Ohio 43041

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

Scotts No-Quibble Guarantee[®]

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

Dedicated To A Beautiful World[®]

Trusted by generations of homeowners, Scotts is dedicated to helping you enhance and protect the natural beauty of your home environment.

Scotts[®]

STEP 2 5M 23614-12

0 32247 23614 0

PROOF OF PURCHASE
125030722
VID-BB

©2007, Licensed by The Scotts Company. World rights reserved. Made in U.S.A.

*As compared to previous formula

FEEDS AND TREATS 5,000 SQUARE FEET

23614
12

LawnPro
4-STEP
PROGRAM

Scott's

Apply in
Late Spring
April - June

NEW AND IMPROVED!
STEP 2
WEED CONTROL PLUS FERTILIZER

Moisture is critical to the success of this product. Apply to moist or dry foliage.

052507