




# houseplant insecticide

Effectively controls the following plant insects:



For use in the control and prevention of houseplant insects.

Safe for plants.

KEEP OUT OF REACH OF CHILDREN

## CAUTION

PRECAUTIONARY STATEMENTS (For precaution statements refer to back panel).

### ACTIVE INGREDIENTS:

|  |                 |
|--|-----------------|
| Resmethrin [5-(Phenylmethyl)-3-furanyl]methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate | 0.080% w/w      |
| Related Compounds  | 0.011%          |
| Pyrethrins   | 0.020%          |
| Piperonyl butoxide, technical  | 0.020%          |
| <b>INERT INGREDIENTS:</b>  | <b>99.869%</b>  |
| <b>Total</b>   | <b>100.000%</b> |

- Cis/trans isomers ratio: max. 30% ( ) Cis, and min. 70% ( ) trans.
- U.S. Patent Nos. 3,465,007 and 3,542,928
- Penick's SBP-1382 Brand of resmethrin insecticide Penick Corp., 1050 Wall Street West, Lyndhurst, NJ 07071
- Equivalent to 0.016% butylcarbityl (6-propylpiperonyl) ether and 0.004% related compounds

Net Weight 8 fl oz (.24 l)

EPA Reg No 538-177-6773 EPA Est No 432-NJ-1  
The O. M. Scott & Sons Co. Product of USA  
Marysville, OH 43041

**Hazard to Humans and Domestic Animals:** Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. Do not apply to plants intended for consumption. Do not mix with other pesticides. Do not apply to food. Remove pets, birds, and cover fish aquariums before spraying.

**Environmental Hazards:** This pesticide is toxic to fish. Do not apply directly to water.

**Storage and Disposal:** Do not contaminate water, food, or feed by storage or disposal.

**Storage:** Store in a cool, dry place. Avoid freezing or excessive temperatures.

**Disposal:** Do not reuse empty container. Wrap container and put in trash collection.

## Houseplant Insecticide

### Directions for Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Shake before use.

Apply when insects are seen on the plants. To use, hold applicator about 10-12 inches from the plant. Spray from all sides of the plant to ensure good coverage on the insects. Include the underside of the leaves when spraying. Stop spraying before the spray begins running off the plant.

Repeat spray treatments every 7 days until the insects are no longer present.

### Suggestions

For newly acquired plants, spray the plant twice — 7 days apart to control insects that may be present.

For heavily infested plants, remove as many insects as possible with a cotton swab before spraying.

Avoid spraying blossoms on flowering plants to prevent discoloration.

**Scotts Policy No-Quibble Guarantee.** If for any reason you are not satisfied with the results after using this product, you are entitled to get your money back. Simply send us evidence of purchase, and we will mail you a refund check promptly.

Scotts...Marysville, Ohio 43041

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

828840 Printed in U.S.A.