

POST EMERGENT CRABGRASS
CONTROL
#XXXX
12/15/82 KGB 1/21/83 SFR

FRONT: (Scotts (R)) Post Emergent Crabgrass (Lawn Pro (R)) Control
Treats 5,000 sq ft (465 m²) XXXX


(Scotts (R))

Post

Emergent

Crabgrass

Control



Controls summer crabgrass, green and yellow foxtail, young goosegrass, barnyardgrass and paspalums (except in California) such as dallisgrass.

For use on grass or dichondra lawns.

A SCOTTS (R) LAWN PRO (R) PRODUCT

Available only at authorized Lawn Pro stores

NET WEIGHT 13 LBS (5.90 kg)

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals: CAUTION. Causes eye injury. Avoid contact with eyes, skin, or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. May be harmful if swallowed. Avoid inhalation. Do not contaminate feed or foodstuffs. Keep children and pets off treated areas until material is washed into soil.

Environmental Hazards: Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Storage and Disposal: Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a clean, dry place. Reseal opened bags by folding top down and securing.

CONTAINER DISPOSAL: Do not reuse empty container. Wrap container and put in trash container.

FRONT CONTINUED:

ACTIVE INGREDIENT:

Monosodium acid methanearsonate 2.34%
Total arsenic expressed as elemental all in water soluble form .. 1.18%

INERT INGREDIENTS: 97.66% 7
Total 100.00%

EPA Reg No. 538-178 EPA Est 538-OH-1
The O. M. Scott & Sons Company
Marysville, Ohio 43041

Product of USA

XXXX (Scotts (R)) Post Emergent
 Crabgrass Control (Lawn Pro(R))

538-178

XXXX

XXXX

A
SCOTT'S (R)
LAWN PRO
PRODUCT

A
SCOTT'S (R)
LAWN PRO
PRODUCT


(Scotts (R)) Post
Emergent
Crabgrass
Control

Post
Emergent
Crabgrass
Control
(Scotts (R))

SCOTT'S
LAWN PRO

GUSSETS:

BACK:



Scotts (R))

Post

Emergent

Crabgrass

Control

Controls summer crabgrass, green and yellow foxtail, young goosegrass, barnyardgrass and paspalums (except in California) such as dallisgrass.

Directions for use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- | | |
|-----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| DO use when grass-type weeds are growing actively. | DON'T use when rain is expected within 24 hours. |
| DO apply when foliage is moist from dew, rain, or sprinkling. | DON'T use when grass is so tall it touches bottom of spreader (mow lawn first in such situations). |
| DO withhold watering for at least 24 hours <u>after</u> application (to avoid washing particles off the leaves). | DON'T use on new lawns until after the third mowing. |
| DO make two applications 5-7 days apart. | DON'T use in bentgrass, St. Augustine, centipede, bahia, carpetgrass or predominately fine fescue lawns. |
| DO apply at Scotts Spreader (Standard, Automatic, or Precision Flow Control Model) setting ... X (treats 5,000 sq ft) | DON'T plant grass seed for 48 hours after using this product. |
| DO slightly overlap spreader's wheel tracks to avoid "stripes" of untreated lawn. | DON'T apply with a rotary-type spreader. |
| | DON'T use on shrubs, flowers, ground covers, fruits and vegetable plants. |

What to expect

This product needs time to work. It is designed to give slow, steady, controlled action. Results may be delayed by cold or dry weather. Susceptible weeds first turn pale green, then yellow and die. It is not necessary to remove dead weeds. They will eventually disintegrate and disappear.

BACK CONTINUED:


Only weeds growing at the time of application will be eliminated. Weed seeds in the soil are not affected.

In hot weather good grasses may brown temporarily but they will recover. Dallisgrass and other paspalums are particularly difficult to control in California.

Rain, sprinkling, mowing or heavy traffic within 24 hours reduces effectiveness by removing granules from the leaves. Repeat application may then be needed.

A few weeds may be resistant to control. If this happens, please forward specimens so we can identify them and advise you further.

A SCOTTS (R) LAWN PRO (R) PRODUCT
Available only at authorized Lawn Pro Stores

XXXX	
Scotts Policy No-Quibble Guarantee	
If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.	
SCOTTS...the lawn people Marysville, Ohio 43041	
Special Free Offer	Thank you for using Post Emergent Crabgrass Control. To help assure your continued success with your lawn, we would like to offer you a free subscription to Lawn Care (R) magazine, which has been helping lawncare for over 50 years.
	Just send your name and address to Scotts, Marysville, Ohio 43041 and we'll mail you Lawn Care free for two years.

(c) 1983, THE O M SCOTT & SONS COMPANY. ALL RIGHTS RESERVED.

XXXX (Scotts (R)) Post
Emergent
Crabgrass (Lawn Pro (R))
Control

