



10/5

SUMMER CRABGRASS CONTROL

#XXXX

12/15/82 KGB 1/21/83 SFR

11/22/83 SJM


FRONT: (R) Lawn Pro (R) Control
 Summer Crabgrass (R) Scotts (R)
 Treats 5,000 sq ft (465 m²) XXXX

(Scotts (R))

Summer

Crabgrass ✓

Control



Controls summer crabgrass, green and yellow foxtail, young goosegrass, barnyardgrass and paspalums (except in California) such as dallisgrass.

For use on grass or dichondra lawns.

A SCOTT'S (R) LAWN PRO (R) PRODUCT

Available only at authorized lawn Pro stores ✓

NET WEIGHT 13 LBS (5.90 kg) ✓

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals: CAUTION. Causes eye injury. Avoid contact with eyes, skin, or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. May be harmful if swallowed. Avoid inhalation. Do not contaminate feed or foodstuffs. Keep children and pets off treated areas until material is washed into soil. Wear protective clothing when handling or applying this product including long pants, long-sleeve shirt, and impermeable gloves and boots.

Environmental Hazards: Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Storage and Disposal: Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a clean, dry place. Reseal opened bags by folding top down and securing.

CONTAINER DISPOSAL: Do not reuse empty container. Wrap container and put in trash container.

FRONT CONTINUED:

(2)

ACTIVE INGREDIENT:

Monosodium acid methanearsonate 2.34%

Total arsenic expressed as elemental all in water soluble form .. 1.18%

INERT INGREDIENTS: 97.66%

Total 100.00%

EPA Reg No. 538-1781 EPA Est 538-OH-1
The O. M. Scott & Sons Company
Marysville, Ohio 43041

Product of USA

XXXX (Scotts (R)) Summer
Crabgrass Control (Lawn Pro(R))

BEST DOCUMENT AVAILABLE

529-177 (2)

XXXX

XXXX

A
SCOTT'S (R)
LAWN PRO
PRODUCT

A
SCOTT'S (R)
LAWN PRO
PRODUCT

(Scotts (R))
Summer
Crabgrass
Control

(Scotts (R))
Summer
Crabgrass
Control

BEST DOCUMENT AVAILABLE

GUSSETS:

BACK:

5-38-118

Control
Crabgrass
Summer
((R) #1005)

Treats 5,000 sq ft (465 m²)

XXXX SH
EASY
OPEN BAG
Pull
White
Tape

XXXX
Scotts (R)

XXXX

Summer

Crabgrass

Control

Controls summer crabgrass, green and yellow foxtail, young goosegrass, barnyardgrass and paspalums (except in California) such as dallisgrass.

Directions for use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- DO use when grass-type weeds are growing actively.
- DO apply when foliage is moist from dew, rain, or sprinkling.
- DO withhold watering for at least 24 hours after application (to avoid washing particles off the leaves).
- DO make two applications 5-7 days apart.
- DO apply at Scotts Spreader (Standard, Automatic, or Precision Flow Control Model) setting ... X (treats 5,000 sq ft)
- DO slightly overlap spreader's wheel tracks to avoid "stripes" of untreated lawn.
- DON'T use when rain is expected within 24 hours.
- DON'T use when grass is so tall it touches bottom of spreader (mow lawn first in such situations).
- DON'T use on new lawns until after the third mowing.
- DON'T use in bentgrass, St. Augustine centipede, bahia, carpetgrass or predominately fine fescue lawns
- DON'T plant grass seed for 48 hours after using this product.
- DON'T apply with a rotary-type spreader.
- DON'T use on shrubs, flowers, ground covers, fruits and vegetable plants.

What to expect

This product needs time to work. It is designed to give slow, steady, controlled action. Results may be delayed by cold or dry weather. Susceptible weeds first turn pale green, then yellow and die. It is not necessary to remove dead weeds. They will eventually disintegrate and disappear.

BEST DOCUMENT AVAILABLE

BACK CONTINUED:

Only weeds growing at the time of application will be eliminated. Weed seeds in the soil are not affected.

In hot weather, good grasses may die temporarily but they will recover.allisgrass and other paspalums are particularly difficult to control in California.

Rain, sprinkling, mowing or heavy traffic within 24 hours reduces effectiveness by removing granules from the leaves. Repeat application may then be needed.

A few weeds may be resistant to control. If this happens, please forward specimens so we can identify them and advise you further.

A SCOTTS (R) LAWN PRO (R) PRODUCT
Available only at authorized Lawn Pro Stores

Scotts Policy		XXXX
No-Quibble Guarantee		
<p>If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.</p>		
SCOTTS...the lawn people		Marysville, Ohio 43041
Special Free Offer	<p>Thank you for using Summer Crabgrass Control. To help assure your continued success with your lawn, we would like to offer you a free subscription to Lawn Care (R) magazine, which has been helping lawnmowers for over 50 years.</p>	
<input type="checkbox"/>	<p>Just send your name and address to Scotts, Marysville, Ohio 43041 and we'll mail you Lawn Care free for two years.</p>	

(c) 1983, THE O M SCOTT & SONS COMPANY. ALL RIGHTS RESERVED.

XXXX (Scotts (R))

Summer
Crabgrass (Lawn Pro (R))
Control

BEST DOCUMENT AVAILABLE