

P. 83 538-179 Pg 1 of 12  
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

MAY 15 1991

Vincent Snyder, Jr.  
The O. M. Scott & Sons Company  
14111 Scottslawn Road  
Marysville, OH 43041

Dear Mr. Snyder:

Subject: Revised Label Text - Addition of Master Label  
Turf Builder Plus 2 for Grass  
EPA Registration No. 538-179  
Your Submission Dated April 15, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following provision:

Due to new EPA policy, part of the Environmental Hazards section has been changed. To comply, change the sentence "Do not apply to water or wetlands (swamps, bogs, or marshes)" to read "Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark."

A stamped copy is enclosed for your records. Please submit five (5) final printed copies for the referenced label, incorporating the above changes.

Sincerely yours,

Joanne I. Miller  
Product Manager (23)  
Fungicide-Herbicide Branch  
Registration Division (H7505C)

Enclosure

CONCURRENCES							
SYMBOL	H7505C						
SURNAME	D. KENNY						
DATE	5/15/91						

EPA Form 1320-1 (12-78) U.S.GPO:1989-624-485/10186 OFFICIAL FILE CO

FRONT:

1992 PACKAGE COPY FOR  
TREATMENT TWO XXXXX-B  
(S-3590)  
TURF BUILDER PLUS 2 FOR  
GRASS LAWNS

2 12

02/26/91 AR      02/27/91 AR  
03/13/91 AR      04/11/91 VS/cr

Treatment TWO      Treats and fertilizes X,XXX square feet  
(Scotts®) Turf Builder Plus 2 for Grass  
XXXXX-B

Controls weeds and fertilizes your lawn

(NOTE: Above description will be inverted.)

Treatment TWO

Scotts®

Treats and fertilizes X,XXX square feet  
Turf Builder Plus 2 for Grass

Controls weeds and fertilizes your lawn

LEFT COLUMN

Elimates dandelions, clover, chickweed and other non-grassy weeds while greening your lawn.

Weeds are killed completely -- roots and all.

Advanced fertilizer technology provides the longest lasting feeding we make.

ACCEPTED  
with COMMENTS  
EPA Letter Dated:  
*May 15, 1991*  
Under the Federal Insecticide,  
Fungicide, and Herbicide Act  
as amended, this Pesticide  
registered under EPA Reg. No.  
*538-179*

FRONT CONTINUED:

3 4 10

CENTER COLUMN

COVERAGE:

Treats and fertilizes X,XXX square feet

APPLICATION: (See back for details)

Apply 6 to 8 weeks after Treatment ONE when weeds are actively growing. Not for use on St. Augustinegrass, creeping bentgrass, carpetgrass, dichondra, or lippia lawns.

XX

-

X

-

X

NITROGEN

PHOSPHORUS

POTASSIUM

Essential for plant growth; makes grass green.

Stimulates root growth; helps grass multiply.

Makes plant strong; better able to resist drought and extreme heat

RIGHT COLUMN

See Back for Details  
Scott's  
No-Quibble  
Guarantee™

CAUTION

KEEP OUT OF REACH OF CHILDREN

See BACK for additional precautionary statements.

ACTIVE INGREDIENTS:

2,4-Dichlorophenoxyacetic acid . . . . .	X.XX%	0.58 - 0.79%
2-(2-Methyl-4-chlorophenoxy) propionic acid. . . . .	X.XX%	0.58 - 0.79%

INERT INGREDIENTS: . . . . .	XX.XX%	
	Total	100.00%

EPA Reg. No. 538-179

EPA Est. 538-OH-1

NET WEIGHT XX.XX LBS

XXXXX-B

(OPTIONAL OUTER CONTAINER LABELING - FRONT)

SCOTTS

(To be Named)

This is the only fertilizer or weed control you will need until fall.

- . Prevents and controls weeds at the right time.
- . Extended feeding to green and thicken your lawn through spring and summer.

This simple 2-treatment program eliminates the confusion over what and when to apply for a thick, green, weed-free lawn...guaranteed.

Apply the first treatment anytime February through April to prevent weeds and to fertilize. Apply the second treatment six to eight weeks later to control weeds and to fertilize through the summer. These two applications replace three regular applications of fertilizer.

No-Quibble  
Guarantee™  
See Back for Details

(Note: The above description will be inverted.)

GUSSETS:

5 1 2

RIGHT GUSSET:

Treatment TWO Treats and fertilizes X,XXX square feet  
(Scotts)R Turf Builder Plus 2 for Grass

---

XXXXX-B Controls weeds and fertilizes your lawn

LEFT GUSSET:

Treatment TWO Treats and fertilizes X,XXX square feet  
(Scotts)R Turf Builder Plus 2 for Grass

---

XXXXX-B Controls weeds and fertilizes your lawn

BACK: Treats and Fertilizes X,XXX square feet

Scotts Treatment TWO  
Turf Builder Plus 2 for Grass

LEFT COLUMN

RIGHT COLUMN

KEEP OUT OF REACH OF CHILDREN  
CAUTION  
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION, cause  
Avoid contact with eyes, skin or clothing. If in eyes  
water. Get medical attention if irritation persists.  
Do not contaminate feed or foodstuffs. Do not contaminate  
irrigation or domestic purposes. Do not graze treated  
clippings to livestock. Wear long pants, long-sleeved  
applying this product. Do not reenter or permit others  
areas until dusts have settled.

Environmental Hazards: Do not apply directly to lakes  
not apply when weather conditions favor drift from target  
runoff may adversely affect non-target plants. Do not  
or wetlands (swamps, bogs, marshes and potholes). Do  
when disposing of equipment washwaters.

Treatment TWO Turf Builder Plus 2 for Grass

Guaranteed Analysis

Total nitrogen (N). . . . .  
X.X% ammoniacal nitrogen  
XX.X% urea, methylene ureas nitrogen\*  
X.X% water insoluble nitrogen  
Available phosphoric acid (P<sub>2</sub>O<sub>5</sub>). . . . .  
Soluble potash (K<sub>2</sub>O). . . . .  
Derived from: monoammonium phosphate, urea, methylene  
and muriate of potash.

Chlorine, not more than . . . . .

\*Contains X.X% slowly available methylenediurea and di

LEFT COLUMN

What to expect

Dandelions and other weeds will be eliminated in 3 to 4 weeks and your lawn will stay green through the summer

RIGHT COLUMN

(ILLUS.)

Weed control in Treatment TWO of Scotts' (to be named) is absorbed by weed leaves killing the plant completely root and all. Weeds controlled by Treatment TWO:

- |                  |                 |                 |
|------------------|-----------------|-----------------|
| aster            | English daisy   | pigweed         |
| bitter cress     | eveningprimrose | plantain        |
| black medic      | filaree         | prickly lettuce |
| bristly oxtongue | fleabane        | puncturevine    |
| buckhorn         | ground ivy      | purslane        |
| bull thistle     | healall         | pusley, Florida |
| burclover        | henbit          | ragweed         |
| buttonweed       | horseweed       | scarlet         |
| carpetweed       | knotweed        | pimpernel       |
| centella         | (seedling)      | shadflower      |
| chicory          | lambsquarter    | shepherdspurse  |
| chickweed        | lippia          | smartweed       |
| cinquefoil       | mallow          | sow thistle     |
| cudweed          | moneywort       | stitchwort      |
| curly dock       | morningglory    | thymeleaved     |
| dandelion        | mustard         | sandwort        |
| dichondra        | pennywort       | vetch           |
| dollarweed       | pepperweed      | white clover    |
|                  |                 | yellow rocket   |

LEFT COLUMN

Coverage

Treats and fertilizes X,XXX square feet

RIGHT COLUMN

How much is enough?

To determine the square footage of your lawn, walk the length and width of your lawn; one average pace equals about 3 feet. Multiply the length of the lawn by the width of the lawn. This equals the area of your lawn in square feet. Note: If your lawn has an irregular shape, measure square areas, then add the figures together to reach your total lawn size.

BACK CONTINUED:

LEFT COLUMN

How and when to apply

Apply 6 to 8 weeks  
after Treatment ONE

RIGHT COLUMN

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- . Apply 6 to 8 weeks after Treatment ONE when weeds are actively growing (when daytime temperatures are consistently above 60°F). Avoid applying when temperatures are consistently above 90°F.
- . Apply on a calm day.
- . Apply to moist grass. To help particles stick to weed leaves, the grass should be thoroughly watered or wet from dew before applying Treatment TWO.
- . On bahia and centipedegrass lawns wait until after the second mowing of the year but NOT before mid-March. In the fall DO NOT treat centipede after the first of October and DO NOT treat bahia after the first of November.
- . Do not use this product on flowers, shrubs, fruit or vegetable plants or on creeping bentgrass, St. Augustinegrass, dichondra, Lippia or carpetgrass lawns. On bermudagrass, bahia, centipedegrass, zoysia lawns, under certain conditions some temporary discoloration may result.

WATERING OR RAIN

Do not water your lawn for 24 hours after application. Water will wash the weed control off the weeds' leaves and reduce the effectiveness of this product.

This product should not be applied if rain is expected within the next 24 hours.



RIGHT COLUMN

SEEDING/SODDING/SPRIGGING

If you are planning to seed, sod or sprig, you should wait at least 4 months after Treatment ONE and at least one month after you have applied Treatment TWO.

This product will not prevent weed seeds from producing new plants.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

LEFT COLUMN

Spreading Tips

For best results, use a Scotts brand spreader: (chart)

RIGHT COLUMN

Be careful when applying this product near shrubs, flower beds or vegetable gardens as contact with weed control may damage these desirable plants.

Scotts Drop: Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Then operate spreader the longest way of the lawn. Overlap wheel marks to insure uniform feeding. Shut off spreader when you have reached the header strips or stopped. (ILLUS.)

Scotts EasyGreen Rotary: Slide shut-off lever to the right; application automatically starts and stops when you do. For complete coverage make each pass about 30 inches from the previous one so some overlapping occurs. (ILLUS.)

Scotts SpeedyGreen Rotary: Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one, so some overlapping occurs. Avoid applying this product on flowers, vegetables and shrubs plantings.

RIGHT COLUMN (cont'd)

	Spreader Setting (covers 5,000 sq ft)
Scotts Drop Spreaders	XX
Scotts EasyGreen® Rotary	XX
Scotts SpeedyGreen™ Rotary	X

Additional Spreader Settings

Cyclone Rotary (Model B) . . . X	Ortho Drop (#5000) . . . . . X
Central Drop (#205) . . . X	Green View Drop (Spred II) . . . X
Sears Drop (#19810) . . . X	Precision Drop (Red Devil) . . . X

(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

LEFT COLUMN

Questions?

Call Scott's toll-free Consumer  
Hotline: 1-800-543-TURF

RIGHT COLUMN

Scott's No-Quibble Guarantee™: If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

SCOTT'S...the lawn people<sup>SM</sup>  
Marysville, Ohio 43041

Made in USA

(c) 1992, The O.M. Scott & Sons Company,  
Marysville, OH 43041  
All rights reserved.

)

)

1

(OPTIONAL OUTER CONTAINER LABELING - BACK)

SCOTTS

(To be Named)

- Prevents and controls weeds at the right time. No more guessing, "Which product prevents? Which product controls? A little too late or too early?" With these two treatments your weed problems go away.
- Controlled extended feeding helps green and thicken your lawn through spring and summer. Your lawn will fill in where weeds once lived and if you cut your grass at the highest setting on your mower, new weeds will be discouraged.

Treatment One: Apply anytime February through April.

Treatment Two: Apply six to eight weeks after Treatment One.

See directions on package for detail

Questions?  
 Call Scott's Toll-Free  
 Consumer Hotline:  
 1-800-543-TURF

Scott's No-Quibble Guarantee™:  
 If for any reason you are not  
 satisfied with results after  
 using this product, you are entitled  
 to get your money back. Simply send  
 us evidence of purchase and we will  
 mail you a refund check promptly.

Made in USA

PROOF OF PURCHASE

UPC

---

XXXXX                      XXXXX

(c) 1991 The O.M. Scott & Sons Company  
 Marysville, Ohio 43041

All Rights Reserved.