UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

JUN 5 2007

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Lisa R. McClellan The Scotts Company 14111 Scottslawn Road Marysville, OH 43041

Dear Ms. McClellan:

SUBJECT:

Revised Basic Confidential Statement of Formula And Revised labeling (Conversion to MCPP-p)

Scotts Turf Builder Plus 2 for Grass

EPA Registration No. 538-179

Your Application Dated February 19, 2007

The Agency has completed its review of the revised basic Confidential Statement of Formula, dated February 12, 2007 and has determined that it is acceptable. The amended basic CSF will supersede the current CSF for basic formulation (dated 3/5/91). The label amendment referred to above, submitted in accordance with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable.

Please note, you should consider amending this range registration to a single point registration. A stamped copy is enclosed for your records. Please submit one (1) copy of your final printed labeling before you release the product for shipment. This amended labeling supersedes all previously accepted ones.

Sincerely yours,

Joanne I. Miller

Product Manager (23)

Herbicide Branch

Registration Division (7505P)

Enclosure

Range Master Label TURF BUILDER® PLUS 2® FOR GRASS 538-179

[FRONT Panel]

Optional Information:

[Coverage]

Treats X,XXX sq ft (Bag)

NET WEIGHT XX X lbs (Bag)

• Treats X,XXX sq ft (Shaker Container)

NET WEIGHT X.X lbs (Shaker Container)

XXXXX

• TREATS (and fertilizes) XXXX SQ FT

(Treats and feeds XXXX sq. ft.) (XX ft. x XXX ft.)

Covers X,XXX SQ FT

XX-X-X

ACCEPTED

JUN 5 2007 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

538-179

[Graphics]

[art] Guaranteed!

[art] Weed

Won't Burn Lawn

[photo]

[photo]

This lawn is starving and has weeds

This lawn was fed with Turf Builder® Plus 2® For

Grass

[photo] Treated

[photo] Untreated

XX	X	X
NITROGEN	PHOSPHORUS	POTASSIUM
Essential for plant growth; makes	Stimulates root growth; helps	Makes plant strong; better able to
grass green.	grass multiply.	resist drought and extreme heat.

[APPLICATION]

How and When to Apply

Apply Anytime Weeds Are Growing

Apply in late spring, summer, or fall. For use on bahia, bermuda, bluegrass, centipede, fescue, ryegrass, or zoysia lawns.

DO NOT USE ON ST. AUGUSTINEGRASS, FLORATAM, DICHONDRA, LIPPIA, CARPETGRASS OR BENTGRASS LAWNS.

How Much is Enough?

To determine the square footage of your lawn, walk the length and width of your lawn; one average pace equals about 3 feet. Multiply the length of the lawn by the width of the lawn. This equals the area of your lawn in square feet. NOTE: If your lawn has an irregular shape, measure square areas, then add the figures together to reach your total lawn size.

[CLAIMS...optional for front/back]

Note to PM: Claims, general

- Scotts No-Quibble Guarantee®
- Patented ParticleTM Technology
- The Scotts DifferenceTM
- The Scotts Advantage®
- Easy-tear, recloseable pour spout
- Easy to Carry Package!
- · New, easy pour spout!
- · Easy open, resealable bag
- SCOTTS POLICY No Quibble Guarantee SEE BACK FOR DETAILS
- · America's favorite weed & feed
- New!
- One Easy Step/Application!
- Formulated for the home environment
- Step™ 2 of 4 Easy Steps to a Better Lawn
- Scotts Best Annual Program
- Formulated for the home environment
- For best results, apply (as part of) a Scotts Annual Lawn Care ProgramTM
- For best results, apply to a wet lawn
- Backed by Scotts No-Quibble Guarantee®
- The Scotts Advantage® Available only at authorized Scotts® Lawn Pro® dealers
- Won't Burn**, Can't Fail Guarantee
 ** When used according to manufacturer's directions
- For best results apply a Scotts annual program (see back panel for details)
- For best results, apply as a (the Scotts®) Turf Builder® Annual Program
- Apply anytime weeds are growing
- Golf course results for your home lawn!
- Exclusive Particle Technology [art]
- 79 of the top 100 golf courses use exclusive Scotts® Ultra fertilizer technology for maximum turf performance
- Sticks to weed leaves for better control.
- For best results, apply a Turf Builder® product four times a year (see back for details).
- Available only at authorized Scotts® Lawn Pro® dealers

Note to PM: Claims regarding Weed Control Properties

- Kills Weeds Completely!
- 2-Way Control
- Patented formula kills weeds that ordinary weed & feeds miss
- Kills dandelions and other major lawn weeds*
- Clears out dandelions and over/more than 50 (other) broadleaf weeds*
- Kills dandelions, clover and most other broadleaf lawn weeds*
- · Weeds are killed completely -- roots and all.

- Use anytime you have weeds!* *See Directions for Use
- Small, lightweight granules provide complete uniform coverage and are quickly absorbed to help insure control of large and small weeds.
- Controls more than 50 common lawn weeds such as dandelion, clover and chickweed.
- Effective on both large and small weeds* (see list below).
- Kills roots and all.
- Kills dandelions, chickweed, white clover and most other common broadleaf weeds*.
- Kills most common lawn weeds*!
- Scotts Ultimate Weed Control!

Note to PM: Combination Claims

- Scotts' most effective weed and feed
- Weed control plus lawn fertilizer for use on bahia, bermuda, bluegrass, centipede, fescue, ryegrass or zoysia lawns
- All you need for a thicker, greener lawn without dandelions
- · Clears out clover and other broadleaf weeds and helps prepare your lawn for winter
- Kills dandelions and more than 50 other broadleaf weeds after they sprout and helps make your lawn its thickest, greenest ever
- Kills dandelions, clover, chickweed and other non-grassy weeds while greening your lawn without rapid, extreme growth
- Unlike ordinary weed-and-feeds, every particle of this product contains Scotts patented timedrelease nitrogen plus phosphorus, potassium, and weed control. (See back for details).
- "We guarantee thick, green, weed-free turf without risk of surge growth."
- Thick, green, weed-free turf
- What to expect
 - Dandelions and other weeds will be killed in 3 to 4 weeks and your lawn will be greener in 4 to 6 days
- Thickens lawn to crowd out weeds
- XX% more greening power than Brand X (Turf Builder® comparative product)

Note to PM: Claims regarding Fertilizer Properties:

- ULTRA GREENING POWER!
- Timed-release nitrogen won't burn your lawn or cause surge growth
- Plus fertilizes with a feeding of Turf Builder® for developing thick, green lawns
- Builds thick, green turf from the roots up [without burning your lawn]
- Scotts Best Annual Program For A Picture-Perfect Lawn Boost of nutrients to help your lawn survive/prepare for the summer/summer stress/heat, drought & wear and tear!
- Develops longer, deeper roots to help your lawn survive/prepare for the summer/summer stress/heat, drought, and wear and tear!
- Builds thick, green turf without burning
- Feeds lawn, helping turf to fill in where weeds once were
- Strengthens/protects your lawn
- Fast, long lasting greening power
- Won't burn lawns, guaranteed.
- No burning
- No surge growth
- Builds thick, green lawns.
- Quick greening, long lasting.
- · Patented, timed-released nitrogen formula builds thick, green lawns from the roots up
- Each lawn fertilizer particle provides safe gradual release that won't burn or cause surge growth when applied as directed

536-179 1 1 10 of

- Delivers nutrients which enhance root growth and provide extended feeding
- All the nutrients your lawn needs in one application/bag/step
- Scotts All-in-One®** particles combine essential nutrients into every particle (for even feeding)
- Total nutrient package helps repair thin and bare spots in your lawn
- Patented timed-release nitrogen formula builds thick, green lawns from the roots up.
- Miracle-Gro® nutrients help develop a thicker, greener lawn
- Super Turf Builder® lawn fertilizer contains extra nitrogen, carefully blended with potassium and phosphorus, to make your lawn greener
 - Your lawn will be greener in 4 to 6 days if weather conditions are good (warm soil, some moisture) and application instructions were followed.
 - The greening will reach its peak 8 to 10 days after application. The color difference will be more noticeable if your lawn is hungry to begin with.
 - Super Turf Builder works below the soil, too, helping to promote root and rhizome development; this strengthens the grass plants and enables them to produce more blades of grass, and it thickens the lawn with the addition of new grass plants.
 - Thin areas of turf will fill in over time (about 6 weeks), creating a more uniformly dense lawn.
- Patented timed-release Miracle® Capsules feed your lawn over an extended period of time.
- There's no overfeeding or underfeeding when you follow the fail-proof directions.
- The result is a beautiful, thicker, greener lawn.
- (Scotts®) Golf's Choice for Greener Turf
 - Golf course superintendents have relied on Scotts products to grow fine turf since the beginning of the century. In fact, Scotts products are used by 75 of the top 100 golf courses in the United States -- and now Ultra Turf Builder® products allow you to use that same high-performance technology on your home lawn. Go for the green with Scotts!
- (Scotts®) Baseball's Choice for Greener Fields
 - o If you've ever marveled at the beauty of the grass on baseball's finest fields and wondered how you could possibly grow that kind of turf at home, you hold the answer in your hands. Scotts, the official turf care company of Major League Baseball, now offers Ultra Turf Builder® products for homeowners, with the fertilizer technology used by professional groundskeepers for big-league ballparks.

*As listed [Note to PM: Applies to weeds noted under claims]

[Note to PM: End of CLAIMS...optional for front/back]

[FRONT] [INGREDIENTS]

ACTIVE INGREDIENTS:

2,4-D†	0.577 to	0.994%
Mecoprop-p††		
INERT INGREDIENTS		
Total	100.0	00%

KEEP OUT OF REACH OF CHILDREN CAUTION

See back for additional precautionary statements.

XX-X-X

Net Weight XX.XX lb (X.XX kg)

[BACK] [Optional Back Panel Statements]

FOR BEST RESULTS, APPLY TO A WET LAWN

Scotts & Your Environment >> [art-Scotts] We care.

Scotts products are designed with care to grow thicker, greener lawns.

Because green is good.

A healthy lawn cleans the air, produces oxygen and prevents runoff and soil erosion.

You can make a difference.

Help keep our water resources clean. Apply this product only to your lawn, and sweep any product that lands in the driveway, sidewalk or street back onto your lawn.

Use Any of These Products Next to Keep Your Lawn Looking Great All Season! Anytime


[art-Turfbuilder] Use anytime if weeds or insects are not a problem

Summer

[art-Turfbuilder with Summerguard] Use to kill insects and strengthen your lawn against heat and drought

Fall

[art-Turfbuilder Winterguard] Use to build stronger, deeper roots for a thicker, greener lawn in spring



[art] Particle with NPK

FOR BEST RESULTS, APPLY THE SCOTTS® TURF BUILDER® Annual Program

- No more guesswork . . . apply the right product at the right time for a thick, green, weed-free lawn
- Start anytime . . , just check the month below and apply products at 2 month intervals

TRAPE TO SECTION BUILDING WITH THE CONTRACTOR	Weateonial
 Apply in early spring (FebApril) Prevents crabgrass and other annual weeds while feeding your lawn. (In the Pacific Northwest, substitute Turf Builder® and Moss Control Granules. For St. Augustine grass, substitute Bonus® S. For dormant bermudagrass, substitute Halts®.) 	Apply in late spring (April-June) Kills dandelions and other broadleaf weeds while feeding your lawn. (For St. Augustinegrass substitute Turf Builder®.)
Turf Builder® With Insect Control	Turf Builder®
 Apply in summer (June-Aug.) Kills lawn damaging insects plus fleas while feeding your lawn. For grub control, apply Scotts® GrubEx® anytime from April to mid-August. 	Apply in fall (AugNov.) Important time to feed for a thicker, greener lawn.

Optional Winterizer Feeding

Late Fall

(Sept.-Nov.)

(4 to 6 weeks after Early Fall Turf Builder feeding)

Apply as last feeding in fall to help prepare your lawn for winter

538-179 7 19 97 Page 6 of 17

Super Winterizer

Additional Super Winterizer Feeding

Late Fall

September – November

4 to 6 weeks after Early Fall fertilizer feeding. Apply as last feeding in fall to help prepare your lawn for winter.

Now it's easy for you to have a better lawn

Save money

Why even consider a lawn care service? Scotts Annual Program will give you a beautiful lawn for less money.

Or

Why even consider a lawn care service? Scotts Lawn Pro® Annual Program will give you a beautiful lawn for about one-third the cost.

Simple and easy

No more guesswork. You simply apply the right product - one Step at a time.

Start anytime

You can start into the Annual Program anytime of the year. Just check the month and select the appropriate Step listed below.

Guaranteed results

Each Step is designed to the specific season to help give you a healthier, greener lawn.

	t step // steespiner Past vapile une		Town Institution (1975).
Crabgrass Preventer plus Fertilizer - prevents crabgrass, foxtail, spurge, oxalis, chickweed and other annual weeds while providing deep, thick greening for up to 2 months. This is Scotts best fertilizer plus crabgrass preventer. In the Pacific Northwest, Step™ 1 is "Moss Control plus Fertilizer".	Weed Control Plus Fertilizer - controls dandelions, clover, chickweed and other broadleaf weeds while greening your lawn for up to 2 more months. This is Scotts best weed and feed.	Insect Control plus Fertilizer - controls white grubs, chinch bugs, sod webworms and other lawn insects plus keeps your lawn green through the Summer.	Lawn Fertilizer - specially formulated for the Fall - the best time to develop a stronger root system for a more vigorous, thicker lawn. Helps your lawn green up even quicker next Spring. This is Scotts best fall fertilizer.

Scotts (Product Name) Works in Two Ways:

Granule Size

Scotts tiny, lightweight granules provide two advantages: 1) they stick to weed leaves far better than the larger, heavier pellets of other weed & feeds 2) they spread evenly for better weed control and feeding. The better the

product adheres to the weed leaves, the better the results!

The Scotts Advantage®:

Tiny, Lightweight Particles For Better Weed Control

Weed killers work by entering through the weeds' leaves. Therefore, its best to apply this product to a wet lawn, so the particles can stick better to the weeds. Turf Builder with (to be named) has tiny, lightweight granules that stick to weed leaves far better than the larger pellets of other weed killers, for better control of broadleaf weeds.

-OR-

The Scotts Advantage®:

Each of Scotts exclusive All-in-One Particles®* contains the guaranteed feeding nutrients and the weed control ingredients to provide consistent feeding and weed control to every treated square inch of your lawn. The result: A thick, green weed-free lawn without burning, GUARANTEED.

• All-in-One Particles® = nitrogen, phosphorus, potassium and the weed control ingredient contained in [on] every particle.

-OR-

 All-in-One Particles® = nitrogen, potassium and the weed control ingredient contained in [on] every particle.

Advantages of Turf Builder® Plus 2® For Grass SUPERIOR QUALITY

SMALL LIGHTWEIGHT GRANULES MEAN BETTER WEED CONTROL. Most lawn weed controls must be absorbed through the weed's leaves to be effective. Turf Builder® Plus 2® For Grass granules are small and lightweight so they will stay on even the smallest weed leaves. And each Turf Builder® Plus 2® For Grass granule contains weed control and America's favorite lawn fertilizer.

SCOTTS TRIONIZED® II FORMULA PROVIDES A MORE EFFICIENT NITROGEN THAN EVER BEFORE to help promote quicker greening.

THE NITROGEN IN TURF BUILDER® PLUS 2® For Grass IS TIME-RELEASED to provide a supply of this essential nutrient to help your lawn stay thick and green for up to 6 to 8 weeks.

EACH TURF BUILDER® PLUS 2® For Grass GRANULE CONTAINS NPK AND WEED CONTROL. We bond Scotts® unique controlled-release nitrogen (N) with phosphorous (P) and potassium (K) and a

weed control, so your lawn receives a uniform feeding, and effective weed control.

[ILLUS.] Scotts Turf Builder® Plus 2® For Grass	[ILLUS.] Competitive Simple Mixture
EVERY GRANULE CONTAINS NPK	EACH GRANULE IS A
AND WEED CONTROL	SEPARATE CHEMICAL.
Provides uniform greening with effective weed control.	May cause uneven greening and spotty weed control
Turf Builder® Plus 2® For Grass particles deliver the same ratio of nitrogen, phosphorus, potassium and weed control to every square inch of turf for even, consistent feeding plus better weed control.	Ordinary mixed weed & feeds: Granules contain different nutrients. Nutrients and weed control granules of different sizes and shapes can separate during application resulting in uneven, inconsistent, feeding and weeding.

538-179 2 19 07 Page 8 or 7

WEEDS CONTROLLED

aster bindweed bittercress black medic bristly oxtonaue buckhorn bull thistle burclover buttonweed Canada thistle carpetweed catsear (coast dandelion) centella chickweed chicory cinquefoil clover (hop)

clover (red)
clover (white)
cudweed
curly dock
dandelion
dichondra
dollarweed
English daisy
eveningprimrose
filaree

eveningprimrose filaree fleabane ground ivy hawkweed healall henbit horseweed knotweed (seedling)

knotweed (seedling lambsquarter

lespedeza (seedling)
lippia (matchweed)
mallow
moneywort
morningglory
mustard
pennywort
pepperweed
pigweed
plantain
prickly lettuce
puncturevine
purslane
pusley (Florida)
pussytoes

ragweed red sorrel (sheep sorrel)

scarlet pimpernel shadflower (whitlowort) shepherdspurse smartweed sow thistle spurweed stitchwort threeseeded mercury thymeleaved sandwort vetch wild carrot varrow yellow rocket

How Weed Control Works

Small, lightweight granules mean better weed control. Most lawn weed controls must be absorbed through the weed's leaves to be effective. The weed control in this product consists of granules that are small and lightweight, so they will stay on even the smallest weed leaves. The weed control in Turf Builder® Plus 2® For Grass is absorbed by weed leaves (the weed's leaves), killing the plant completely, root and all.

Other Great Turf Builder® Products for Your Lawn

To prevent crabgrass, use **Turf Builder**® **Plus Halts**®. No one else has a tougher crabgrass preventer. This problem solver forms a protective barrier to stop ugly crabgrass before it starts.

If you don't have weed problems, use **Turf Builder**® America's favorite lawn fertilizer. Turf Builder® promotes quick, deep greening without the danger of burning.

These great **Turf Builder**® products are developed specially by Scotts for the unique needs of your lawn - your satisfaction is unconditionally Guaranteed.

(ILLUS.)
Turf Builder Plus Halts®
Fertilizer Plus Crabgrass Preventer

(ILLUS.) Turf Builder® Fertilizer

[Note to PM: End of Optional Back Panel Statements]

538-179 2/19 07 P. p. 2 of 22

Key Product Facts

Directions for Use [Option 1]

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

This product applies 1.5 pounds of 2,4-D per acre per application. The maximum number of broadcast applications per treatment site is two per year.

General Precautions/Restrictions

- Do not allow product to contact people or pets directly or through drift. Keep people and pets
 off lawn during application. (People and pets may reenter lawn after dusts have settled.)
- Do not use this product on flowers, shrubs, fruit or vegetable plants or on creeping bentgrass, St. Augustine, dichondra, floratam, carpetgrass or lippia lawns.

Application

- Apply when weeds are actively growing (when daytime temperatures are consistently between 60°F and 90°F.).
- Grass wet with dew or thoroughly-watered grass helps particles stick to weed leaves.
- In Spring treat bahia and centipede lawns mid-March or later after the second mowing. In Fall, treat centipede lawns before October 1 and bahia lawns before November 1.

Watering or Rain

This product may be applied if rain is not expected in the next 24 hours.

Water your lawn no sooner than 24 hours after application. If watering sooner, water will wash the weed control off the weed's leaves and reduce the effectiveness of this product.

IMPORTANT

What to Expect

Weed stems and leaves will begin to twist and curl in a few days, but a month or more may be required for complete control. This product will not prevent weed seeds from producing new plants.

Under certain conditions, temporary discoloration may occur on bahia, centipede, bermudagrass, and zoysiagrass lawns.

Seeding/Sodding/Sprigging

Wait at least one month after you have applied this product before seeding, sodding or sprigging.

Mow new grass at least 4 times before applying.

[Note to PM: End of Option 1]

Directions for Use [Option 2]

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

This product applies 1.5 pounds of 2,4-D per acre per application. The maximum number of broadcast applications per treatment site is two per year.

Application

- Apply to moist foliage after yellow dandelion blooms have appeared.
- Daytime temperatures should be consistently between 60°F and 90°F.
- To keep from reaching storm sewers, sweep or blow any stray particles from hard surfaces back onto lawn area. Do not clean spreader over hard surfaces or near storm drains.
- Allow 4-6 weeks between program applications.

Watering or Rain

- Water your lawn no sooner than 24 hours after application. Water will wash the weed control off the weed's leaves and reduce effectiveness of this product.
- This product should not be applied if rain is expected within the next 24 hours.

General Precautions/Restrictions

- Do not allow product to contact people or pets directly or through drift. Keep people and pets
 off lawn during application. (People and pets may reenter lawn after dusts have settled.)
- Apply carefully when near shrubs, flower beds or vegetable gardens, as weed control may damage these desirable plants.
- Do not over apply, especially under the drip zone of desirable shrubs and trees as some of the control ingredients are root absorbed.
- Wait until after the 4th mowing to use on newly seeded or sodded lawns
- Plant grass no earlier than one month after using this product.
- Do not use on St. Augustinegrass, Floratam, dichondra, lippia, carpetgrass or bentgrass lawns.

[Note to PM: End of Option 2]

Directions for Use [Option 3]

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- This product applies 1.5 pounds of 2,4-D per acre per application.
- Do not apply more than twice per year.

Application

- Apply on a calm day.
- Make sure that the grass is wet from dew or sprinkling before applying. (This helps particles adhere to weed leaves to produce best results.)
- Set spreader to the setting indicated by the chart below before applying.

What to Avoid

• Do not water or mow lawn for at least 24 hours after application. (Granules must remain on weed leaves for 24 hours to be effective.)

- Do not apply if rain is expected within 24 hours.
- Do not apply if day temperatures are regularly below 60° F or above 90° F.
- Do not allow product to contact people or pets directly or through drift. Keep people and pets off lawn during application. (People and pets may reenter lawn after dusts have settled.)
- Apply only to grass. Do not allow granules or dust to drift onto flowers, shrubs, fruit or vegetables.
- Grass should not touch the bottom of a drop spreader. Tall grass should be mowed a day or two before application.
- Delay application on newly seeded, sodded or sprigged areas until new grass has been moved four times.
- Do not seed, sod or plant grass sprigs until at least one month after using this product.
- Do not apply on St. Augustinegrass, Floratam, dichondra, lippia, carpetgrass or bentgrass.
- On bahia or centipedegrass lawns, wait until after the second mowing of the year, but not before mid-March.
- In fall, <u>DO NOT</u> treat centipedegrass after Oct. 1, nor bahiagrass after Nov. 1.

[Note to PM: End of Option 3]

Directions for Use [Option 4]

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- This product applies 1.5 pounds of 2,4-D per acre per application.
- Apply no more than twice per year.

Application

- Make sure that the grass is wet from dew or watering before applying. (This helps particles adhere to weed leaves to produce best results.)
- Set spreader to the setting indicated by the chart below before applying. Fill spreader over bare ground or hard surface.
- Apply one or two header strips, then apply in longest direction of lawn. Shut off spreader each time you reach the header strip, or stop.
- Sweep or blow stray particles from hard surfaces back onto lawn area. Clean spreader away from hard surfaces or storm drains.
- One month after using this product, it is okay to seed, sod or plant grass sprigs.
- Mow grass 4x before applying on newly seeded, sodded or sprigged areas.

What to Avoid

- Applying this product if rain is expected within 24 hours.
- Day temperatures that are regularly below 60° F or above 90° F.
- Mowing or watering lawn for at least 24 hours after application. (Granules must remain on weed leaves for 24 hours to be effective.)
- Allowing product to contact people or pets directly or through drift. Keep people and pets
 off lawn during application. (People and pets may reenter lawn after dusts have settled.)
- Allowing granules or dust to drift onto flowers, shrubs, fruit or vegetables.
- Applying this product on St. Augustinegrass, Floratam, dichondra, lippia, carpetgrass or bentgrass.

- Applying before the second mowing of the year and before mid-March on bahia or centipedegrass lawns.
- Treating centipedegrass after Oct. 1 and bahiagrass after Nov. 1.
- · Applying to hard surfaces like driveways or streets.

[Note to PM: End of Option 4]

Spreader Settings

[Option 1] Tips on Spreading Scotts Drop:

- Do not apply during windy days.
- First apply 2 header strips.
- Overlap spreader application area to avoid strips of untreated lawn.
- Shut off spreader when you reach the header strip or any time you stop.

EasyGreen® Rotary:

- Slide shut-off lever to the right, application automatically starts and stops when you do
- Avoid misses by making each pass about 30 inches from the previous one so some overlapping occurs

Scotts Spreader Settings

	Spreader Setting (covers X,XXX sq ft)
Scotts Drop Spreaders	XX
Scotts EasyGreen™ Rotary	XX
Scotts SpeedyGreen™ Rotary	XX

Additional Spreader Settings

(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage).

C-2	C
Cyclone Rotary (Model B)	
Central Drop (#205)	6
Sears Drop (Model #19810)	
Ortho Drop (#5000	5
Greenview Drop (Spread II)	1
Precision Dron (Red Devil)	

(The following instructions to be used on 1,000 sq ft shaker container only)

APPLICATION RATE (Actual Size)	contents of this package covers a 25 ft. by 40 ft. area (1,000 sq ft)	
•	Use lightweight shaker arton to sprinkle evenly	[Picture of dime]
0	ver lawn as shown.	

If you have questions

We designed this program to make having a better lawn as simple and easy as possible. But you may still have some questions about your lawn during the year. If so, you can contact the Scotts Lawn Pro retailer where you bought this program. They are ready to answer your questions and provide any help or information that you may need - **OR**-You can get the answer by talking directly with one of Scotts lawn counselors. Simply dial this toll-free number 1-800-543-TURF (in Ohio 1-800-762-4010).

[Option 2] Spreading Tips

For best results, use a Scotts spreader

	Spreader Setting REGULAR RATE covers 5,000 sq.ft.	DIRECTIONS
Scotts Drop Spreaders	X	Mow lawn first; apply 2 longest direction of lawn, overlapping wheel marks.
Scotts EasyGreen [®] Rotary	X	Make each pass about XX header strips; apply inches from previous pass to overlap spread width.
Scotts SpeedyGreen [®] Rotary	X	Make each pass about X feet from previous pass to overlap spread width.

SETTINGS FOR DROP SPREADERS		
NORMAL		
Scotts - all models	XXX	
Republic EZ Drop	XXX	
Ortho	XXX	
Sears, K Gro	XXX	
Red Devil	XXX	

SETTINGS FOR ROTARY SPREADERS		
	NORMAL	
Scotts EasyGreen®	XXX	
(30" spread width)		
Scotts	XXX	
SpeedyGreen® (5'		
spread width)		
Republic EZ Rotary	XXX	
Ortho, Sears, K Gro	XXX	
Red Devil	XXX	

When Using A Drop Spreader: Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Then operate spreader the longest way of the lawn. Overlap wheel marks to insure uniform feeding. Shut off spreader when you have reached the header strips or when you have stopped.

538-179 2 19 07 Page 19 of 17

When Using A Rotary Spreader: Shut-off spreader any time you stop. For complete coverage make each pass according to spreader manufacturer's directions so some overlapping occurs.

[Option 3] Spreader Settings Spreading Tips

Apply header strips. Then apply product in longest direction of lawn. For best results, use a Scotts® spreader.

[art-Broadcast/Rotary spreaders] [art-Drop Spreaders]

Scotts Broadcast/Rotary Spreaders

Each pass should be within 5 feet of each other to ensure an overlap. Scotts Basic®, StandardTM, DeluxeTM, Edgeguard®, Lawn Pro® or SpeedyGreen®

Scotts EasyGreen® Each pass should be within 30" of each other to ensure an overlap.

Scotts Drop Spreaders

Make sure spreader wheel completely overlaps previous wheel marks. Scotts AccuGreen®

[Settings] 31/4, 26, 51/4

For additional spreader settings, please call 1-800-543-TURF (8873). Covers X,XXX sq. ft

First Aid and Environmental Information [Hazards]

KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Caution: Causes eye irritation. Do not get on skin, in eyes or on clothing. Avoid breathing dusts. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash clothing before reuse.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call A poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment.

Environmental Hazards

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is

571 79 097

expected. Apply this product only to your lawn. Sweep any product that lands on the driveway, sidewalk or street back onto your lawn.

Storage and Disposal

STORAGE: Reseal opened bag by folding top down and securing.

DISPOSAL: <u>If Empty</u>: Do not reuse this container. Place in trash or offer for recycling if available. <u>If partly filled</u>: Call you local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[Back Panel, optional] If you have questions

We designed this Program to make having a better lawn as simple and easy as possible. But you may still have some questions about your lawn during the year. If so, you can contact the Scotts Lawn Pro® retailer where you bought this Program. They are ready to answer your questions and provide any help or information that you may need.-**OR**-You can get the answers by talking directly with one of Scotts lawn counselors. Simply dial this toll-free number **1-800-543-TURF**.

SCOTTS...the lawn people

CAN'T FAIL GUARANTEE. If you are not completely satisfied with the results after using this product, Miracle-Gro will refund your purchase price in full. Simply send proof of purchase and register receipt to Miracle-Gro Lawn Products, Box 888, Port Washington, NY 11050. Can we help you? Call toll free 1-800-529-6569.

[Back Panel]

*GUARANTEED ANALYSIS

XX% combined sulfur (S)

GUARANTEED ANALTSIS		
Turf Builder® Plus 2® Weed and Feed	XX-X-X	F643
Total nitrogen(N)		
Available phosphate (P ₂ O ₅)	X%	
Soluble potash (K ₂ O)		

Derived from: methylene urea, ammonium sulfate, ammoniated phosphate, and potassium sulfate

*Contains X.X% slowly available methylenediurea and dimethylenetriurea nitrogen. U.S. Patent No. 5,102,440

(or U.S. Patent Nos. 4,378,238 and 5,102,440 or This product and/or its manufacture is covered by one or more of the following U.S. patents and foreign counterparts thereof: U.S. patent numbers 5,219,415; 5,405,426; 5,300,135; 5,466,274; 4,378,238; 5,102,440)

Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-sc.com

Scotts No-Quibble Guarantee®

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

QUESTIONS/INFORMATION

Consumer Helpline 1-800-543-TURF (8873)

Visit our website www.scotts.com

The Scotts Company 14111 Scottslawn Rd. Marysville, OH 43041

©2007, Licensed by The Scotts Company LLC. World rights reserved.

Made in U.S.A. (or Product of U.S.A.)

EPA Reg. No. 538-179 †CAS # 94-75-7 ††CAS #16484-77-8

EPA Est. No. 538-OH-1