

ProTurf Fluid Fungicide XXXX

FRONT:

At the time of sale  
this label listed

10/19/82 JD/hs  
10/27/82 JD/hs  
11/01/82 JD/hs

AUG 17 1983

(Scotts (R) )  
ProTurf  
Brand

Under the Federal Insecticide,  
Fungicide and Rodenticide Act  
as amended, this pesticide  
registered under EPA Reg. No.  
625-153

ProTurf Fluid Fungicide

Prevents and controls turf diseases on tees and putting greens

Net Contents: 1/2 Gallon (1.9 liters)

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans: Irritant. Avoid contact with skin and eyes. If it  
get in eyes, flush with water for 15 minutes. If irritation persists,  
wash after handling. May be harmful if swallowed.

Environmental Hazards: Do not apply directly to water.

ACTIVE INGREDIENTS:

Thiophanate-methyl, Dimethyl [(1,2-phenylene) bis (iminocarbonothioyl)] bis[carbamate]	19.65%
Iprodione, 3-(3,5-Dichlorophenyl)-N-(1-methyl ethyl)- 2,4-dioxo-1-imidazolidinecarboxamide	19.65%

INERT INGREDIENTS:	60.70%
TOTAL	100.00%

EPA Reg No 538-

EPA Est

Product of USA

ProTurf Division The O M Scott & Sons Company Marysville, Ohio 43041

(c) 1983. The O M Scott & Sons Company. All rights reserved.

XXXX

ProTurf Fluid Fungicide

BEST COPY AVAILABLE

BACK:

Directions for Use

Read entire label and use only as directed

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Prevents and controls:

Red leaf spot (Helminthosporium erythrospilum)  
Dollar spot (Including benzimidazole tolerant strains)  
Brown patch  
Pink snow mold (Washington, Oregon, California area)

MIXING INSTRUCTIONS

Shake product container well before pouring into spray tank.

The required amount of ProFurf Fluid Fungicide should be added during filling of the spray tank. Maintain some agitation during spray tank filling operation.

Thoroughly rinse container and pour remaining contents into spray tank.

Do not combine ProFurf Fluid Fungicide in the spray tank with surfactants or other adjuvants.

APPLICATION DIRECTIONS

Apply with standard pressurized spray equipment. Works well with normal spray heads.

Use the rates recommended with 4-7 gallons of water per 1000 ft<sup>2</sup> to achieve satisfactory coverage.

To Prevent Disease - Treat putting greens and tees at the normal rate when weather conditions are favorable for the development of disease. Repeat on a 10-14 day schedule.

To Control Mild Disease Infestations - Use the medium rate. Repeat the medium rate on a 10-14 day schedule until the disease is brought under control, then treat at the normal or medium rate on a preventive schedule.

To Control Moderate to Severe Disease Infestations - Use the heavy rate. Repeat on a 7-10 day schedule until disease is brought under control, then treat at the normal or medium rate on a preventive schedule.

Do not contaminate feed or foodstuffs. Do not graze treated areas. Do not feed clippings to livestock.

Con't

BACK Con't:

Coverage Chart for the Three Recommended Rates  
of ProFur Fluid Applied Fungicide

Rate (ai/M)	1 Pint (16 fl oz) (473 ml) Will Cover <sup>1/</sup>	1 Quart (32 fl oz) (946 ml) Will Cover <sup>1/</sup>	2 Quarts (64 fl oz) (1,893 ml) Will Cover <sup>1/</sup>
Normal (0.5 oz ai/M)	15,000 ft <sup>2</sup>	30,000 ft <sup>2</sup>	60,000 ft <sup>2</sup>
Medium (0.75 oz ai/M)	10,000 ft <sup>2</sup>	20,000 ft <sup>2</sup>	40,000 ft <sup>2</sup>
Heavy (1.0 oz ai/M)	7,500 ft <sup>2</sup>	15,000 ft <sup>2</sup>	30,000 ft <sup>2</sup>

<sup>1/</sup> Should be mixed with 4 to 7 gallons of water per 1000 ft<sup>2</sup>

Limitations: Not to be used for Pyricularia, Helminthosporium, Blight, or snow mold or Fusarium blight.

Precautions

Do not allow spray mixture to stand in the tank for longer than 12 hours.

Spray mixture should be agitated continuously during application.

Use a properly calibrated sprayer.

For best results do not water or mow treated areas within 24 hours of application.

Store in a cool place but not below 32° F.

Do not allow to become overheated in storage (above 120° F).

Do not reuse empty container.

Except in cases of severe infestation, allow one week between applications of this and other control products.

BACK CONT:

**STORAGE AND DISPOSAL**

Do not contaminate water, feed or food by storage or disposal.

**STORAGE:** Store in a cool, dry place. Do not store at temperatures exceeding 120° F nor at temperatures below 32° F.

**PESTICIDE DISPOSAL:** Pesticides, spray mixtures, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state or local procedures.

**CONTAINER DISPOSAL:** Treat as hazardous waste. Do not reuse for food, feed or other purposes. Containers must be disposed of according to applicable Federal, state or local procedures.

ProFurf Division The M. H. ... ..

<p align="center"><b>U.S. ENVIRONMENTAL PROTECTION AGENCY</b>  <small>U.S. DEPARTMENT OF AGRICULTURE</small></p> <p align="center"><b>NOTICE OF PESTICIDE</b></p>	<p align="right">DATE: _____</p>
<p>NAME: _____</p>	
<p><b>NOTE:</b> This notice is required by the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Pesticide Control Act (PCA). It is intended to inform the public of the registration of a pesticide under this Act.</p>	
<p>On the _____ day of _____, 19____, the Registration Review Board under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) has determined that the pesticide _____ is eligible for registration under the Act.</p> <p>As a result of this determination, the pesticide _____ is eligible for registration under the Act. Registration of a pesticide under the Act is required in order to protect health and the environment. The registration of a pesticide under the Act is a prerequisite for the sale and distribution of the pesticide in interstate commerce. The registration of a pesticide under the Act is also a prerequisite for the use of the pesticide in interstate commerce.</p> <p>Registration of a pesticide under the Act is required in order to protect health and the environment. The registration of a pesticide under the Act is a prerequisite for the sale and distribution of the pesticide in interstate commerce. The registration of a pesticide under the Act is also a prerequisite for the use of the pesticide in interstate commerce.</p>	
<p><input type="checkbox"/> ATTACHMENT _____</p> <p>SIGNATURE OF APPROVING OFFICIAL _____</p>	<p>DATE _____</p>