

ESTERON BK Weed and Brush Killer
Proposed Label Copy
Page Two

KEEP OUT OF REACH OF CHILDREN

WARNING

Precautionary Statements

Hazardous to Humans and Domestic Animals

May be absorbed through skin in toxic amounts.

HARMFUL IF SWALLOWED.

CAUSES EYE IRRITATION.

Do not get on Skin, in Eyes, Or on Clothing.

Wear protective clothing and rubber gloves when handling.

Wash Thoroughly With Soap And Water After Handling and
Before Eating or Smoking.

Statement of Practical Treatment

In case of contact, flush skin or eyes with plenty of water. Get medical attention if irritation persists. Remove and wash contaminated clothing before reuse.

If swallowed, do not induce vomiting. CALL A PHYSICIAN.

Physical or Chemical Hazards

COMBUSTIBLE

Do Not Use or Store Near Heat or Open Flame

Do Not Cut or Weld Container

Environmental Hazards

This pesticide is toxic to fish. Do not apply directly to bodies of water. Do not contaminate irrigation ditches or water used for irrigation or domestic purposes.

ESTERON BK Weed and Brush Killer
Proposed Label Copy
Page Three

See Back Panel for Important Use Precautions

In case of an emergency endangering life or property involving this
product, call collect: 517-636-4400.

AGRICULTURAL CHEMICAL

Do Not Ship or Store with Food, Feeds, Drugs or Clothing

ESTERON* BK
Weed and Brush Killer

FOR TREE, BRUSH AND WEED CONTROL

ESTERON BK Weed and Brush Killer is recommended for control of most species of unwanted woody plants, as well as annual and perennial broad-leaf weeds, growing on fencerows, roadsides, other non-crop areas, and industrial sites.

Woody Species Controlled: Alder, ash, aspen, birch, blackberry, blackgum, cherry, elderberry, hawthorn, hazel, maples, Multiflora rose, oaks, pine, salmonberry, sumac, sweetgum, tamarack, willow, and many others.

Weeds Controlled: Broadleaf weeds such as burdock, Canada thistle, cocklebur, dandelion, docks, goldenrod, kochia, lambsquarters, marshelder, milkweed, plaintains, Queen Anne's lace, ragweeds, tall ironweed, sunflower, vetch, and many others.

DIRECTIONS FOR USE

Foliage sprays should be applied during warm weather when brush and weeds are actively growing. Application under drought conditions may provide less than desirable results. Use low spray pressures to minimize spray drift. Apply ESTERON BK Weed and Brush Killer in a manner to avoid contacting nearby susceptible crops or other desirable plants and to avoid contaminating water intended for irrigation or domestic use. Read and follow all Use Precautions given on this label.

PREPARING THE SPRAY

ESTERON BK Weed and Brush Killer in water forms an emulsion (not a solution), and separation may occur unless the spray mixture is agitated continuously.

Application ...
with ...
with ...

Application
weed control

For high volume applications through handguns, apply as a foliar wetting spray containing 1 to 1 1/2 gallons of this product in sufficient water to make 100 gallons of total spray. The lower rate may be used for the more sensitive species such as aspen, blackberry and willow. Use the higher rate for other woody plants. Spray to give thorough coverage, wetting all leaves, stems, and root collars.

For broadcast sprays with ground equipment, apply 1.5 to 4 gallons of this product in enough water to deliver 15 to 30 gallons total spray per acre. Use the lower chemical rates for more sensitive species such as blackberry and willow and the higher chemical rates and spray volumes for more tolerant species such as ash, oaks, and maples.

General Weed Control

Broadcast Treatment: Use 1 to 2 quarts of ESTERON BK Weed and Brush Killer per acre in the amount of water needed for uniform coverage to control annual and perennial broadleaf weeds. Use the 2 quart rate for deep rooted perennial broadleaf weeds.

Spot Treatment: To control broadleaf weeds in small areas with a hand sprayer, use 1/4 pint of ESTERON BK Weed and Brush Killer in 3 gallons of water and spray to thoroughly wet all foliage.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: store above 10° or agitate before use.

...
...
...

DISPOSAL:

Pesticide Disposal - Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable federal, state, or local procedures.

Container Disposal - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures. Plastic containers, after triple rinsing, may be incinerated if allowed by state and local authorities.

General - Consult federal, state, or local disposal authorities for approved alternative procedures.

Be sure that use of this product conforms to all applicable regulations.

USE PRECAUTIONS

Apply this product only as specified on this label.

Do not apply ESTERON BK Weed and Brush Killer directly to, or otherwise permit it to come into direct contact with cotton, grapes, tobacco, vegetable crops, flowers, fruit or ornamental trees, or other desirable broad-leaf plants and do not permit spray mists containing it to drift onto them.

Avoid Injurious Spray Drift. Applications should be made only when hazards from spray drift are at a minimum. Very small quantities of spray, which may not be visible may seriously injure susceptible plants. Do not spray when wind is blowing toward susceptible crops or ornamental plants near enough to be injured. Spray drift can be reduced by adding a spray thickening agent such as Nalco-Trol[†] or its equivalent to the spray mixture. If a spray thickening agent is used, follow all use recommendations and precautions on the product label.

[†]Nalco-Trol Trademark of Nalco Chemical Company

With ground broadcast equipment, drift can be reduced by keeping the spray boom as low as possible; by applying no less than 20 gallons of spray per acre; by using no more than 20 pounds spraying pressure with flat fan or flooding flat fan nozzle tips; and by spraying only when wind velocity is less than 5 miles per hour. In handgun application, use gun pressure no higher than 50 psi and apply in such manner as to confine the spray to the target area.

At high temperatures, vapors from this product may injure susceptible crops growing nearby. Excessive amounts of this herbicide in the soil may temporarily inhibit seed germination and plant growth.

Do not graze treated areas or feed treated forage.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes risk of any such use.

10686-076-4

38322-C182

THE DOW CHEMICAL COMPANY
and subsidiaries

Midland, Michigan 48640, U.S.A. Horgen, Switzerland Hong Kong
Coral Gables, Florida 33134, U.S.A. Sarnia, Ontario, Canada

ACCEPTED

APR - 5 1982

Medical ...
EPA Reg. No. 538-184

(Scotts (R))

NEBURON TECHNICAL

NET WEIGHT 55.11 LBS (25 kg) FOR THE MANUFACTURE OF WEED KILLERS ONLY

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: Harmful if swallowed, inhaled, or absorbed through skin. Do not breathe dust. Causes eye and skin irritation. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling.

Statement of Practical Treatment - IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

Environmental Hazards:

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably by mouth to mouth.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

Keep out of lakes, streams, or ponds. Do not contaminate any body of water by cleaning of equipment or disposal of wastes.

ACTIVE INGREDIENT:

Neburon (1-n-butyl-3-(3,4-dichlorophenyl)-1-methylurea) 95%

INERT INGREDIENTS 5%

TOTAL 100%

EPA Reg No 538-

EPA Est 33979-FR-1

Manufactured for O. M. SCOTT & SONS COMPANY

Marysville, Oh 43041

Made in France

Printed U.S.A.

FRONT CON'T

Storage and Disposal: Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a clean, dry place. Reseal opened bags by folding top down and securing.

PESTICIDE DISPOSAL: Pesticide or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state, or local procedures.

CONTAINER DISPOSAL: Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.

HALL'S
 NURSERIES & HARDWARES
 WEED & FEED
 FOR ST. AUGUSTINE

ACCEPTED
 MAR 30 1983
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 registered under
 EPA Reg. No. 557-1965

Use on St. Augustine, Centipede and Zoysia Grasses only.

1. Controls germinating weeds, including sandburs and certain established weeds as listed in the directions for use.
2. A complete plant food fortified with iron.
3. Covers 3,000 sq. ft.

KEEP OUT OF REACH OF CHILDREN
CAUTION
 In case of contact, for skin, wash with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention if irritation persists. See back panel for additional precautionary statements.

ACTIVE INGREDIENT
 *Atrazine: 2-chloro-4-ethylamino-
 6-isopropylamino-s-triazine..... 0.60%
 Related compounds 0.03%
INERT INGREDIENTS ... 99.37%
 Total100.00%

*Contains 12.00 lbs. of atrazine per ton.
 EPA Reg.No.557- EPA Est.No. 557-FL-6

TWO LOCATIONS TO SERVE YOU

5645 BLANDING BLVD.
 JACKSONVILLE, FL.
 771-6330

899 BLANDING BLVD.
 ORANGE PARK, FL.
 272-1230

NET WT. 22 LBS. 8 OZ.