



U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (711-167) WASHINGTON, D.C. 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE 2 September 1993								
	TERM OF ISSUANCE									
NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input checked="" type="checkbox"/> REREГИSTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	NAME OF PESTICIDE PRODUCT									
	NAME AND ADDRESS OF REGISTRANT (Include ZIP code)									
<div style="border: 1px solid black; padding: 5px; width: fit-content; margin-left: auto; margin-right: auto;"> <table style="border-collapse: collapse;"> <tr> <td style="border: none; padding: 2px 10px;">160</td> <td style="border: none; padding: 2px 10px;">87664</td> </tr> <tr> <td style="border: none; padding: 2px 10px;">37</td> <td style="border: none; padding: 2px 10px;">1</td> </tr> <tr> <td style="border: none; padding: 2px 10px;">161</td> <td style="border: none; padding: 2px 10px;">102342</td> </tr> <tr> <td style="border: none; padding: 2px 10px;">18</td> <td style="border: none; padding: 2px 10px;">1</td> </tr> </table> </div>		160	87664	37	1	161	102342	18	1	
160	87664									
37	1									
161	102342									
18	1									
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p>										
<input type="checkbox"/> ATTACHMENT IS APPLICABLE										
SIGNATURE OF APPROVING OFFICIAL		DATE								

ProTurf Pythium Control

FRONT:

ACCEPTED
with COMMENTS
in EPA Letter Dated

SEP 2 1983

2/21/83 JD/hs
3/8/83 JD/hs

(Scotts (R))
ProTurf
Brand

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
285.105

Pythium Control

NET WEIGHT 28 1/2 lbs (12.81 kg)

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENT

Hazard to Humans and Domestic Animals: CAUTION, causes eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. If in eyes, flush with plenty of water. Get medical attention if irritation persists. May be harmful if swallowed. Avoid inhalation. Do not contaminate feed or foodstuffs. Do not feed clippings to livestock. Keep children and pets off treated area until material has been washed off the foliage and the area is completely dry.

Environmental Hazards: Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

ACTIVE INGREDIENT:

Metal-xylyl N-(2,6-Dimethylphenyl)-N-(methoxyacetyl)
alanine, methyl ester 1.21%

INERT INGREDIENTS: 98.79%

TOTAL 100.00%

EPA Reg No 538-XXX

EPA Est 538-OH-1

Product of USA

ProTurf Division

The O M Scott & Sons Company

Marysville, Ohio 43041

(c) 1983, The O M Scott & Sons Company. All rights reserved.

For Professional Use Only

XXXX

Pythium Control

USSETS:

(Scotts (R))
ProTurf
Brand

Pythium Control

XXXX

Pythium Control

(Scotts (R))
ProTurf
Brand

XXXX



BACK:

Pythium Control
(Scotts (R))
ProTurf
Brand

XXXX

Pythium Control

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Prevents or arrests damaging activity of Pythium blight and Pythium damping-off.

For use on bentgrass, Kentucky bluegrass, perennial ryegrass, annual ryegrass and bermudagrass turf.

To prevent Pythium blight in established turf apply as a preventive treatment during periods favorable for Pythium development at the RECOMMENDED RATE. Retreat at 10 day intervals. If a longer retreatment interval is desired, apply at DOUBLE RATE and retreat at 21 day intervals. If severe disease conditions exist, apply at DOUBLE RATE and retreat at 10 day intervals. Apply to moist or dry foliage.

To prevent Pythium in newly seeded areas apply at the RECOMMENDED RATE immediately after seeding. Irrigate with 1/4 inch of water. Retreat at 7-14 day intervals if conditions remain favorable for disease. Under severe disease conditions, apply the DOUBLE RATE and retreat in 7 days.

To avoid product pick-up, lightly irrigate treated area before mowing.

Not a control for turfgrass diseases other than Pythium.

When treating for Pythium control on established turf, do not fertilize or water heavily during periods when disease is active.

ProTurf Pythium Control contains a systemic fungicide having a specific mode of action. It could be subject to development of resistant strains of fungi. It is recommended that ProTurf Pythium Control be alternated with ProTurf Fungicide II, to reduce the chance of resistant strains developing.

Allow one week between application of ProTurf Pythium Control and other control products. In situations of severe insect or disease attacks this guideline can be relaxed.

Storage and disposal

Do not contaminate water, food or feed by storage or disposal.

Con't

BACK Con't:

STORAGE: Store in a clean, dry place. Reseal opened bags by folding top down and securing. Protect from water and extreme heat.

PESTICIDE DISPOSAL: Pesticide or rinse water that cannot be used according to label instructions must be disposed of according to Federal, state, or local procedures.

CONTAINER DISPOSAL: Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by state and local authorities.

ProTurf Division The O M Scott & Sons Company Marysville, Ohio 43041

SUGGESTED SPREADER SETTINGS

To provide proper distribution calibrate spreader before application.

28½ lbs (12.81 kg) treats 22,000 ft² (2044 m²) at NORMAL RATE
28½ lbs (12.81 kg) treats 11,000 ft² (1022 m²) at DOUBLE RATE

<u>Spreader</u>	<u>Ground Speed</u>	<u>Width of Coverage</u>	<u>NORMAL RATE</u>	<u>DOUBLE RATE</u>
Scott Drop	3 mph	Overlap wheels	4 3/4	6
Gandy 30"	3 mph	Overlap wheels	23	30
Scotts Rotary*	3 mph	6 ft	C	E ½
Lely-WTR & WFR Models	450 rpm	22 ft	3 3/4 II	4 3/4 II
Lely-HR (PTO Model)	@ 4.5 mph	22 ft	3 3/4 II	4 3/4 II

*Set adjustable pattern to 1/4 close position.