

Reg # 538-187  
PM 15  
0.1087

AUG 1 1985

310 / 152423  
17 / 3

Vincent Snyder, Jr., Ph.D.  
O. M. Scott & Sons  
Marysville, OH 43040

Dear Dr. Snyder:

Subject: Amendment-Label Update  
EPA Registration No. 538-187  
Your Application Dated May 29, 1985

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable, provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
2. Change 4-methyl-6 to 6-methyl-4 in the active ingredient statement.

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosure

RD/IRB: JOB: 85837: LaRocca: RD-01: Kendrick & Co: 898-1270: 7/31/85: Del: 8/12/85: DGD

CONCURRENCES							
SYMBOL	NAME	DATE					
	Nash, J. T.	8-1-85					

Reg # 538-187  
PM 15  
p 2-87

**FRONT:**

1985 PACKAGE COPY FOR  
LAWN INSECT CONTROL 40006  
01/21/85 AR 05/13/85 AR  
04/30/85 AR

(Scotts) Lawn Insect  
Control

(NOTE: Above description will be inverted.)

Treats 5,000 sq ft (465 m<sup>2</sup>)

SCOTTS POLICY  
No-Quibble  
Guarantee  
SEE BACK FOR DETAILS

(Scotts(R))

Lawn Insect  
Control

controls white grubs  
chinch bugs  
sod webworms  
European crane fly larvae  
and other insects listed on the back.

NET WEIGHT 9 1/4 LBS (4.20 kg)

LEFT COLUMN

KEEP OUT OF REACH OF CHILDREN  
CAUTION  
PRECAUTIONARY STATEMENTS


ACCEPTED  
with COMMENTS  
EPA Letter Dated

AUG 1 1985

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
registered, for use as a pesticide  
under EPA Reg. No.  
538-187

Hazards to Humans and Domestic Animals: CAUTION: Harmful if swallowed. May be absorbed through the skin. Do not get in eyes, on skin, or on clothing. Avoid inhalation. If on skin: remove contaminated clothing and wash affected areas with soap and water. If in eyes: flush eyes with plenty of water. Call a physician if irritation persists. Wash thoroughly after handling and before eating or smoking. Do not contaminate feed or foodstuffs. Water treated area after application and allow to dry before permitting use.

Note to Physician: Diazinon is a cholinesterase inhibitor. Atropine is antidotal if symptoms of cholinesterase inhibition are present.



Reg # 538-187  
PM 15  
p. 3 of 7

FRONT CONTINUED:

Environmental Hazards: This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of

RIGHT COLUMN

lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL. Do not reuse bag. Discard bag in trash.

ACTIVE INGREDIENT:

Diazinon [O,O-Diethyl O-(2-isopropyl-4-methyl-6-pyrimidinyl) phosphorothioate] . . . . . 5.84%

INERT INGREDIENTS: . . . . . 94.16%


Total 100.00%  
Product of USA

EPA Reg No 538-187      EPA Est 538-OH-1

The G M Scott & Sons Company

Marysville, Ohio 43041

(c) 1985, The G M Scott & Sons Company. All rights reserved.





PM 15  
p. 5087

BACK:

40006 LIC 5M  
EASY  
OPEN BAG  
PULL  
WHITE  
STRING

---

Treats 5,000 sq ft (465 m<sup>2</sup>)

(Scotts(R))      Lawn Insect  
Control

Controls the following insects:

ants	cutworms	brown dog ticks
armyworms	earwigs	sod webworms
Bermuda mites	European crane fly larvae	(lawn moth larvae)
billbugs	(leatherjackets)	vegetable weevil
chiggers	fleas	(in dichondra)
chinch bugs	flea beetles	white grubs such as
clover mites	(in dichondra)	Japanese beetle,
crickets	leafhoppers	European chafer,
	mole crickets	Masked chafer,
		Phyllophaga (May or June beetle)


---

Easy to Apply

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- Apply when insect activity or damage (chewed or brown grass blades) is first observed in the lawn.
- Apply when lawn is dry.
- Water lawn after application to wash granules from the lawn foliage. If treating for grubs and mole crickets, water thoroughly (so active ingredients will be carried into the root zone). Don't allow traffic on the lawn until it has dried.
- Treat the entire lawn to prevent further insect damage.
- You should not use any other lawn control product for at least one week after application.
- A second application may be needed in 6 weeks if insect activity continues.
- Do not use on fruit or vegetable plants.



Reg #1538-187  
 PM 15  
 p. 0 of 7

BACK CONTINUED:

**GRUBS--**

Northern States--The most likely period for grubs is late July through September but in some cases grubs are active in the spring. An application for spring grub activity requires a repeat summer-early fall application for effective control.

Southern States--Apply during June-August. A second application may be needed six weeks later. Applications made later in the year, when grubs are more mature, are less effective.

For best results - Water your lawn 24 hours prior to application. This will better enable the active ingredients to penetrate the thatch and control grubs.

**CHINCH BUGS--** Start treatments when daily high temperatures are 80° or above. A second application may be needed in 6 weeks if insect activity continues.

**MOLE CRICKETS--** The best time to apply is in May to July when the insects are young.

For best results - Water your lawn 24 hours prior to application. This draws insects closer to the surface for better control.

**CRANE FLY LARVAE (leatherjackets)--**Apply when activity is first noticed in the spring, usually mid-March to mid-April.

Application Rate	Scotts Drop Spreaders	Scotts EasyGreen™ Rotary
(treats 5,000 sq ft)	5	25 1/2


**TIPS ON SPREADING WITH SCOTTS SPREADERS**

**Scotts Drop:**

- First apply 2 header strips
- Operate spreader the longest way of the lawn
- Overlap wheels to insure complete insect control
- Shut off spreader when you have reached the header strips or anytime you stop
- Mow lawn first if grass is tall enough to touch the bottom of spreader

**EasyGreen™ Rotary:**

- Slide shut-off lever to the right. Application automatically starts and stops when you do
- Avoid misses by making each pass about 30 inches from the previous one so some overlapping occurs



(ILLUS.)

(ILLUS.)

Key # 538-187  
PM 15  
p. 7 of 7

BACK CONTINUED:

**YOUR SATISFACTION GUARANTEED**

40006

**Scotts Policy  
No-Quibble Guarantee**

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

SCOTT'S...the lawn people  
MARYSVILLE, OHIO 43041

0 (UPC)

32247 40006

(NOTE: The description below will be inverted.)

40006

(Scotts)

Lawn Insect  
Control

003&0

