

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 05-31-98

EPA	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
------------	---	--	-----------------------

Application for Pesticide - Section I

1. Company/Product Number 538-187	2. EPA Product Manager G. LaRocca <i>S. LEWIS</i>	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> <input checked="" type="checkbox"/> Restricted
4. Company/Product (Name) Lawn Insect Control	PM# PM-08	
5. Name and Address of Applicant (Include ZIP Code) The Scotts Company 14111 Scottslawn Road Marysville, OH 43041 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 31(c)(3)(B)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Pass Commission in response to Agency letter dated XX-XX-XX <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated XX-XX-XX <input type="checkbox"/> "Me Too" Application <input type="checkbox"/> Other - Explain below.
--	---

NOTIFICATION
MAY - 8 1998

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION of minor label changes (see attached letter)

Section III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If "Yes" Unit Packaging wgt. No. per Container	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If "Yes" Package wgt. No. per Container	2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other Specify _____
3. Location of Net Contents Information <input type="checkbox"/> Label <input checked="" type="checkbox"/> Container		4. Size(s) Retail Container 10.10 lb	5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Other <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			

Section IV

Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)		
Name Chris J. Wible	Title Senior Regulatory Specialist	Telephone No. (Include Area Code) 800-844-1114

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

Date Application Received
(Stamped)


2. Signature <i>The Scotts Company</i> <i>By: Chris J. Wible</i>	3. Title Senior Regulatory Specialist
4. Typed Name Chris J. Wible	5. Date April 29, 1998




Diazinon
Lawn Insect Control
Treats 5,000 square feet

Diazinon
Lawn Insect Control

Diazinon Lawn Insect Control



Sod webworm



Chinch bug

Controls major home lawn insect problems (see list on other side)
This product must not be used on golf courses or sod farms. For outdoor use on the home lawn only.

ACTIVE INGREDIENT:	
Diazinon [0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate]	4.54%
INERT INGREDIENTS:	95.46%
Total 100.00%	

KEEP OUT OF REACH OF CHILDREN
CAUTION
See back for precautionary statements and directions for use.

EPA Reg. No. 538-187
EPA Est. No. 538-OH-1 (S)
EPA Est. No. 44616-AM-01 (H) Product of USA
Subscriber used is first letter of run code on end of container.

Treats 5,000 square feet (10.10 LBS.)
NET WEIGHT 10.10 LBS.(4.58 kg)



40006
6



40006
6



40006
6

Controls these insects

ants
armyworms
Bermudagrass mites
billbugs
chiggers
chinch bugs
clover mites
crickets

cutworms
earwigs
European crane fly larvae
(leatherjackets)
fire ants (except in California)
fleas
flea beetles (in dichondra)
leafhoppers

mole crickets
Brown dog ticks
sod webworms (lawn moth larvae)
vegetable weevil (in dichondra)
white grubs such as Japanese beetle, European chafer, Masked chafer, *Phyllophaga* (May or June beetle)



3 of 3

Scotts Diazinon Lawn Insect Control

Easy to apply

Directions for use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- Apply when insect activity or damage (chewed or brown grass blades) is first observed in the lawn.
- Apply when lawn is dry.
- Water lawn after application to wash granules from the lawn foliage. If treating for grubs and mole crickets, water thoroughly (so active ingredients will be carried into the root zone). Don't allow traffic on the lawn until it has dried.
- Treat the entire lawn to prevent further insect damage.
- You should not use any other lawn control product for at least one week after application.
- A second application may be needed in 6 weeks if insect activity continues.
- Do not use on fruit or vegetable plants.

GRUBS



Northern States-The most likely period for grubs is late July through September but in some cases grubs are active in the spring. An application for spring grub activity requires a repeat application in late summer to early fall for effective control.

Southern States-Apply during June-August. A second application may be needed six weeks later. Applications made later in the year, when grubs are more mature, are less effective. For best results - Water your lawn 24 hours prior to application. This will better enable the active ingredients to penetrate the thatch and control grubs.

FIRE ANTS (except in California)-

Apply 1/2 cup of product on each fire ant mound. Water gently and thoroughly after application. For best results, apply in early morning or late evening.



CHINCH BUGS



Start treatments when daily high temperatures are 80°F or above. A second application may be needed in 6 weeks if insect activity continues.

MOLE CRICKETS--The best time to apply is from May to July, when insects are young. For best results - water your lawn 24 hours prior to application. This draws insects closer to the surface for better control.



CRANE FLY LARVAE (leatherjackets)-



Apply when activity is first noticed in the spring, usually mid-March to mid-April.

SPECIAL PRECAUTIONS TO REDUCE RISKS TO BIRDS

Birds, especially waterfowl (ducks or geese), feeding or drinking on treated areas may be killed. To reduce risks to birds:

- a) Do not treat areas larger than 15,000 sq. ft.

- b) Because of the migratory habits of certain waterfowl, do not apply in Nassau County, New York, between November 1 and May 20.
- c) Do not exceed maximum permitted label rates, since rates above those recommended significantly increase potential hazards to birds, especially waterfowl.
- d) Avoid overlapping treated areas.
- e) Follow all watering instructions included within the directions for use, however, stop watering before puddling occurs.
- f) Do not apply this product to sites occupied by waterfowl or to sites within 75 feet of any body of water that may attract waterfowl, such as lakes or ponds.
- g) If necessary to repeat application, wait a minimum of 3 weeks before applications. Make no more than 4 applications per year.


Spreading tips - For best results, use a Scotts spreader

	Spreader Settings	
	covers 5,000 sq. ft.	Directions
Scotts Drop Spreaders	4 1/4	Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Operate spreader the longest way of the lawn. Overlap wheel marks to ensure complete insect control. Shut off spreader when you have reached the header strip or stopper.
Scotts EasyGreen® Rotary	26	Slide shut-off lever to the right; application automatically starts and stops when you do. For complete coverage make each pass about 3/8 inches from the previous one so some overlapping occurs.
Scotts SpeedyGreen® Rotary	2 1/2	Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one, so some overlapping occurs. Avoid applying this product on flower, vegetable and shrub plantings.

Additional Spreader Settings:

EZ Drop, Republic (#530)	6 1/2
EZ Broadcast, Republic (#540)(5' width)	2
Red Devil Drop (#FV-22)	7
Red Devil Rotary (#SB-50)	6
Quaker Drop (Model #10850)	7
Quaker Rotary (Model #10301)(5' width)	4

(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)



KEEP OUT OF REACH OF CHILDREN

CAUTION PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals: CAUTION: Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing dust and contact with eyes, skin, or clothing. Wash thoroughly after handling and before working or eating. Do not store near food or feed. Do not contaminate ornamental fish ponds. Do not allow children or pets onto the treated area until granules have been washed in and the grass or soil has dried.

Statements of Toxicological Importance:
Respiratory: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth if person is unconscious or convulsing.
If inhaled: Remove victim to fresh air and apply artificial respiration if indicated.
If on skin: Remove contaminated clothing and wash affected areas with soap and water.
If in eyes: Rinse eyes with plenty of water and call a physician immediately.
Water in Ponds: This product contains an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, administer

atropine by injection in an ideal 2-PAM is also indicated and may be administered, but only in conjunction with atropine.
Environmental Hazards: This pesticide is highly toxic to birds, fish, and other wildlife. Birds, especially waterfowl, feeding or drinking in treated areas may be killed. Because of the migratory habits of certain waterfowl, do not apply this product to lawns in Nassau County, New York, between November 1 and May 20. Do not exceed maximum permitted label rates, since application rates above those recommended significantly increase potential hazards to birds and waterfowl. Avoid overlapping of granules. When waterfowl (including) is recommended in the directions, or if waterfowl, i.e., ducks or geese, can be expected in the treated area after treatment, water bodies with at least 1/4 inch of water, immediately after applying this product, however, stop watering before puddling occurs. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Do not apply directly to water. Runoff may be hazardous to aquatic organisms in neighboring areas. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where fish, shrimp, crabs, and other aquatic life are important resources. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.
STORAGE: Store in original container in a cool, dry, well-ventilated area inaccessible to children, and domestic animals. Do not use near fertilizers, herbicides, acids, food, or feed. Reveal original bag by holding top down and unrolling.
PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.
CONTAINER DISPOSAL: Do not reuse empty bag. Discard bag in trash.

Distributed by:
 The Scotts Company
 14111 Scouting Rd.
 Marysville, OH 43041

Questions, Comments, Information



Call Scotts' toll-free
 Consumer Helpline:
 1-800-543-TUNE



"Lawn Success Made Easy"
 Visit Scotts' website at
www.scottslawn.com



Scotts No-Quibble Guarantee™

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase, and we will mail you a refund check promptly.

Scotts...the lawn people
 Marysville, Ohio 43041

©1997, The Scotts Company. World rights reserved. Made in U.S.A.

TREATS 5,000 SQUARE FEET