

Product Description:

ProTurf
Logo

Stock #

Southern Weedgrass Control
CGX


BEST DOCUMENT AVAILABLE

Major Features:

- o preemergent control of goosegrass, crabgrass, Poa annua and other annual grassy weeds in southern grasses
- o preemergent control of several broadleaf weeds

Analysis:

Net Weight 56 1/2 lbs (25.4 kg)
KEEP OUT OF REACH OF CHILDREN
CAUTION
PRECAUTIONARY STATEMENTS



Hazards to Humans and Domestic Animals: CAUTION. Causes eye irritation. Avoid contact with eyes, skin, or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. May be harmful if swallowed. Avoid inhalation. Do not contaminate feed or foodstuffs. Keep children and pets off treated areas until material is washed into soil and foliage has dried.

Environmental Hazards: Do not apply directly to any body of water. This product is toxic to fish. Use with care when applying adjacent to any body of water. Apply this product only as specified on the label. Do not contaminate water by cleaning of equipment or disposal of wastes.

ACTIVE INGREDIENT:

pendimethalin, 1-(1-ethylpropyl)-3,4 dimethyl-2,6-dinitrobenzenamine 2.45

INERT INGREDIENT: 27.55
TOTAL 100.00%

EPA Reg No. 538-XXX EPA Est 538-(A1-1) Product of USA

ProTurf Division The O M Scott & Sons Company Marysville, Ohio 43041

(c) 1984. The O M Scott & Sons Company. All rights reserved.

Directions:

Directions for use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Controls these grassy weeds as they sprout:

- goosegrass
- crabgrass
- foxtail
- Poa annua
- barnyardgrass
- fall panicum

Controls these broadleaf (dicot) weeds as they sprout:

- chickweed
- cudweed
- hop clover
- henbit
- oxalis
- evening primrose
- prostrate spurge

For use on established bermudagrass (non-winter overseeded), St Augustinegrass, centipedegrass, zoysiagrass, bahia, and tall fescue.

For Poa annua, chickweed, and henbit apply in late summer-early fall before weeds sprout. For goosegrass, crabgrass, and other annual grasses, and germinating dicot weeds, apply in the spring before they sprout.

Water after application (1/4 to 1/2 inch) to remove granules from the foliage and to move the product to the soil surface. Do not destroy the chemical barrier after application by raking or aerifying. Limit use to twice yearly allowing at least four months between applications.

BEST DOCUMENT AVAILABLE

NOTE CAREFULLY

This product should not be used on winter overseedings.

This product should not be used on newly seeded or sprigged turfgrass areas or where turf has been severely thinned due to winter damage. Wait until the stand is uniform and dense.

Not for use on cool season grasses or dichondra.

Product does not control germinated or established weeds.

Residual effectiveness requires a delay of four growing months after treatment before reseeding or winter overseeding and five growing months before sprigging.

STORAGE AND DISPOSAL:

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Spreader Settings:

SUGGESTED SPREADER SETTINGS

56 1/2 lbs treats 22,000 ft² (1/2 acre) at RECOMMENDED RATE

<u>Spreader</u>	<u>Ground Speed</u>	<u>Width of coverage</u>	<u>Recommended Rate</u>
Scott (Drop type)	3 mph		
Scott Rotary (R-7, R-7X)	3 mph		
Lely-(Models, see below)	4.5 mph		

Metric application rate: 25.4 kg treats 2,044 M² at the Recommended Rate

Lely Models WTR, WRF, HX, and 1250. PTO at 450 rpm

For proper distribution calibrate your spreader before application

BEST DOCUMENT AVAILABLE

(BURST
same as
front
panel)

(Scotts (R) Turf Builder plus Halts
America's favorite crabgrass preventer
plus fertilizer

1985 Package Copy #XXXXX
HUF TURF BUILDER plus HALTS
02/21/84 AR
03/09/84 AR
03/23/84 AR
03/29/84 AR

(Note: The above description will be inverted.)

FRONT:

Treats 5,000 sq ft (465 m²)

NOW
better
for your
lawn!

(Scotts (R))

TURF BUILDER plus
HALTS(R)


crabgrass preventer plus lawn fertilizer
for established lawns

(ILLUS. CRABGRASS)

Prevents crabgrass
also foxtail, barnyardgrass, spurge,

plus fertilizes
with a feeding of Turf Builder...

NEW patented TRIONIZED(R) II formula
gives quick, deep greening.



NET WEIGHT 34 5/8 LBS (15.7 kg)

26-3-3

KEEP OUT OF REACH OF CHILDREN
CAUTION
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Do not get in eyes. If in eyes, flush with plenty of water and get medical attention if irritation persists. Wash after handling. May be harmful if swallowed. Do not contaminate feed or foodstuffs. Do not graze treated areas. Do not feed clippings to livestock.

Environmental Hazards: This product is toxic to fish. Do not apply directly to water.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

BEST DOCUMENT AVAILABLE

FRONT CONTINUED:

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Do not get in eyes. If in eyes, flush with plenty of water and get medical attention if irritation persists. Wash after handling. May be harmful if swallowed. Do not contaminate feed or foodstuffs. Do not graze treated areas. Do not feed clippings to livestock.

Environmental Hazards: This product is toxic to fish. Do not apply directly to water.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

ACTIVE INGREDIENT:

Pendimethalin, N-(1-Ethylpropyl)-3,4-dimethyl-

2,6-dinitrobenzenamine 1.79%

INERT INGREDIENTS: 98.21%

Total 100.00%

RIGHT COLUMN

EPA Reg No 538-XXX

EPA Est 538-OH-1
26-3-3

Turf Builder plus Halts For Lawns

Guaranteed Analysis

Total nitrogen(N). 26%

0.7% ammoniacal nitrogen

8.0% methylenediurea and dimethylenetriurea nitrogen

16.0% urea, other methylene ureas nitrogen

1.3% water insoluble nitrogen

Available phosphoric acid (P₂O₅) 3%

Soluble potash (K₂O) 3%

Derived from: monoammonium phosphate, urea, methylene ureas, muriate of potash.

Chlorine, not more than. 2.39%

U.S. Pat. No. 4,378,238

Product of USA

The O M Scott & Sons Company

Marysville, Ohio 43041

(c)1985, The O M Scott & Sons Company. All rights reserved.

XXXXX

(Scotts) TURF BUILDER PLUS
Halts
FOR LAWNS
America's Favorite
crabgrass preventer plus fertilizer

BEST DOCUMENT AVAILABLE

RIGHT GUSSET:

XXXXX

(Scotts) TURF BUILDER PLUS
Halts
FOR LAWNS
America's favorite
crabgrass preventer plus fertilizer

LEFT GUSSET:

(Scotts) TURF BUILDER PLUS
Halts
FOR LAWNS
America's Favorite
crabgrass preventer plus fertilizer

XXXXX

BEST DOCUMENT AVAILABLE

(Scotts) TURF BUILDER PLUS
Halts
FOR LAWNS
America's Favorite
crabgrass preventer plus fertilizer

(NOTE: The above description will be inverted.)

BACK:

Treats 5,000 sq ft (465m²)

XXXXXX TB+HALTS XX
EASY
OPEN BAG
PULL
WHITE
TAPE

XXXXXX

(Scotts(R)) TURF BUILDER PLUS
Halts
FOR LAWNS
America's favorite
crabgrass preventer plus fertilizer

Advantages of Turf Builder plus Halts(R)

LEFT COLUMN

SUPERIOR QUALITY

Turf Builder plus Halts(R) - no one else has a tougher crabgrass, foxtail and spurge preventer. And our small, uniform granules cover your lawn completely to stop these weeds before they start. All this means that Turf Builder plus Halts (R) gives your lawn the best seasonlong crabgrass, foxtail and spurge prevention available.

Scotts new Trionized II(TM) formula provides a more efficient nitrogen. This means Turf Builder plus Halts(R) now gives quick, deep greening while feeding your lawn as it needs to be fed.

Turf Builder plus Halts(R) won't burn your lawn. The nitrogen in the Trionized II(R) formula is buffered. This means Turf Builder plus Halts(R) greens your lawn quickly without the danger of burning.

Turf Builder plus Halts(R) provides two full months of greening. Part of the nitrogen in Turf Builder plus Halts (R) is time-released to help keep a supply of this essential nutrient available to your lawn. This means that your lawn will stay thick and green for two full months.

BEST DOCUMENT AVAILABLE

BACK CONTINUED:

BEST DOCUMENT AVAILABLE

Each Turf Builder plus Halts(R) granule contains the three major nutrients and crabgrass preventer. We bond Scotts unique controlled-release nitrogen with other essential nutrients and a unique crabgrass preventer so your lawn receives a safe, uniform feeding and the most effective seasonlong crabgrass, foxtail and spurge prevention available.

(ILLUS.)

Turf Builder plus Halts(R)
EVERY GRANULE CONTAINS
NITROGEN, PHOSPHOROUS, POTASSIUM

Provides safe, even greening
with uniform crabgrass
prevention.

(ILLUS.)

Simple Mixture
EACH GRANULE IS A
SEPARATE CHEMICAL.

May cause surge growth,
burning, uneven greening
and erratic crabgrass prevention.

RIGHT COLUMN

AMERICA'S FAVORITES

Other great Turf Builder(R) products for your lawn.

If weeds are a problem, use TURF BUILDER plus 2(R), America's favorite weed and feed. This product clears out dandelions and over 40 other broadleaf weeds while providing your lawn with a safe, uniform feeding of fertilizer.

If you don't have weed problems, use TURF BUILDER(R), America's favorite lawn fertilizer. Turf Builder(R) gives quick, deep greening without the danger of burning.

These great Turf Builder(R) products are developed specifically by Scotts for the unique needs of your lawn - your satisfaction is unconditionally Guaranteed.

(ILLUS.)

Turf Builder plus 2(R)
Fertilizer plus Broadleaf
Weed Control

(ILLUS.)

Turf Builder(R)
Fertilizer

Easy to Apply

LEFT COLUMN

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Turf Builder Plus Halts(R) should be applied when your lawn is dry. It is not necessary to water it in after application.

BACK CONTINUED:

BEST DOCUMENT AVAILABLE

Apply in early spring before the 3rd or 4th mowing or before temperatures are regularly in the 80s. Rain, snow or freezing weather will not affect the performance of this product.

DO NOT SEED OR SOD FOR 4 MONTHS AFTER USING TURF BUILDER PLUS HALTS(R). The crabgrass barrier prevents grass seed from sprouting.

Apply to prevent germination of crabgrass, foxtail, barnyardgrass and spurge.

- . before March in southern California
- . before mid-March in northern California
- . in early spring (before dandelions reach the puffball stage) in all other areas

Not for use on dichondra or bentgrass lawns.

- Scotts recommends the PF Spreader, the most accurate spreader you can buy, to receive the maximum benefit from Turf Builder Plus Halts(R). DO NOT USE A ROTARY SPREADER, except Scotts EasyGreen™ rotary.

Scotts Spreader Settings	PF Drop*	EasyGreen™ Rotary
(treats 5,000 sq ft)	XX	XX

*also Automatic and Standard models

- use Scotts Halts(R) (without fertilizer) to prevent goosegrass, barnyardgrass, fall panicum, oxalis, Poa annua or chickweed.
- allow at least a 4 month interval between applications of this product. Don't apply Turf Builder Plus Halts(R) more often than twice annually.

Important: Do not rake or aerify for 4 months after application to avoid disturbing the crabgrass barrier on the soil surface.

RIGHT COLUMN

Seeding/Sodding/Sprigging

Please do not apply to newly seeded or sodded areas until after the fourth mowing. On newly sprigged areas, wait 5 months before application.

Actively growing crabgrass. This product does not control actively growing crabgrass and other existing grasses.

NOTE: Do not apply material to cement, stone, clothing or shoes. If contact occurs, brush off particles to prevent staining. If necessary, rinse off with water.

7
BEST DOCUMENT AVAILABLE

BACK CONTINUED:

TIPS ON SPREADING WITH SCOTTS PF SPREADERS

- First apply 2 header strips
- It is easier to follow wheel tracks if you operate spreader the longest way of the lawn or at right angles to the sun (ILLUS.)
- For drop spreader application, overlap wheels about 2" to avoid striping
- Shut off spreader when you reach the header strips or anytime you stop (ILLUS.)
- If grass is tall enough to touch the bottom of the spreader, mow lawn before application

XXXXX

**Scotts Policy
No-Quibble Guarantee**

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Send us evidence of purchase and we will mail you a refund check promptly.

SCOTTS...the lawn people
MARYSVILLE, OHIO 43041

0 (UPC)

32247 XXXXX

XXXXX

(Scotts) TURF BUILDER PLUS
Halts
FOR LAWNS
America's Favorite
crabgrass preventer plus fertilizer

04340