

538-190

PM 25

10622

(Scotts) **TURF BUILDER PLUS
HALTS FOR LAWNS**
America's favorite
crabgrass preventer plus fertilizer


1989 Master Label XXXXX
NATIONAL TURF BUILDER
plus HALTS FOR LAWNS

05/30/89 VS

(Note: The above description will be inverted.)

FRONT:

Treats (and fertilizes) up to 5,000 - 6,000 sq ft



(Scotts (R))

**TURF BUILDER PLUS
Halts(R)
FOR LAWNS**

**SCOTT'S POLICY
No-Quibble
Guarantee**

SEE BACK FOR DETAILS

America's favorite
crabgrass preventer plus fertilizer
for established lawns

(ILLUS. CRABGRASS)

Prevents crabgrass
barnyardgrass, Poa annua, foxtail, oxalis, spurge,
(and other problem weeds - see back)

plus fertilizes
with America's favorite fertilizer

Not for use on dichondra or bentgrass lawns

Patented TRIONIZE[®](R) II formula
for developing thick, green lawns

Stops crabgrass and other weeds before they sprout and helps make your lawn
its thickest, greenest ever.

A Scotts(R) Lawn Pro(R) Product
Available only at authorized Lawn Pro(R) stores

XX% more greening power than brand X (Turf Builder Plus Halts)

Prevents crabgrass, foxtail, spurge, barnyardgrass, fall panicum, goosegrass
and oxalis (common yellow woodsorrel) while greening your lawn without rapid,
extreme growth.

Contains the strongest crabgrass, foxtail and spurge preventer you can buy
plus all primary lawn nutrients.

Formulated for the home environment.

(ILLUS. CRABGRASS
& other grassy weed)

(ILLUS. TURF)

Prevents crabgrass
and 8 other problem weeds

Thicker, greener turf
- satisfaction guaranteed

(Optional Front Panel)

COVERAGE:

Treats (and fertilizes) 5,000 - 6,000 sq ft

APPLICATION: (See back for details)

Apply in early spring. Not for use on dichondra or bentgrass lawns.

XX

X

X

NITROGEN

PHOSPHORUS

POTASSIUM

Essential for
plant growth;
makes grass
green.

Stimulates root
growth; helps
grass multiply.

Makes plant
strong; better
able to resist
drought and
extreme heat.

NET WEIGHT 34 5/8 LBS

26-3-3

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Do not get in eyes. If in eyes, flush with plenty of water and get medical attention if irritation persists. Wash after handling. May be harmful if swallowed. Do not contaminate feed or foodstuffs. Do not graze treated areas. Do not feed clippings to livestock.

Environmental Hazards: This pesticide is toxic to fish. Do not apply directly to water. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters. In case of spills, either collect for use or dispose of properly.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

FRONT CONTINUED:

3 of 22

ACTIVE INGREDIENT:

Pendimethalin, N-(1-Ethylpropyl)-3,4-dimethyl-

2,6-dinitrobenzenamine* 0.50%

INERT INGREDIENTS: 99.50%

Total 100.00%

RIGHT COLUMN

EPA Reg No 538-190

EPA Est 538-OH-1

643-1149

Turf Builder plus Halts for Lawns

26-3-3

Guaranteed Analysis

Total nitrogen (N) 26%

0.7% ammoniacal nitrogen

24.0% urea, methylene ureas nitrogen**

1.3% water insoluble nitrogen

Available phosphoric acid (P₂O₅) 3%

Soluble potash (K₂O) 3%

Derived from: monoammonium phosphate, urea, methylene ureas, muriate of potash or potassium sulfate:

Chlorine, not more than 2.38%

U.S. Pat. No 4,378,238

Product of USA

*Licensed under one or more of the following U.S. patents: 3,920,742; 4,066,441.

**Contains 8.0% slowly available methylenediurea and dimethylenetriurea nitrogen

The O M Scott & Sons Company
Marysville, Ohio 43041

(c) 1989, The O M Scott & Sons Company. All rights reserved.

GUSSETS:

LEFT GUSSET:

(Scotts)	TURF BUILDER PLUS	SCOTTS POLICY	XXXXX
	Halts (R) for Lawns	No-Quibble	
	America's favorite	Guarantee	
	crabgrass preventer plus fertilizer	SEE BACK FOR DETAILS	

Treats (and fertilizes) up to 5,000 - 6,000 sq. ft.

Stops crabgrass and other weeds before they sprout and helps make your lawn its thickest, greenest ever.

RIGHT GUSSET:

XXXXX	(Scotts)	TURF BUILDER PLUS	SCOTTS POLICY
		Halts (R) for Lawns	No-Quibble
		America's favorite	Guarantee
		crabgrass preventer plus fertilizer	SEE BACK FOR DETAILS

Treats (and fertilizes) up to 5,000 - 6,000 sq. ft.

Stops crabgrass and other weeds before they sprout and helps make your lawn its thickest, greenest ever.

**PULL TAB
and remove for
pour spout
(ILLUS.)**

Treats up to 5,000 - 6,000 sq ft

**5-GH
PROOF
OF
PURCHASE
(Scotts)**

**Easy
Open FULL HERE**

**(Scotts(R)) TURF BUILDER PLUS
Halts(R)
FOR LAWNS
crabgrass preventer plus fertilizer**

Advantages of Turf Builder plus Halts(R)

LEFT COLUMN

SUPERIOR QUALITY

TURF BUILDER PLUS HALTS(R) - NO ONE ELSE HAS A TOUGHER CRABGRASS, FOXTAIL AND SPURGE PREVENTER. And our small, uniform granules cover your lawn completely to stop these weeds before they start. All this means that Turf Builder plus Halts(R) gives your lawn the best seasonlong crabgrass, foxtail and spurge prevention available.

SCOTTS TRIONIZED(R) II FORMULA PROVIDES A MORE EFFICIENT NITROGEN THAN EVER BEFORE to help promote quicker greening.

TURF BUILDER PLUS HALTS(R) WON'T BURN YOUR LAWN. The nitrogen in the Trionized(R) II formula is buffered. This means Turf Builder plus Halts(R) greens your lawn without the danger of burning.

PART OF THE NITROGEN IN TURF BUILDER PLUS HALTS(R) IS TIME-RELEASED to provide a supply of this essential nutrient to help your lawn stay thick and green for up to 6 to 8 weeks.

EACH TURF BUILDER PLUS HALTS(R) GRANULE CONTAINS THE THREE MAJOR NUTRIENTS AND CRABGRASS PREVENTER. We bond Scotts unique controlled-release nitrogen with other essential nutrients and a unique crabgrass preventer so your lawn receives a safe, uniform feeding and the most effective seasonlong crabgrass, foxtail and spurge prevention available.

**(ILLUS.)
Turf Builder plus Halts(R)
EVERY GRANULE CONTAINS
NITROGEN, PHOSPHOROUS, POTASSIUM
AND CRABGRASS PREVENTER**

**Provides safe, even greening
with uniform crabgrass
prevention.**

**(ILLUS.)
Competitive Simple Mixture
EACH GRANULE IS A
SEPARATE CHEMICAL.**

**May cause uneven
greening and spotty
crabgrass prevention**

BACK CONTINUED:

6022

RIGHT COLUMN

AMERICA'S FAVORITES

OTHER GREAT TURF BUILDER(R) PRODUCTS FOR YOUR LAWN.

If weeds are a problem, use Turf Builder plus 2(R), America's favorite weed and feed. This product clears out dandelions and over 50 other broadleaf weeds while providing your lawn with a safe, uniform feeding of fertilizer.

If you don't have weed problems, use Turf Builder(R), America's favorite lawn fertilizer. Turf Builder(R) promotes quick, deep greening without the danger of burning.

These great Turf Builder(R) products are developed specifically by Scotts for the unique needs of your lawn - your satisfaction is unconditionally Guaranteed.

(ILLUS.)

(ILLUS.)

Turf Builder plus 2(R)

Turf Builder(R)

Fertilizer plus Broadleaf
Weed Control

Fertilizer

(Optional Back Panel Claims)

Advantages

- Safe feeding--won't burn when applied as directed
- Quick greening-- usually in 4 to 6 days
- Long lasting--feeds up to 2 months
- Dependable--traditional Scotts quality
- Prevents 9 weeds ...

Grassy Weeds:

barnyardgrass
crabgrass, large
crabgrass, smooth
fall panicum
foxtail
Poa annua

Broadleaf Weeds:

chickweed
oxalis (yellow woodsorrel)
spurge (prostrate)

(Optional Back Panel Claims)

Stops crabgrass and other weeds before they sprout and helps make your lawn its thickest, greenest ever.

What to expect: Crabgrass and other weeds listed will be prevented all summer and your lawn will be greener in 4 to 6 days.

(ILLUS.)

Halts R Crabgrass Preventer form a barrier in the soil which prevents crabgrass, foxtail, spurge, barnyardgrass, fall panicum, goosegrass, and oxalis (common yellow woodsorrel) from sprouting and appearing above ground level. This product does not control dandelions or any other weeds (including crabgrass) that are already sprouted and growing. Eliminate growing broadleaf weeds with Scotts Super Turf Builder Plus 2 weed control plus lawn fertilizer.

Super Turf Builder_R lawn fertilizer contains extra nitrogen, carefully blended with potassium and phosphorus, to make your lawn greener.

- . Your lawn will be greener in 4 to 6 days if weather conditions are good (warm soil, some moisture) and application instructions were followed.
- . The greening will reach its peak 8 to 10 days after application. The color difference will be more noticeable if your lawn is hungry to begin with.
- . Super Turf Builder works below the soil, too, helping to promote root and rhizome development; this strengthens the grass plants and enables them to produce more blades of grass, and it thickens the lawn with the addition of new grass plants.
- . Thin areas of turf will fill in over time (about 6 weeks), creating a more uniformly dense lawn.

(Optional Info on Lawn Sizing/Application Seasons)

Coverage Treats (and fertilizes) up to 5,000 - 6,000 sq ft

How much in enough?

To determine the square footage of your lawn, walk the length and width of your lawn; one average pace equals about 3 feet. Multiply the length of the lawn by the width of the lawn. This equals the area of your lawn in square feet. NOTE: If your lawn has an irregular shape, measure square areas, then add the figures together to reach your total lawn size.

How and when to apply Apply in early spring.

Easy to Apply

LEFT COLUMN

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

APPLICATION

Turf Builder plus Halts^(R) should be applied when your lawn is dry. It is not necessary to water it in after application.

Apply in early spring before the 3rd or 4th mowing or before temperatures are regularly in the 80s. Rain, snow or freezing weather will not affect the performance of this product.

Do not seed or sod for 4 months after using Turf Builder plus Halts^(R). The crabgrass barrier prevents grass seed from sprouting.

Apply to prevent germination of crabgrass, foxtail, barnyardgrass, fall panicum, spurge* and oxalis (common yellow woodsorrel):

- . in early spring (before dandelions reach the puffball stage)
- . before March in southern California
- . before mid-March in northern California

*For heavy infestations a repeat treatment is recommended after 6-8 weeks.

Apply in August or September to prevent germination of Poa annua and chickweed.

Not for use on dichondra or bentgrass lawns.

Use Scotts Halts^R (without fertilizer) to prevent goosegrass.

Except for heavy infestations of spurge, allow at least a 4 month interval between applications of this product.

Do not apply Turf Builder Plus Halts^R more than twice annually.

Important: Do not rake or aerify for 4 months after application to avoid disturbing the crabgrass barrier on the soil surface.

SEEDING/SODDING/SPRIGGING

Please do not apply to newly seeded or sodded areas until after the fourth mowing. On newly sprigged areas, wait 5 months before application.

ACTIVELY GROWING CRABGRASS. This product does not control actively growing crabgrass and other existing weeds.

Staining Note: Can cause staining to cement, stone, metallic surfaces (such as automobiles and garden furniture), clothing or shoes. If contact occurs, brush off particles to prevent staining and/or unwanted tracking into the house. If necessary, rinse off with water.

Scotts Spreader Settings	Scotts Drop Spreaders	Scotts EasyGreen™ Rotary	Scotts SpeedyGreen™ Rotary
---------------------------------	--------------------------------------	---	---

RATE: (treats 5,000 - 6,000 sq ft*)	XX	XX	XX
---	----	----	----

*In California, apply at the 5,000 sq ft rate only	XX	XX	XX
---	----	----	----

Additional Spreader Settings

Cyclone Rotary	XX	Ortho Drop	X
Central Drop	XX	Green View Drop	X
Sears Drop	XX	Precision Drop	X

(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

TIPS ON SPREADING WITH SCOTTS SPREADERS

Scotts Drop:

- First apply 2 header strips
- Operate spreader the longest way of the lawn (ILLUS.)
- Overlap wheels to insure uniform feeding
- Shut off spreader when you have reached the header strips or stopped (ILLUS.)
- Mow lawn first if grass is tall enough to touch the bottom of the spreader

EasyGreen™ Rotary:

- Slide shut-off lever to the right. Application automatically starts and stops when you do
- For complete coverage make each pass about 30 inches from the previous one so some overlapping occurs

SpeedyGreen™ Rotary:

- Shut-off spreader anytime you stop
- For complete coverage make each pass about 5 feet from the previous one so some overlapping occurs
- Avoid applying product in flower beds adjacent to lawns



(Optional Spreader Instructions)

Spreading Tips. For best results, use a Scotts spreader: (chart)

Scotts Drop: Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Then operate spreader the longest way of the lawn. Overlap wheel marks to insure uniform feeding. Shut off spreader when you have reached the header strips or stopped.

(ILLUS)

Scotts EasyGreen™ Rotary: Slide shut-off lever to the right; application automatically starts and stops when you do. For complete coverage make each pass about 30 inches for the previous one so some overlapping occurs.

(ILLUS.)

Scotts SpeedyGreen™ Rotary: Shur off spreader anytime your stop. For complete coverage make each pass about 5 feet from the previous one, so some overlapping occurs. Avoid applying this product on flowers, vegetables and shrub plantings.

	Spreader Setting (covers X,XXX sq ft)
Scotts Drop Spreaders	XX
Scotts EasyGreen™ Rotary	XX
Scotts SpeedyGreen™ Rotary	XX

There's a Scotts product for every need:

Dandelions? Scotts Super Turf Builder Plus 2 weed control plus lawn fertilizer eliminates over 50 weeds while giving your lawn a full feeding og Super Turf Builder_R lawn fertilizer.

(ILLUS.)

Seeding, sodding, or sprigging, for new lawns, use Scotts Starter™ Fertilizer and follow up in 4 to 6 weeks with Scotts Turf Builder to establish new plantings.

(ILLUS.)

Confused over what to do or when to do it? With Scotts 4-Step™ annual program it is hard to fail. Simply apply Step™ 1 in early spring and another Step™ every two months. You will eliminate weeds and insects and feed your lawn year-round with Scott's best annual program. (NOT for

BACK CONTINUED:

XXXXX 11/22

Lawn Questions?

Have questions or need advise?

**Call Scott's toll-free consumer
hotline: 1-800-543-TURF
(In Ohio, 1-800-762-4010)**

**Open Monday through Saturday
9:00 am to 5:00 pm EST.**

Your Do-It-Yourself Lawn Care Headquarters

Scotts Lawn Pro retailers can provide you with do-it-yourself expertise and products to have a beautiful lawn simply and easily...for less money than hiring a lawn service. That's why we call them lawn pros!

QUESTIONS?

If you have questions you can talk directly with a Scotts Lawn Counselor. Simply call the toll-free number: 1-800-543-TURF (in Ohio, 1-800-762-4010).

XXXXX

**Scotts Policy
No-Quibble Guarantee**

**If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly. Scotts...the lawn people
Marysville, Ohio 43041**

0 (UPC)

32247 XXXXX

(NOTE: The description below will be inverted.)

XXXXX

(Scotts)

TURF BUILDER PLUS

Halts for Lawns

America's favorite

crabgrass preventer plus fertilizer

Treats and fertilizes 5,000 - 6,000 sq ft

Stops crabgrass and other weeds Before they sprout and helps make your lawn its thickest, greenest ever.


**See Back for Details
Scott's
No-Quibble Guarantee**

(Scotts) **TURF BUILDER PLUS
HALTS FOR LAWNS**
America's favorite
crabgrass preventer plus fertilizer

1989 Master Label XXXXX
**NATIONAL TURF BUILDER
plus HALTS FOR LAWNS**

12/22

05/30/89 VS



(Note: The above description will be inverted.)

FRONT:

Treats (and fertilizes) up to 5,000 - 6,000 sq ft

(Scotts (R))

**TURF BUILDER PLUS
Halts(R)
FOR LAWNS**

**SCOTTS POLICY
No-Quibble
Guarantee**

SEE BACK FOR DETAILS

America's favorite
crabgrass preventer plus fertilizer
for established lawns

(ILLUS. CRABGRASS)

Prevents crabgrass
barnyardgrass, Poa annua, foxtail, oxalis, spurge,
(and other problem weeds - see back)

plus fertilizes
with America's favorite fertilizer

Not for use on dichondra or bentgrass lawns

Patented **TRIONIZED(R)** II formula
for developing thick, green lawns

Stops crabgrass and other weeds before they sprout and helps make your lawn
its thickest, greenest ever.

A **Scotts(R) Lawn Pro(R)** Product
Available only at authorized **Lawn Pro(R)** stores

XX% more greening power than brand X (Turf Builder Plus Halts)

Prevents crabgrass, foxtail, spurge, barnyardgrass, fall panicum, goosegrass
and oxalis (common yellow woodsorrel) while greening your lawn without rapid,
extreme growth.

Contains the strongest crabgrass, foxtail and spurge preventer you can buy
plus all primary lawn nutrients.

Formulated for the home environment.

(ILLUS. CRABGRASS
& other grassy weed)

Prevents crabgrass
and 8 other problem weeds

(ILLUS. TURF)

Thicker, greener turf
- satisfaction guaranteed

(Optional Front Panel)

COVERAGE:

Treats (and fertilizes) 5,000 - 6,000 sq ft

APPLICATION: (See back for details)

Apply in early spring. Not for use on dichondra or bentgrass lawns.

XX

X

X

NITROGEN

PHOSPHORUS

POTASSIUM

Essential for
plant growth;
makes grass
green.

Stimulates root
growth; helps
grass multiply.

Makes plant
strong; better
able to resist
drought and
extreme heat.

NET WEIGHT 9 5/8 LBS

26-3-3

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Do not get in eyes. If in eyes, flush with plenty of water and get medical attention if irritation persists. Wash after handling. May be harmful if swallowed. Do not contaminate feed or foodstuffs. Do not graze treated areas. Do not feed clippings to livestock.

Environmental Hazards: This pesticide is toxic to fish. Do not apply directly to water. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters. In case of spills, either collect for use or dispose of properly.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

14 of 22

ACTIVE INGREDIENT:

Pendimethalin, N-(1-ethylpropyl)-3,4-dimethyl-
2,6-dinitrobenzenamine*

	1.79%
INERT INGREDIENTS:	<u>98.21%</u>
Total	100.00%

RIGHT COLUMN

EPA Reg No 538-190 EPA Est 538-OH-1 643-1149
Turf Builder plus Halts for Lawns 26-3-3

Guaranteed Analysis

Total nitrogen (N)	26%
0.7% ammoniacal nitrogen	
24.0% urea, methylene ureas nitrogen**	
1.3% water insoluble nitrogen	
Available phosphoric acid (P ₂ O ₅)	3%
Soluble potash (K ₂ O)	3%
Derived from: monoammonium phosphate, urea, methylene ureas, muriate of potash or potassium sulfate.	
Chlorine, not more than	2.38%

U.S. Pat. No 4,378,238

Product of USA

*Licensed under one or more of the following U.S. patents: 3,920,742;
4,066,441.

**Contains 8.0% slowly available methylenediurea and dimethylenetriurea nitrogen

The O M Scott & Sons Company
Marysville, Ohio 43041

(c) 1989, The O M Scott & Sons Company. All rights reserved.

GUSSETS:

LEFT GUSSET:

(Scotts)	TURF BUILDER PLUS	SCOTTS POLICY	XXXXX
	Halts (R) for Lawns	No-Quibble	
	America's favorite	Guarantee	
	crabgrass preventer plus fertilizer	SEE BACK FOR DETAILS	

Treats (and fertilizes) up to 5,000 - 6,000 sq. ft.

Stops crabgrass and other weeds before they sprout and helps make your lawn its thickest, greenest ever.

RIGHT GUSSET:

XXXXX	(Scotts)	TURF BUILDER PLUS	SCOTTS POLICY
		Halts (R) for Lawns	No-Quibble
		America's favorite	Guarantee
		crabgrass preventer plus fertilizer	SEE BACK FOR DETAILS

Treats (and fertilizes) up to 5,000 - 6,000 sq. ft.

Stops crabgrass and other weeds before they sprout and helps make your lawn its thickest, greenest ever.

BACK:

16 of 22

**PULL TAB
and remove for
pour spout
(ILLUS.)**

Treats up to 5,000 - 6,000 sq ft

**TB+H XXXXX
5-6M
PROOF
OF
PURCHASE
(Scotts)**

**Easy
Open PULL HERE**

**(Scotts(R)) TURF BUILDER PLUS
Halts(R)
FOR LAWNS
crabgrass preventer plus fertilizer**

Advantages of Turf Builder plus Halts(R)

LEFT COLUMN

SUPERIOR QUALITY

TURF BUILDER PLUS HALTS(R) - NO ONE ELSE HAS A TOUGHER CRABGRASS, FOXTAIL AND SPURGE PREVENTER. And our small, uniform granules cover your lawn completely to stop these weeds before they start. All this means that Turf Builder plus Halts(R) gives your lawn the best seasonlong crabgrass, foxtail and spurge prevention available.

SCOTTS TRIONIZED(R) II FORMULA PROVIDES A MORE EFFICIENT NITROGEN THAN EVER BEFORE to help promote quicker greening.

TURF BUILDER PLUS HALTS(R) WON'T BURN YOUR LAWN. The nitrogen in the Trionized(R) II formula is buffered. This means Turf Builder plus Halts(R) greens your lawn without the danger of burning.

PART OF THE NITROGEN IN TURF BUILDER PLUS HALTS(R) IS TIME-RELEASED to provide a supply of this essential nutrient to help your lawn stay thick and green for up to 6 to 8 weeks.

EACH TURF BUILDER PLUS HALTS(R) GRANULE CONTAINS THE THREE MAJOR NUTRIENTS AND CRABGRASS PREVENTER. We bond Scotts unique controlled-release nitrogen with other essential nutrients and a unique crabgrass preventer so your lawn receives a safe, uniform feeding and the most effective seasonlong crabgrass, foxtail and spurge prevention available.

(ILLUS.)

**Turf Builder plus Halts(R)
EVERY GRANULE CONTAINS
NITROGEN, PHOSPHOROUS, POTASSIUM
AND CRABGRASS PREVENTER**

**Provides safe, even greening
with uniform crabgrass
prevention.**

(ILLUS.)

**Competitive Simple Mixture
EACH GRANULE IS A
SEPARATE CHEMICAL.**

**May cause uneven
greening and spotty
crabgrass prevention.**

RIGHT COLUMN

AMERICA'S FAVORITES

OTHER GREAT TURF BUILDER(R) PRODUCTS FOR YOUR LAWN.

If weeds are a problem, use Turf Builder plus 2(R), America's favorite weed and feed. This product clears out dandelions and over 50 other broadleaf weeds while providing your lawn with a safe, uniform feeding of fertilizer.

If you don't have weed problems, use Turf Builder(R), America's favorite lawn fertilizer. Turf Builder(R) promotes quick, deep greening without the danger of burning.

These great Turf Builder(R) products are developed specifically by Scotts for the unique needs of your lawn - your satisfaction is unconditionally Guaranteed.

(ILLUS.)

(ILLUS.)

Turf Builder plus 2(R)

Turf Builder(R)

Fertilizer plus Broadleaf
Weed Control

Fertilizer

(Optional Back Panel Claims)

Advantages

- Safe feeding--won't burn when applied as directed
- Quick greening-- usually in 4 to 6 days
- Long lasting--feeds up to 2 months
- Dependable--traditional Scotts quality
- Prevents 9 weeds ...

Grassy Weeds:

barnyardgrass
crabgrass, large
crabgrass, smooth
fall panicum
foxtail
Poa annua

Broadleaf Weeds:

chickweed
oxalis (yellow woodsorrel)
spurge (prostrate)

(Optional Back Panel Claims)

Stops crabgrass and other weeds before they sprout and helps make your lawn its thickest, greenest ever.

What to expect: Crabgrass and other weeds listed will be prevented all summer and your lawn will be greener in 4 to 6 days.

(ILLUS.)

Halts Crabgrass Preventer from a barrier in the soil which prevents crabgrass, foxtail, spurge, barnyardgrass, fall panicum, goosegrass, and oxalis (common yellow woodsorrel) from sprouting and appearing above ground level. This product does not control dandelions or any other weeds (including crabgrass) that are already sprouted and growing. Eliminate growing broadleaf weeds with Scotts Super Turf Builder Plus 2 weed control plus lawn fertilizer.

Super Turf Builder lawn fertilizer contains extra nitrogen, carefully blended with potassium and phosphorus, to make your lawn greener.

- . Your lawn will be greener in 4 to 6 days if weather conditions are good (warm soil, some moisture) and application instructions were followed.
- . The greening will reach its peak 8 to 10 days after application. The color difference will be more noticeable if your lawn is hungry to begin with.
- . Super Turf Builder works below the soil, too, helping to promote root and rhizome development; this strengthens the grass plants and enables them to produce more blades of grass, and it thickens the lawn with the addition of new grass plants.
- . Thin areas of turf will fill in over time (about 6 weeks), creating a more uniformly dense lawn.

(Optional Info on Lawn Sizing/Application Seasons)

Coverage Treats (and fertilizes) up to 5,000 - 6,000 sq ft

How much is enough?

To determine the square footage of your lawn, walk the length and width of your lawn; one average pace equals about 3 feet. Multiply the length of the lawn by the width of the lawn. This equals the area of your lawn in square feet. NOTE: If your lawn has an irregular shape, measure square areas, then add the figures together to reach your total lawn size.

How and when to apply

Apply in early spring.

Easy to Apply

LEFT COLUMN

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

APPLICATION

Turf Builder plus Halts(R) should be applied when your lawn is dry. It is not necessary to water it in after application.

Apply in early spring before the 3rd or 4th mowing or before temperatures are regularly in the 80s. Rain, snow or freezing weather will not affect the performance of this product.

Do not seed or sod for 4 months after using Turf Builder plus Halts(R). The crabgrass barrier prevents grass seed from sprouting.

Apply to prevent germination of crabgrass, foxtail, barnyardgrass, fall panicum, spurge* and oxalis (common yellow woodsorrel):

- . in early spring (before dandelions reach the puffball stage)
- . before March in southern California
- . before mid-March in northern California

*For heavy infestations a repeat treatment is recommended after 6-8 weeks.

Apply in August or September to prevent germination of Poa annua and chickweed.

Not for use on dichondra or bentgrass lawns.

Use Scotts Halts^R (without fertilizer) to prevent goosegrass.

Except for heavy infestations of spurge, allow at least a 4 month interval between applications of this product.

Do not apply Turf Builder Plus Halts^R more than twice annually.

Important: Do not rake or aerify for 4 months after application to avoid disturbing the crabgrass barrier on the soil surface.

SEEDING/SODDING/SPRIGGING

Please do not apply to newly seeded or sodded areas until after the fourth mowing. On newly sprigged areas, wait 5 months before application.

ACTIVELY GROWING CRABGRASS. This product does not control actively growing crabgrass and other existing weeds.

Staining Note: Can cause staining to cement, stone, metallic surfaces (such as automobiles and garden furniture), clothing or shoes if contact occurs.

2006 22

Scotts Spreader Settings	Scotts Drop Spreaders	Scotts EasyGreen™ Rotary	Scotts SpeedyGreen Rotary
RATE: (treats 5,000 - 6,000 sq ft*)	XX	XX	XX
*In California, apply at the 5,000 sq ft rate only	XX	XX	XX

Additional Spreader Settings

Cyclone Rotary	XX	Ortho Drop	X
Central Drop	XX	Green View Drop	X
Sears Drop	XX	Precision Drop	X

(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

TIPS ON SPREADING WITH SCOTTS SPREADERS

Scotts Drop:

- First apply 2 header strips
- Operate spreader the longest way of the lawn (ILLUS.)
- Overlap wheels to insure uniform feeding
- Shut off spreader when you have reached the header strips or stopped (ILLUS.)
- Mow lawn first if grass is tall enough to touch the bottom of the spreader

EasyGreen™ Rotary:

- Slide shut-off lever to the right. Application automatically starts and stops when you do
- For complete coverage make each pass about 30 inches from the previous one so some overlapping occurs

SpeedyGreen™ Rotary:

- Shut-off spreader anytime you stop
- For complete coverage make each pass about 5 feet from the previous one so some overlapping occurs
- Avoid applying product in flower beds adjacent to lawns



BACK CONTINUED:

XXXXXX

21722

(Optional Spreader Instructions)

Spreading Tips. For best results, use a Scotts spreader: (chart)

Scotts Drop: Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Then operate spreader the longest way of the lawn. Overlap wheel marks to insure uniform feeding. Shut off spreader when you have reached the header strips or stopped.

(ILLUS)

Scotts EasyGreen™ Rotary: Slide shut-off lever to the right; application automatically starts and stops when you do. For complete coverage make each pass about 30 inches for the previous one so some overlapping occurs.

(ILLUS.)

Scotts SpeedyGreen™ Rotary: Shut off spreader anytime your stop. For complete coverage make each pass about 5 feet from the previous one, so some overlapping occurs. Avoid applying this product on flowers, vegetables and shrub plantings.

	Spreader Setting (covers X,XXX sq ft)
Scotts Drop Spreaders	XX
Scotts EasyGreen™ Rotary	XX
Scotts SpeedyGreen™ Rotary	XX

There's a Scotts product for every need:

Dandelions? Scotts Super Turf Builder Plus 2 weed control plus lawn fertilizer eliminates over 50 weeds while giving your lawn a full feeding of Super Turf Builder_R lawn fertilizer.

(ILLUS.)

Seeding, sodding, or sprigging, for new lawns, use Scotts Starter™ Fertilizer and follow up in 4 to 6 weeks with Scotts Turf Builder to establish new plantings.

(ILLUS.)

Confused over what to do or when to do it? With Scotts 4-Step™ annual program it is hard to fail. Simply apply Step™ 1 in early spring and another Step™ every two months. You will eliminate weeds and insects and feed your lawn year-round with Scott's best annual program. (NOT for dichondra, St. Augustinegrass and some geographical areas).

as automobiles and garden furniture), clothing or shoes. If contact occurs, brush off particles to prevent staining and/or unwanted tracking into the house. If necessary, rinse off with water.

DO NOT CONTINUE

~~~~~  
221622

**Lawn Questions?**

Have questions or need advise?

Call Scott's toll-free consumer  
hotline: 1-800-543-TURF  
(In Ohio, 1-800-762-4010)

Open Monday through Saturday  
9:00 am to 5:00 pm EST.

**Your Do-It-Yourself Lawn Care Headquarters**

Scotts Lawn Pro retailers can provide you with do-it-yourself expertise and products to have a beautiful lawn simply and easily...for less money than hiring a lawn service. That's why we call them lawn pros!

**QUESTIONS?**

If you have questions you can talk directly with a Scotts Lawn Counselor. Simply call the toll-free number: 1-800-543-TURF (in Ohio, 1-800-762-4010).

XXXXX

**Scotts Policy  
No-Quibble Guarantee**

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.  
Scotts...the lawn people  
Marysville, Ohio 43041

\_\_\_\_\_  
0 (UPC)  
\_\_\_\_\_  
32247 XXXXX

(NOTE: The description below will be inverted.)

XXXXX (Scotts) TURF BUILDER PLUS  
Halts for Lawns  
America's favorite  
crabgrass preventer plus fertilizer

Treats and fertilizes 5,000 - 6,000 sq ft

Stops crabgrass and other weeds Before they sprout and helps make your lawn its thickest, greenest ever.

See Back for Details  
Scott's  
No-Quibble Guarantee