

PM 25 538-190

page 1 of 21

FRONT:

(Scotts) TURF BUILDER PLUS
HALTS FOR LAWNS
America's favorite
crabgrass preventer plus fertilizer.
(Weed-and-Feed)

LOW END OF RANGE XXXXX
NATIONAL TURF BUILDER
plus HALTS FOR LAWNS

05/30/89 VS 08/30/89 VS
08/25/89 VS 09/20/89 VS
04/11/91 VS/cr
05/13/92 VS/cr
03/29/93 VS/cr

(OPTIONAL OUTER CONTAINER LABELING - FRONT)

SCOTTS

(To be Named)

This is the only fertilizer or weed control you will need until fall.


- . Prevents and controls weeds at the right time.
- . Extended feeding to green and thicken your lawn through spring and summer.

This simple 2-treatment program eliminates the confusion over what and when to apply for a thick, green, weed-free lawn...guaranteed.

Apply the first treatment anytime February through April to prevent weeds and to fertilize. Apply the second treatment six to eight weeks later to control weeds and to fertilize through the summer. These two applications replace three regular applications of fertilizer.

No-Quibble
Guarantee™
See Back for Details

(Note: The above description will be inverted.)



538-190

Treats (and fertilizes) up to 5,000 - 6,000 sq ft
(Treats and feeds 5,000 sq. ft.)

(Scotts (R))

TURF BUILDER PLUS
Halts (R)
FOR LAWNS
(Weed-and Feed)

SCOTTS POLICY
No-Quibble
Guarantee
SEE BACK FOR DETAILS

America's favorite
crabgrass preventer plus lawn fertilizer
for established lawns

(ILLUS. CRABGRASS)

Prevents crabgrass
barnyardgrass, Poa annua, foxtail, oxalis, spurge,
(and other problem weeds - see back)

plus fertilizes
with America's favorite fertilizer

Not for use on dichondra or bentgrass lawns

Patented TRIONIZED (R) II formula
for developing thick, green lawns

Prevents weeds and fertilizes your lawn

Stops crabgrass and other weeds before they sprout and helps make your lawn
its thickest, greenest ever.

Stops crabgrass and other weeds before they sprout and fertilizes your lawn.

A Scotts (R) Lawn Pro (R) Product
Available only at authorized Lawn Pro (R) stores (Dealers)

Provides even greening - better than all soluble fertilizers

XX% more greening power than brand X (Turf Builder Plus Halts)

Prevents crabgrass, foxtail, spurge, barnyardgrass, fall panicum, and oxalis
(common yellow woodsorrel) while greening your lawn without rapid, extreme
growth.

Contains the strongest crabgrass, foxtail and spurge preventer you can buy
plus all primary lawn nutrients.

Formulated for the home environment.

BEST AVAILABLE COPY

(ILLUS. CRABGRASS
& other grassy weed)

(ILLUS. TURF)

Prevents crabgrass
and 8 other problem weeds

Thicker, greener turf
- satisfaction guaranteed

(Optional Front Panel)

COVERAGE:

Treats (and fertilizes) 5,000 - 6,000 sq ft

APPLICATION: (See back for details)

Apply in early spring (or apply anytime February through April). Not for use on dichondra or bentgrass lawns.

XX

X

X

NITROGEN

PHOSPHORUS

POTASSIUM

Essential for
plant growth;
makes grass
green.

Stimulates root
growth; helps
grass multiply.

Makes plant
strong; better
able to resist
drought and
extreme heat.



The Scotts Difference™

Patented Particle™ Technology
(art: particle with NPK)

Unlike ordinary weed-and-feeds (or crabgrass preventers), every particle of this product contains Scotts patented timed-release nitrogen plus phosphorus, potassium, and weed control. (See back for details).

Spring applications prevent crabgrass, foxtail, oxalis, spurge and knotweed.

Fall applications prevent moss, Poa annua, and chickweed.

- o Contains Poly-S™ exclusive controlled release nitrogen
- o Scotts No-Quibble Guarantee™
- o Toll-Free Consumer Hotline 1-800-543-TURF

"We guarantee thick, green, weed-free turf without risk of burning or surge growth."

Treats and feeds 5,000 sq. ft.

The Scotts Difference™

Scotts patented Particle™ Technology is available only in Scotts® products, so don't be fooled by weed-and-feeds claiming to be "just like Scotts."

Uniform proportions of the major nutrients -- timed-release nitrogen, plus phosphorus and potassium -- and weed control are bonded together in every Turf Builder Plus Halts for Lawns particle, so they are distributed evenly across the entire lawn, eliminating hit-or-miss feeding and weeding. And the timed-release nitrogen feeds your lawn safely, without burning, and steadily for up to 2 months. Because of Scotts exclusive time-released nitrogen, you won't get the rapid surge growth associated with ordinary, fast-release weed-and-feeds. With regular mowing, you will have fewer clippings and may not even have to bag your clippings.

Remember, even weed-and-feeds (or crabgrass preventers) claiming to contain slow-or controlled-release nitrogen typically are just simple mixes, so they can't deliver the consistent great results you'll get from Scotts patented Particle Technology. With Scotts Turf Builder Plus Halts for Lawns, you can be assured that every particle contains time-released nitrogen, plus the other primary nutrients and weed control.

(photo: simple mix particles)
ORDINARY SIMPLE MIXES

- o Nutrients and crabgrass preventer granules of many different sizes and shapes.
- o Result: granules of unequal size can separate during application.

(photo: simple mix pattern)
ORDINARY SIMPLE MIXES

- o Because of the difference in size, shape, and weight of these granules, the amount of individual nutrients and weed control delivered in each square inch of lawn can vary greatly
- o Result: uneven, inconsistent weeding and feeding of your lawn

(photo: SBS particles)
SCOTTS TECHNOLOGY

- o Turf Builder Plus Halts for Lawns granules are consistent in size shape.
- o Result: consistent distribution of nutrients and crabgrass preventer.

(photo: SBS pattern)
SCOTTS TECHNOLOGY

- o Turf Builder Plus Halts for Lawns particles deliver the same ratio of nitrogen, phosphorus, and potassium (plus weed control) to every square inch of turf
- o Result: even, consistent greening and thickening of your lawn, plus better weed control

FRONT CONTINUED:

6 7 21

NET WEIGHT 34 5/8 LBS

26-3-3

KEEP OUT OF REACH OF CHILDREN
CAUTION
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Do not get in eyes, on skin or clothing. If in eyes or on skin, flush with plenty of water and get medical attention if irritation persists. Wash after handling. May be harmful if swallowed. Do not contaminate feed or foodstuffs. Do not graze treated areas. Do not feed clippings to livestock.

Environmental Hazards: This pesticide is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters. In case of spills, either collect for use or dispose of properly.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

ACTIVE INGREDIENT:

Pendimethalin, N-(1-Ethylpropyl)-3,4-dimethyl-
2,6-dinitrobenzenamine*

2,6-dinitrobenzenamine*	0.50%
INERT INGREDIENTS:	99.50%
Total	100.00%

RIGHT COLUMN

(OPTIONAL LEFT COLUMN)

Formulation and
Ingredient Analysis
XX-X-X

EPA Reg No 538-190 EPA Est 538-OH-1 643-1149
Turf Builder plus Halts for Lawns 26-3-3
(Weed-and-Feed)

Poly-STM Technology

Scotts(R) Slow-release polymer-encapsulated nitrogen Fertilizer -- for uniform growth with extended feeding.

Guaranteed Analysis

Total nitrogen (N)	25%
0.7% ammoniacal nitrogen	
24.0% urea, methylene ureas nitrogen**	
1.3% water insoluble nitrogen	
Available phosphoric acid (P ₂ O ₅)	3%
Soluble potash (K ₂ O)	3%
Derived from: monoammonium phosphate, urea, methylene ureas, muriate of potash or potassium sulfate.	
Chlorine, not more than	2.38%

U.S. Pat. No 4,378,238

Product of USA

*Licensed under one or more of the following U.S. patents: 3,920,742; 4,066,441.

**Contains 8.0% slowly available methylenediurea and dimethylenetriurea nitrogen

The O M Scott & Sons Company
Marysville, Ohio 43041

(c) 1992, The O M Scott & Sons Company. All rights reserved.

GUSSETS:

8 07 21

LEFT GUSSET:

Treatment One

(Scotts)	TURF BUILDER PLUS Halts (R) for Lawns America's favorite crabgrass preventer plus fertilizer (Weed-and-Feed)	SCOTTS POLICY No-Quibble Guarantee SEE BACK FOR DETAILS	XXXXX
----------	--	--	-------

Treats (and fertilizes) up to 5,000 - 6,000 sq. ft.
(Treats and feeds 5,000 sq. ft.)

Stops crabgrass and other weeds before they sprout and helps make your lawn its thickest, greenest ever.

Stops crabgrass and other weeds before they sprout and fertilizes your lawn.

Prevents weeds and fertilizes your lawn.

RIGHT GUSSET:

Treatment One

XXXXX (Scotts)	TURF BUILDER PLUS Halts (R) for Lawns America's favorite crabgrass preventer plus fertilizer (Weed-and-Feed)	SCOTTS POLICY No-Quibble Guarantee SEE BACK FOR DETAILS
----------------	--	--

Treats (and fertilizes) up to 5,000 - 6,000 sq. ft.
(Treats and feeds 5,000 sq. ft.)

Stops crabgrass and other weeds before they sprout and helps make your lawn its thickest, greenest ever.

Stops crabgrass and other weeds before they sprout and fertilizes your lawn.

Prevents weeds and fertilizes your lawn.

PULL TAB
and remove for
pour spout
(ILLUS.)

Treats up to 5,000 - 6,000 sq ft

TB+H XXXXX
5-6M
PROOF
OF
PURCHASE
(Scotts)

Easy
Open PULL HERE

(Scotts(R))

TURF BUILDER PLUS
Halts(R)
FOR LAWNS
crabgrass preventer plus fertilizer
(Weed-and-Feed)

Advantages of Turf Builder plus Halts(R)

LEFT COLUMN

SUPERIOR QUALITY

TURF BUILDER PLUS HALTS(R) - NO ONE ELSE HAS A TOUGHER CRABGRASS, FOXTAIL AND SPURGE PREVENTER. And our small, uniform granules cover your lawn completely to stop these weeds before they start. All this means that Turf Builder plus Halts(R) gives your lawn the best seasonlong crabgrass, foxtail and spurge prevention available.

SCOTTS TRIONIZED(R) II FORMULA PROVIDES A MORE EFFICIENT NITROGEN THAN EVER BEFORE to help promote quicker greening.

TURF BUILDER PLUS HALTS(R) WON'T BURN YOUR LAWN. The nitrogen in the Trionized(R) II formula is buffered. This means Turf Builder plus Halts(R) greens your lawn without the danger of burning.

PART OF THE NITROGEN IN TURF BUILDER PLUS HALTS(R) IS TIME-RELEASED to provide a supply of this essential nutrient to help your lawn stay thick and green for up to 6 to 8 weeks.

EACH TURF BUILDER PLUS HALTS(R) GRANULE CONTAINS THE THREE MAJOR NUTRIENTS AND CRABGRASS PREVENTER. We bond Scotts unique controlled-release nitrogen with other essential nutrients and a unique crabgrass preventer so your lawn receives a safe, uniform feeding and the most effective seasonlong crabgrass, foxtail and spurge prevention available.

(ILLUS.)
Turf Builder plus Halts(R)
EVERY GRANULE CONTAINS
NITROGEN, PHOSPHOROUS, POTASSIUM
AND CRABGRASS PREVENTER

Provides safe, even greening
with uniform crabgrass
prevention.

(ILLUS.)
Competitive Simple Mixture
EACH GRANULE IS A
SEPARATE CHEMICAL.

May cause uneven
greening and spotty
crabgrass prevention.

RIGHT COLUMN

AMERICA'S FAVORITES

OTHER GREAT TURF BUILDER(R) PRODUCTS FOR YOUR LAWN.

If weeds are a problem, use Turf Builder plus 2(R), America's favorite weed and feed. This product clears out dandelions and over 50 other broadleaf weeds while providing your lawn with a safe, uniform feeding of fertilizer.

If you don't have weed problems, use Turf Builder(R), America's favorite lawn fertilizer. Turf Builder(R) promotes quick, deep greening without the danger of burning.

These great Turf Builder(R) products are developed specifically by Scotts for the unique needs of your lawn - your satisfaction is unconditionally Guaranteed.

(ILLUS.)

(ILLUS.)

Turf Builder plus 2(R)

Turf Builder(R)

Fertilizer plus Broadleaf
Weed Control

Fertilizer

(Weed-and-Feed)

(Optional Back Panel Claims)

Advantages

- Safe feeding--won't burn when applied as directed
- Quick greening-- usually in 4 to 6 days
- Long lasting--feeds up to 2 months
- Dependable--traditional Scotts quality
- Prevents 9 weeds ...

Grassy Weeds:

barnyardgrass
 crabgrass, large
 crabgrass, smooth
 fall panicum
 foxtail
Poa annua

Broadleaf Weeds:

chickweed
 oxalis (yellow woodsorrel)
 spurge (prostrate)

(OPTIONAL LEFT COLUMN)

11 9 21

What to Expect

Crabgrass and other weeds listed will be prevented all summer and your lawn will be greener in one week (4-6 days).

(OPTIONAL RIGHT COLUMN)

Turf Builder Plus Halts for Lawns (Treatment One) forms a barrier in the soil which prevents foxtail, spurge, barnyardgrass, fall panicum and oxalis (common yellow woodsorrel) from sprouting and appearing above ground level.

(Treatment Two will control dandelions and most other weeds that have already sprouted and are growing) OR (Eliminates growing broadleaf weeds with Scotts Super Turf Builder Plus 2 Weed Control plus Fertilizer.

Easy to Apply

LEFT COLUMN

DIRECTIONS FOR USE (VERSION #1)

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

APPLICATION

Turf Builder plus Halts(R) should be applied when your lawn is dry. It is not necessary to water it in after application.

Apply in early spring before the 3rd or 4th mowing or before temperatures are regularly in the 80s. Rain, snow or freezing weather will not affect the performance of this product.

(OPTIONAL RATE TO COVER WARM AND COOL SEASON GRASSES)

1. For Kentucky bluegrass, fine fescue, tall fescue, perennial ryegrass and blends of these grasses, apply at the REGULAR RATE.
2. For bermudagrass, St. Augustinegrass, bahiagrass, centipedegrass and blends of these grasses, apply at the HEAVY RATE.

(OPTIONAL RATE TO COVER SPECIFIC REGIONAL USES)

For Kentucky bluegrass, fine fescue, tall fescue, perennial ryegrass, bermudagrass, St. Augustinegrass, bahiagrass, centipedegrass and blends of these grasses, apply at the REGULAR RATE.

Do not seed or sod for 4 months after using Turf Builder plus Halts(R) (or following application). The crabgrass barrier prevents grass seed from sprouting.

Apply to prevent germination of crabgrass, foxtail, barnyardgrass, fall panicum, spurge* and oxalis (common yellow woodsorrel):

- . in early spring (before dandelions reach the puffball stage)
- . before March in southern California
- . before mid-March in northern California

*For heavy infestations a repeat treatment is recommended after 6-8 weeks.

Apply in August or September to prevent germination of Poa annua and chickweed.

(OPTIONAL DIRECTIONS TO ADD TO MOSS CONTROL)

Apply in the fall (August-October), after temperatures have cooled and fall rains have begun, to prevent moss (except in California) from becoming established during winter or next spring, or to prevent germination of Poa annua and chickweed.

Not for use on dichondra or bentgrass lawns.

Use Scotts Halts^R (without fertilizer) to prevent goosegrass.

Except for heavy infestations of spurge; allow at least a 4 month interval between applications of this product.

Do not apply Turf Builder Plus Halts^R more than twice annually.

Important: Do not rake or aerify for 4 months after application to avoid disturbing the crabgrass barrier on the soil surface.

SEEDING/SODDING/SPRIGGING

Please do not apply to newly seeded or sodded areas until after the fourth mowing. On newly sprigged areas, wait 5 months before application.

ACTIVELY GROWING CRABGRASS (OR MOSS). This product does not control actively growing crabgrass and other existing weeds.

Staining Note: Can cause staining to cement, stone, metallic surfaces (such as automobiles and garden furniture), clothing or shoes. If contact occurs, brush off particles to prevent staining and/or unwanted tracking into the house. If necessary, rinse off with water.

Scotts Spreader Settings	Scotts Drop Spreaders	Scotts EasyGreen TM Rotary	Scotts SpeedyGreen ^R Rotary
REGULAR RATE: (treats 5,000 - 6,000 sq ft*)	XX	XX	XX
HEAVY RATE: (treats 4,500 sq ft)	XX	XX	XX
(OPTIONAL SPECIFIC REGIONAL RATE)			
*In California, apply at the 5,000 sq ft rate only	XX	XX	XX

(OPTIONAL SPREADER FORMAT)

Spreader Setting	Regular Rate (covers 5,000 - 6,000 sq ft)	Heavy Rate (covers 4,500 sq ft)
Scotts Drop Spreaders	X	X
Scotts EasyGreen Rotary	X	X
Scotts SpeedyGreen Rotary	X	X

Additional Spreader Settings

Cyclone Rotary	XX	Ortho Drop	X
Central Drop	XX	Green View Drop	X
Sears Drop	XX	Precision Drop	X

(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

TIPS ON SPREADING WITH SCOTTS SPREADERS

Scotts Drop:

- First apply 2 header strips
- Operate spreader the longest way of the lawn (ILLUS.)
- Overlap wheels to insure uniform feeding
- Shut off spreader when you have reached the header strips or stopped (ILLUS.)
- Mow lawn first if grass is tall enough to touch the bottom of the spreader

EasyGreen™ Rotary:

- Slide shut-off lever to the right. Application automatically starts and stops when you do
- For complete coverage make each pass about 30 inches from the previous one so some overlapping occurs

SpeedyGreen™ Rotary:

- Shut-off spreader anytime you stop
- For complete coverage make each pass about 5 feet from the previous one so some overlapping occurs
- Avoid applying product in flower beds adjacent to lawns

(Optional Spreader Instructions)

Spreading Tips. For best results, use a Scotts spreader: (chart)

Scotts Drop: Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Then operate spreader the longest way of the lawn. Overlap wheel marks to insure uniform feeding. Shut off spreader when you have reached the header strips or stopped.

(ILLUS)

Scotts EasyGreen™ Rotary: Slide shut-off lever to the right; application automatically starts and stops when you do. For complete coverage make each pass about 30 inches for the previous one so some overlapping occurs.

(ILLUS.)

Scotts SpeedyGreen™ Rotary: Shut off spreader anytime your stop. For complete coverage make each pass about 5 feet from the previous one, so some overlapping occurs. Avoid applying this product on flowers, vegetables and shrub plantings.

Spreader Setting	Regular Rate (covers 5,000 - 6,000 sq ft)	Heavy Rate (covers 4,500 sq ft)
Scotts Drop Spreaders	XX	XX
Scotts EasyGreen™ Rotary	XX	XX
Scotts SpeedyGreen™ Rotary	XX	XX

ALTERNATE SPREADER SETTING SECTION

Spreading Tips

For best results, use a Scotts spreader

RIGHT COLUMN

	Spreader Setting REGULAR RATE covers 5,000-6,000 sq ft	HEAVY RATE covers 4,500 sq ft	DIRECTIONS
Scotts Drop Spreaders	X	X	Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.
Scotts EasyGreen ^R Rotary	X	X	Make each pass about XX inches from previous pass to overlap spread width.
Scotts SpeedyGreen ^R Rotary	X	X	Make each pass about X feet from previous pass to overlap spread width.

A

(OPTIONAL BACK PANEL CLAIMS)

(OPTIONAL DIRECTIONS FOR USE VERSION #2 TREATMENT ONE)

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Turf Builder Plus Halts should be applied when your lawn is dry. It is not necessary to water this product in after application.

Apply in early spring before the third or fourth mowing or before temperatures are regularly in the 80's (before dandelions reach the puffball stage). Rain, snow, or freezing weather will not affect the performance of this product.

Do not seed or sod for 4 months following application. The crabgrass barrier prevents grass seed from sprouting.

Not for use on dichondra or bentgrass lawns.

Allow at least 6 weeks between applications of this product and Treatment TWO.

Important: Do not rake or aerify for 4 months after application to avoid disturbing the crabgrass barrier on the soil surface.

SEEDING/SODDING/SPRIGGING

Do not apply to newly seeded or sodded areas until after the fourth mowing. On newly sprigged areas, wait 5 months before application.

Staining Note: Can cause staining to cement, stone, metallic surfaces (such as automobiles and garden furniture), clothing or shoes or other surfaces. If contact occurs, brush particles off to prevent staining or tracking into the house. If necessary, rinse off with water.

There's a Scotts product for every need:

Dandelions? Scotts Super Turf Builder Plus 2 weed control plus lawn fertilizer eliminates over 50 weeds while giving your lawn a full feeding of Super Turf Builder lawn fertilizer.

(ILLUS.)

Seeding, sodding, or sprigging, for new lawns, use Scotts Starter™ Fertilizer and follow up in 4 to 6 weeks with Scotts Turf Builder to establish new plantings.

(ILLUS.)

Confused over what to do or when to do it? With Scotts 4-Step™ annual program it is hard to fail. Simply apply Step™ 1 in early spring and another Step™ every two months. You will eliminate weeds and insects and feed your lawn year-round with Scott's best annual program. (NOT for dichondra, St. Augustinegrass and some geographical areas).

OPTIONAL BACK PANEL CLAIMS

19 9 21

LEFT COLUMN

Your lawn makes a
good environment

RIGHT COLUMN

A well-maintained lawn provides environmental benefits as well as an attractive and pleasant setting for your home. Healthy grass takes carbon dioxide and pollutants from the air while creating oxygen; it traps dust and prevents erosion; and it reduces the heat, noise, and glare of modern urban areas while providing a safer recreation area.

The timed-release nitrogen in Scotts Super Bonus S weed-and-feed is designed to be absorbed by the grass plants slowly and steadily, to build thick turf that helps prevent runoff and leaching into groundwater.

Your lawn makes a good environment...and Scotts products help you get the best lawn.

BACK CONTINUED:

XXXXX

20 7 21

Lawn Questions?

Have questions or need advise?

Call Scott's toll-free consumer
hotline: 1-800-543-TURF
(In Ohio, 1-800-762-4010)

Open Monday through Saturday
9:00 am to 5:00 pm EST.

Your Do-It-Yourself Lawn Care Headquarters

Scotts Lawn Pro retailers can provide you with do-it-yourself expertise and products to have a beautiful lawn simply and easily...for less money than hiring a lawn service. That's why we call them lawn pros!

QUESTIONS?

If you have questions you can talk directly with a Scotts Lawn Counselor. Simply call the toll-free number: 1-800-543-TURF (in Ohio, 1-800-762-4010).

XXXXX

Scotts Policy
No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.
Scotts...the lawn people
Marysville, Ohio 43041

0 (UPC)

32247 XXXXX

(NOTE: The description below will be inverted.)

XXXXX

(Scotts) TURF BUILDER PLUS
Halts for Lawns
America's favorite
crabgrass preventer plus fertilizer

Treats and fertilizes 5,000 - 6,000 sq ft
(Treats and feeds 5,000 sq. ft.)

Stops crabgrass and other weeds Before they sprout and helps make your lawn its thickest, greenest ever.

See Back for Details
Scott's
No-Quibble Guarantee

(OPTIONAL OUTER CONTAINER LABELING - BACK)

SCOTT'S

Turf Builder Plus Halts for Lawns

- Prevents and controls weeds at the right time. No more guessing, "Which product prevents? Which product controls? A i too late or too early?" With these two treatments yor weed problems go away.
- Controlled extended feeding helps green and thicken yor lawn through spring and summer. Your lawn will fill in where weeds once lived and if you cut your grass at the highest setting on your mower, new weeds will be discouraged.

Treatment One: Apply anytime February through April.

Treatment Two: Apply six to eight weeks after Treatment One.

See directions on package for detail

Questions?
 Call Scott's Toll-Free
 Consumer Hotline:
 1-800-543-TURF

Scott's No-Quibble Guarantee™:
 If for any reason you are not
 satisfied with results after
 using this product, you are entitled
 to get your money back. Simply send
 us evidence of purchase and we will
 mail you a refund check promptly.

Made in USA

PROOF OF PURCHASE

UPC
 XXXXX XXXXX

(c) 1993 The O.M. Scott & Sons Company
 Marysville, Ohio 43041

All Rights Reserved.

1005R/22-42