



United States  
Environmental Protection Agency  
Washington, DC 20460

Registration  
 Amendment  
 Other

OPP Identifier Number  
246047

Application for Pesticide - Section I

1. Company/Product Number 538-190	2. EPA Product Manager Robert Taylor	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Turf Builder Plus Halts for Lawns	PM# 25	
5. Name and Address of Applicant (Include ZIP Code) The Scotts Company 14111 Scottslawn Road Marysville, OH 43041 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification: additional minor label claims (see attached letter)

NOTIFICATION  
JAN 31 1997

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	Other (Specify) _____	
		If "Yes" Package wgt	No. per container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Chris J. Wible	Title Senior Regulatory Specialist	Telephone No. (Include Area Code) (937) 644-7214
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Senior Regulatory Specialist	
4. Typed Name Chris J. Wible	5. Date 01/10/97	

**Scotts**  
**Turf Builder**  
**PLUS HALTS**  
CRABGRASS PREVENTER PLUS LAWN FERTILIZER

TREATS & FEEDS  
5,000 SQ. FT.

TREATS & FEEDS **5,000** SQ. FT.



TREATS & FEEDS  
5,000 SQ. FT.



**Scotts**

**Scotts**

**Scotts**

**Turf Builder**  
**PLUS HALTS**  
CRABGRASS PREVENTER PLUS LAWN FERTILIZER

**Turf Builder**  
**PLUS HALTS**  
CRABGRASS PREVENTER PLUS LAWN FERTILIZER

**Turf Builder**  
**PLUS HALTS**  
CRABGRASS PREVENTER PLUS LAWN FERTILIZER

Unlike other crabgrass prevention products, every particle of Turf Builder Plus Halts for Lawns contains Scotts patented timed-release nitrogen, phosphorus, potassium and the strongest crabgrass, foxtail and spurge preventer you can buy.

**Seeds No-Quibble Guarantee**

**Lawn Questions?**

**Patented Particles**

Unlike other crabgrass prevention products, every particle of Turf Builder Plus Halts for Lawns contains Scotts patented timed-release nitrogen, phosphorus, potassium and the strongest crabgrass, foxtail and spurge preventer you can buy.



**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION: PRECAUTIONARY STATEMENTS**  
 Hazards to Humans and Domestic Animals  
 Irritation to skin may occur. Avoid contact with eyes and clothing. If on clothing, rinse thoroughly with water and soap.  
 Wash after handling. May be harmful if swallowed. Do not graze treated areas. Do not feed or allow animals to graze.  
 Environmental Hazards: This product is toxic to fish. Do not apply directly to water. Remove from treated area as soon as practicable to avoid contamination of surrounding areas. Do not contaminate water when disposing of equipment and mixtures. Do not use on public water supply for use or disposal of people.


**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION: PRECAUTIONARY STATEMENTS**  
 Hazards to Humans and Domestic Animals  
 Irritation to skin may occur. Avoid contact with eyes and clothing. If on clothing, rinse thoroughly with water and soap.  
 Wash after handling. May be harmful if swallowed. Do not graze treated areas. Do not feed or allow animals to graze.  
 Environmental Hazards: This product is toxic to fish. Do not apply directly to water. Remove from treated area as soon as practicable to avoid contamination of surrounding areas. Do not contaminate water when disposing of equipment and mixtures. Do not use on public water supply for use or disposal of people.

28-3-4

NET WEIGHT 14.29 LBS. (6.48 kg)

**NOTIFICATION**  
JAN 31 1997


**Scotts**  
**Turf Builder**  
**PLUS HALTS**  
CRABGRASS PREVENTER PLUS LAWN FERTILIZER



**BEST AVAILABLE COPY**



TREATS & FEEDS  
5,000 SQ. FT.



32367



**Turf Builder  
PLUS HALTS**  
CRABGRASS PREVENTER PLUS LAWN FERTILIZER

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**  
PRECAUTIONARY STATEMENTS  
**Hazards to Humans and Domestic  
Animals:** CAUTION: Causes eye irritation.  
Do not get in eyes, on skin or clothing. If in  
eyes or on skin, flush with plenty of water and  
get medical attention if irritation persists.  
Wash after handling. May be harmful if  
swallowed. Do not contaminate feed or  
fodder. Do not graze treated areas. Do not  
feed slippings to livestock.  
**Environmental Hazard:** This product is  
toxic to fish. Do not apply directly to water.  
Runoff from treated areas may be hazardous to  
aquatic organisms in neighboring areas. Do  
not contaminate water when disposing of  
equipment washwaters. In case of spills, it is  
collected for use or dispose of properly.

Turf Builder Plus Halts for Lawns 20-5-4 16-3-1-181  
Guaranteed Analysis  
Total nitrogen (N) 25%  
0.6% ammoniacal nitrogen  
15.1% urea nitrogen  
11.5% water soluble organic nitrogen  
0.5% water insoluble nitrogen  
Available phosphate (P<sub>2</sub>O<sub>5</sub>) 3%  
Soluble potash (K<sub>2</sub>O) 3%  
Dermal toxic to mammalian phytoxic, toxic,  
irritation, and mutation of potato  
Chlorine not more than 4%  
Contains 8.2% slowly available methylene-  
diamine and directly available urea nitrogen.  
U.S. Pat. No. 4,178,238 Product of U.S.A.  
The Scotts Company  
14111 S. meadow Rd.  
Marysville, OH 43041

KEEP OUT OF REACH OF CHILDREN  
CAUTION  
PRECAUTIONARY STATEMENTS  
Hazard to Humans and Domestic  
Animals: CAUTION: Causes eye irritation.  
Do not get in eyes, on skin or clothing. If in  
eyes or on skin, flush with plenty of water and  
get medical attention if irritation persists.  
Wash after handling. May be harmful if  
swallowed. Do not contaminate feed or  
fodder. Do not graze treated areas. Do not  
feed slippings to livestock.  
Environmental Hazard: This product is  
toxic to fish. Do not apply directly to water.  
Runoff from treated areas may be hazardous to  
aquatic organisms in neighboring areas. Do  
not contaminate water when disposing of  
equipment washwaters. In case of spills, it is  
collected for use or dispose of properly.

**Scott's**  
**Turf Builder  
PLUS HALTS**  
CRABGRASS PREVENTER PLUS LAWN FERTILIZER

**What to expect**  
Crabgrass and other weeds listed will be prevented all summer, and your lawn will  
be greener in 4-6 days.  
Turf Builder Plus Halts for Lawns forms a barrier in the soil which prevents crabgrass,  
annual weeds, nematodes, and nematodes, and results in a more uniform, healthy lawn  
from springing and appearing above ground level. The result, uniform grasses cover

your lawn completely so they don't show where they start. The result is that Turf  
Builder Plus Halts for Lawns gives your lawn the best season-long crabgrass, broadleaf,  
and spruce prevention available.  
This product does not control dandelions or any other weeds including crabgrass that  
are already sprouted and growing. You can kill growing broadleaf weeds with  
Scott's Turf Builder Plus 20 weed control plus lawn fertilizer.

**How and when to apply**  
**Apply in early spring**  
Directions for use  
It is a violation of federal law to use this product in a manner inconsistent with its  
labeling.  
Apply when your lawn is well established. If necessary, water in after application.  
Apply in early spring before the third of March, or before temperatures are  
regularly in the 50s, 60s, 70s, or 80s, or before weather will not affect the performance  
of this product.  
\* In hot areas, water in the treated areas, perennial ryegrass, and blends of  
these grasses apply in the 40s to 50s.  
\* In hot areas, water in the treated areas, perennial ryegrass, and blends of  
these grasses apply in the 40s to 50s.  
Do not seed or sod for 4 months following application. The crabgrass barrier  
prevents grass seed from sprouting.  
\* Apply to prevent germination of crabgrass, annual, biennial, and grasses, tall fescue,  
quintessence, and many common yellow weeds.  
\* In early spring, before temperatures reach the 50s, 60s, 70s, or 80s.  
\* Before March in southern California.  
\* Before mid-March in northern California.  
\* For best results, a pre-treatment is recommended after 6 to 8 weeks.

Apply in August or September to prevent germination of Fall annuals and broadleaf  
weeds for use on St. Augustine or Bermuda lawns.  
Use Scott's Halts (without fertilizer) to prevent goosegrass.  
Escape hot heavy infestations of spruce, allow at least a 4-month interval between  
applications of this product.  
Do not apply Turf Builder Plus Halts for Lawns more than once annually.  
\* Apply in early spring before the third of March, or before temperatures are  
regularly in the 50s, 60s, 70s, or 80s, or before weather will not affect the performance  
of this product.  
\* In hot areas, water in the treated areas, perennial ryegrass, and blends of  
these grasses apply in the 40s to 50s.  
\* In hot areas, water in the treated areas, perennial ryegrass, and blends of  
these grasses apply in the 40s to 50s.  
Do not seed or sod for 4 months following application. The crabgrass barrier  
prevents grass seed from sprouting.  
\* Apply to prevent germination of crabgrass, annual, biennial, and grasses, tall fescue,  
quintessence, and many common yellow weeds.  
\* In early spring, before temperatures reach the 50s, 60s, 70s, or 80s.  
\* Before March in southern California.  
\* Before mid-March in northern California.  
\* For best results, a pre-treatment is recommended after 6 to 8 weeks.

**Spreading tips**  
For best results, use a Scott's spreader

Spreader Settings		
SPREADER RATE (lb./sq. ft.)	HEAVY RATE (lb./sq. ft.)	SMALL/THIN
Scott's Drop spreader	5	5 1/2
Scott's Lawn-care spreader	26	36 lb.
Scott's Spreader Belt	4	4 1/2

Notes: 1. Use lawn care spreader for best results. 2. Spread  
evenly, apply evenly in direction of  
lawn, overlapping wheel marks.  
3. Make each pass about 1 foot  
from previous pass to overlap  
spread width.

**Additional Spreader Settings:**  
EZ Drop, Republic (18500) ..... 4  
EZ Broadcast, Republic (18500) (5' width) ..... 2  
Red Devil Drop (181125) ..... 5  
Red Devil Heavy (182850) ..... 5 1/2  
Quaker Drop (Model #10850) ..... 4 1/2  
Quaker Rotary (Model #10801) ..... 5 1/2

Notes: Scott's spreader  
settings are approx-  
imate. You may need  
to adjust for proper  
coverage.

**Scott's TURF BUILDER-  
Annual Program**

- No more guesswork... apply the right product at the right  
time for a thick, green, weed-free lawn
- Start anytime... just check the month below and apply  
products at 2 month intervals

Turf Builder Plus Halts® 20-5-4	Turf Builder Plus 20® 16-3-1-181	Turf Builder® Plus Insect Control	Turf Builder® 20-5-4
Apply in early spring (late April)	Apply in early spring (late April)	Apply in summer (late July)	Apply in fall (late Nov.)
Prevents crabgrass & other weeds while feeding your lawn	Prevents crabgrass & other weeds while feeding your lawn	Prevents lawn damage from insects while feeding your lawn	Prevents lawn damage from insects while feeding your lawn

BEST AVAILABLE COPY

