

PM25

538-190

4/30/97

1/3

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 05-31-98

EPA	United States	<input type="checkbox"/> Registration	OPP Identifier Number
	Environmental Protection Agency	<input type="checkbox"/> Amendment	246037
	Washington, DC 20460	<input checked="" type="checkbox"/> Other	

Application for Pesticide - Section I

1. Company/Product Number 538-190	2. EPA Product Manager Robert Taylor	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Turf Builder Plus Halts for Lawns	PM# PM-25	
5. Name and Address of Applicant (Include ZIP Code) The Scotts Company 14111 Scottslawn Road Marysville, OH 43041 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated XX-XX-XX
<input type="checkbox"/> Resubmission in response to Agency letter dated XX-XX-XX	<input type="checkbox"/> "Me Too" Application
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

NOTIFICATION
APR 30 1997

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION of change in packaging and minor label changes per PR Notice 95-2 (see attached letter)

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
*Certification must be submitted		If "Yes" Unit Packaging wgt. No. per Container	If "Yes" Package wgt. No. per Container	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 14.29 lb, 28.58 lb, 42.87 lb (5M,10M,15M)		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Other <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Chris J. Wible	Title Senior Regulatory Specialist	Telephone No. (Include Area Code) (937) 644-7214

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

6. Date Application Received
(Stamped)

2. Signature BY: <i>Chris J. Wible</i>	3. Title Senior Regulatory Specialist
4. Typed Name Chris J. Wible	5. Date 04/16/97

2/3 WITH HALTS CRABGRASS PREVENTER

32367
6

Scott's
Turf Builder
WITH HALTS CRABGRASS PREVENTER

32367
6

FEEDS AND TREATS UP TO 5,000 SQUARE FEET

FEEDS AND TREATS UP TO 5,000 SQUARE FEET

FEEDS AND TREATS UP TO 5,000 SQUARE FEET




APR 30 1997

Turf Builder®

WITH HALTS® CRABGRASS PREVENTER

EARLY SEASON LAWN FERTILIZER AND CRABGRASS PREVENTER

- Builds thick, green turf from the roots up without burning your lawn
- Scott's Exclusive: The most effective crabgrass, foxtail and spurge preventer you can buy
- For best results, apply a Turf Builder® product four times a year (See back for details)



ACTIVE INGREDIENT:
Pendimethalin, N-(1-Ethylpropyl)-3, 4-dimethyl-2, 6-dinitrobenzenamine* 1.21%

INERT INGREDIENTS: 98.79%

Total 100.00%

EPA Reg. No. 538-190 EPA Est. No. 538-OH-1
*Carries under one of the names of the following U.S. Patents: 3,821,742; 4,066,441

KEEP OUT OF REACH OF CHILDREN
CAUTION
See back for additional precautionary statements.

28-3-4
NET WEIGHT 14.29 LBS. (6.48 kg)

32367
6

Scott's
Turf Builder.

5,000 SQUARE FEET

FOR BEST RESULTS, APPLY THE



TURF BUILDER Annual Program



No more guesswork... apply the right product at the right time for a thick, green, weed-free lawn. Start any time, just check the month below and apply products on monthly intervals.

<p>Apply in early spring (Feb-April)</p> <ul style="list-style-type: none"> Prevents crabgrass and other annual weeds while feeding your lawn. For the Pacific Northwest, California, Turf Builder and Minox Control Granules. For St. Augustine grass, substitute Bonus S. For dormant lawns, substitute Turf Builder. 	<p>Apply in late spring (April-June)</p> <ul style="list-style-type: none"> Kills dandelions and other broad leaf weeds while feeding your lawn. For St. Augustine grass, substitute Turf Builder.
<p>Apply in summer (June-Aug.)</p> <ul style="list-style-type: none"> Kills lawn damaging insects plus flies while feeding your lawn. For grass covered, apply Scotts® GrubEx® granules from April to mid-August. 	<p>Apply in fall (Aug-Nov.)</p> <ul style="list-style-type: none"> Important time to feed for a thicker, greener lawn.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECEDENCE STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Do not get in eyes, on skin or clothing. If in eyes or on skin, flush with plenty of water and get medical attention if irritation persists. Wash after handling. May be harmful if swallowed. Do not contaminate food or feedstuffs. Do not graze treated areas. Do not feed droppings to livestock.

Environmental Hazards: This pesticide is toxic to fish. Do not apply directly to water. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash-water. In case of spills, either collect for use or dispose of properly.

Turf Builder With Halts® Crabgrass Preventer 28-3-1 F-6-43-3060
Guaranteed Analysis

Total nitrogen (N)	26%
0.6% ammoniacal nitrogen	
15.1% urea nitrogen	
11.5% water soluble organic nitrogen	
0.8% water insoluble nitrogen	
Available phosphorus (P ₂ O ₅)	3%
Soluble potash (K ₂ O)	3%
Derived from monoammonium phosphate, urea, methylene urea, and muriate of potash	
Chlorine, not more than	
Contains 8.2% slowly available methyleneurea and dimethylammonium nitrogen	
U.S. Patent No. 4,578,288	
Product of U.S.A.	
The Scotts Company, 14111 Scottdale Rd., Marysville, OH 43041	

Questions, Comments, Information



Scotts No-Quibble Guarantee™

If for any reason you are not satisfied with your Scotts product, you are entitled to get your money back. Simply send us evidence of your purchase and we will mail you a refund of 100% promptly.



FEEDS AND TREATS UP TO 5,000 SQUARE FEET



Turf Builder
HALTS CRABGRASS PREVENTER

32367
6

CUT HERE TO OPEN FEEDS AND TREATS UP TO 5,000 SQUARE FEET

How and when to apply

Apply in early spring

Directions for use: In a violation of Federal law, this product is a restricted use pesticide. The label on your bag is the only source of information. Read and follow the label. Apply in early spring before the third or fourth mowing. For best results, applications are regularly in the 8th, 14th, 20th, or 26th week after the start of the growing season. For Kentucky bluegrass, fair fescue, tall fescue, perennial ryegrass, and blends of these grasses, apply at the REGULAR RATE. For bermudagrass, St. Augustinegrass, bahiagrass, centipedegrass, and blends of these grasses, apply at the HEAVY RATE. Do not seed or sod for 4 months following application. The crabgrass barrier prevents grass seed from sprouting. Apply to prevent germination of crabgrass, foxtail, barnyardgrass, fall panicum, spurge, and oxalis (common yellow wood-sorrel). For best results: • In early spring (before dandelions reach the softball stage) • Before March in southern California • Before mid-March in northern California For heavy infestations, a repeat treatment is recommended after 6 to 8 weeks. Apply in the fall (August, October), after temperatures have cooled and fall rains have begun, to prevent stems (except in California) from becoming established during winter or next spring, or to prevent germination of Fall annual and chickweed. Not for use on dandelion or horseshoe ferns. Except for heavy infestations of spurge, allow at least a 4-month interval between applications of this product. Do not apply Turf Builder® With Halts® Crabgrass Preventer more than twice annually.

IMPORTANT

Do not rake or aerify for 4 months after application to avoid disturbing the crabgrass barrier on the soil surface. Seeding/sodding/sprigging: Do not apply to new h seedbed or sodded areas until after the 6th mowing. On newly sparged areas, wait 5 months before application. Actively growing crabgrass or moss: This product does not control actively growing crabgrass, moss and other existing weeds. Staining note: Can cause staining to cement, stone, metallic surfaces (such as automobiles and garden furniture), clothing or shoes. If contact occurs, brush off particles to prevent staining and/or unwanted tracking into the house. If necessary, rinse off with water. STORAGE: Store in a clean, dry place. Recal opened bag by folding up down and securing. PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.


Spreading Tips For best results, use a Scotts spreader

	REGULAR RATE covers 5,000 sq. ft.	HEAVY RATE covers a 500 sq. ft.	DIRECTIONS
Scotts Drop Spreader	5	5 1/4	Most lawn first, apply 2 hecker stopp apply longest distance of lawn overlapping wheel marks.
Scotts EasyGreen® Rotary	26	26 1/2	Make each pass about 60 inches from previous pass overlapping spread width.
Scotts Speech® Rotary	4	4 1/2	Make each pass about 5 feet from previous pass overlapping spread width.

Additional Spreader Settings

EZ Drop, Republic (950)	4
EZ Broadcast, Republic (950)	2
Red Devil Drop (981-22)	5
Red Devil Rotary (983-50)	4 1/2
Quaker Drop (Model 10450)	5 1/2
Quaker Rotary (Model 10501)	3 1/4

(Note: Scotts spreader settings are approximate. You may need to adjust for proper coverage.)




What to expect

Crabgrass and other weeds listed will be prevented all summer, and your lawn will be greener in 4 to 6 days. Turf Builder With Halts Crabgrass Preventer forms a barrier in the soil which prevents crabgrass, foxtail, spurge, barnyardgrass, fall panicum, and oxalis (common yellow wood-sorrel) from sprouting and appearing above ground level. The small, uniform granules cover your lawn completely to stop these weeds before they start. This means that Turf Builder With Halts Crabgrass Preventer gives your lawn the best season-long crabgrass, foxtail, and spurge prevention available. This product does not control dandelions or any other weeds (including crabgrass) that are already sprouted and growing. You can kill growing broadleaf weeds with Scotts Turf Builder With Halts Weed Control.

The Scotts Difference.

Unlike other crabgrass prevention products, every particle of Turf Builder With Halts Crabgrass Preventer contains Scotts patented timed-release nitrogen, phosphorus, potassium and the strongest crabgrass, foxtail and spurge preventer you can buy.



Best Copy