



### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

JUN 24 2010

Ms. Cheryl Prinster The Scotts Company 14111 Scottslawn Rd Marysville, OH 43041

Subject:

Turf Builder Plus Halts For Lawns EPA Registration Number 538-190

Resubmission dated June 3, 2010

Dear Ms. Prinster:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended is acceptable, provided you make the following changes before you release the product for shipment.

- 1) Add an appropriate EPA Establishment Number to the label.
- 2) Add "We recommend" before "Use Scotts Halts (without fertilizer) to prevent goosegrass" on page 4

NOTE: While no additional data is being requested at this time, marketing claims made on the pesticide label must be substantiated by data maintained in your files. If data supporting marketing claims made on the product label is not available then those claims must be removed.

NOTE: Should you wish to retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 EPA Registration Number 538-190

Submit one (1) copy of final printed labeling incorporating the above changes before you release the product for shipment. Amended labeling will supercede all previously accepted ones. A stamped copy of labeling is enclosed for your records.

If you have any questions, please contact Hope Johnson at 703-305-5410.

Sincerely,

James A. Tompkins Product Manager 25

Herbicide Branch

Registration Division (7505P)

# Turf Builder® Plus Halts® for Lawns

ACTIVE INGREDIENT:

[†CAS #40487-42-1]

# KEEP OUT OF REACH OF CHILDREN CAUTION

See attached/back/side/top/bottom [panel/label/labeling] for additional precautionary statements.

[COVERAGE/Treats/Covers/Feeds/Fertilizes XX,XXX sq. ft. ] [APPLICATION: (See back for details)]

XX-XX-XX (insert fertilizer N-P-K on FPL)

NET WEIGHT/WT. 13.35 lb (6.06 kg)

Example application rate: 13.35 lbs covers 5,000 sq. ft.

EPA Reg. No.:

538-190

EPA Est. No.:

538-OH-1 (insert additional EPA Registered Establishments)

[Superscript used is first letter of run code on end of container]

The Scotts Company 14111 Scottslawn Rd. Marysville, OH 43041 ACCEPTED with COMMENTS in EPA Letter Dated

JUN 24 2010

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

538-190

U 3'

Optional Company Identifier [logo]:

Scotts®

Alternate Brand name(s):

Turf Builder with Halts Crabgrass Preventer Super Turf Builder with Halts Crabgrass Preventer Step 1 Crabgrass Preventer Plus Lawn Fertilizer

Optional Product Descriptors:

Weed and Feed

#### Notes to PM:

- The appropriate square footage coverage shown as X,XXX throughout the master label is based on package size. It is listed on the ABN final printed labeling.
- The appropriate fertilizer ratio shown as X's throughout the master label is listed on the ABN final printed labeling.
- The appropriate Net Weight is listed on the ABN final printed labeling]

#### [FIRST AID AND ENVIRONMENTAL INFORMATION]

[Keep Out of Reach of Children] [CAUTION]

#### **PRECAUTIONARY STATEMENTS** HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing.

#### **USER SAFETY RECOMMENDATIONS**

User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. User should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

**FIRST AID** 

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after first 5 minutes, then continue rinsing

eve.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for

15-20 minutes.

Call a poison control center or doctor immediately for treatment advice. Have If swallowed:

> person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by

mouth to an unconscious person.

Move person to fresh air. If person is not breathing, call 911 or an ambulance, If inhaled:

then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment. [Call: 1-XXX-XXXXX]

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems. In case of spills, either collect for use or dispose of properly.

[Staining Note: Can cause staining to cement, stone, metallic surfaces (such as automobiles and garden furniture), closing or shoes. If contact occurs, brush off particles to prevent staining and/or unwanted tracking into the house. If necessary, rinse off with water.]

#### STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a clean, dry place. Reseal opened bag [by folding top down and

PESTICIDE AND CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Bold, italicized text is information for one reader and is not part of the label.

[Bracketed information is optional.] Text separated by / denotes and/or options.

# 6/3

#### -Begin Directions for Use-

#### [DIRECTIONS FOR USE VERSION #1]

#### **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

#### **APPLICATION**

Turf Builder plus Halts® for Lawns should be applied when your lawn is dry. It is not necessary to water it in after application. However, for best results the lawn should receive ¼ to ½ inch of water from rainfall or watering within 2-3 days after application.

Apply in early spring before the 3<sup>rd</sup> or 4<sup>th</sup> mowing or before temperatures are regularly in the 80s. Rain, snow or freezing weather will not affect the performance of this product.

This product applies 1.5 lbs of pendimethalin per acre [at the regular rate and 1.67 lbs of pendimethalin at the heavy rate.] Do not apply more than twice a year.

#### [OPTIONAL RATE TO COVER WARM AND COOL SEASON GRASSES]

- 1. For Kentucky bluegrass, fine fescue, tall fescue, perennial ryegrass and blends of these grasses, apply at the REGULAR RATE.
- 2. For bermudagrass, St. Augustinegrass, bahiagrass, centipedegrass and blends of these grasses, apply at the HEAVY RATE.

#### [END OF OPTIONAL RATE TO COVER WARM AND COOL SEASON GRASSES]

**[OPTIONAL RATE TO COVER SPECIFIC REGIONAL USES -** For Kentucky bluegrass, fine fescue, tall fescue, perennial ryegrass, bermudagrass, St. Augustinegrass, bahiagrass, centipedegrass and blends of these grasses, apply at the REGULAR RATE.]

Do not seed or sod for 4 months following application. The Turf Builder plus Halts® for Lawns [in the soil] will prevent grass seed from sprouting.

Apply to prevent germination [stop the emergence of] of crabgrass, foxtail, barnyardgrass, fall panicum, spurge\* and oxalis (common yellow woodsorrel):

- in early spring (before dandelions reach the puffball stage)
- before March in southern California
- before mid-March in northern California

Apply in August or September to prevent germination [stop the emergence of] of *Poa annua* and chickweed.

#### [OPTIONAL DIRECTIONS TO ADD TO MOSS CONTROL]

Apply in the fall (August-October), after temperatures have cooled and fall rains have begun, to prevent moss (except in California) from becoming established during winter or next spring, or to prevent germination [stop the emergence of] of *Poa annua* and chickweed. (Not for use on dichondra or bentgrass lawns.)

Use Scotts Halts ® (without fertilizer) to prevent goosegrass.

#### [END OF OPTIONAL DIRECTIONS FOR MOSS CONTROL]

Except for heavy infestations of spurge, allow at least a 4 month interval between applications of this product.

538-190.20100603.REV.AMEND

<sup>\*</sup>For heavy infestations a repeat treatment is recommended after 6-8 weeks.

EPA Reg. No. 538-190

Bold, italicized text is information for an ereader and is not part of the label. [Bracketed information is optional.] Text separated by / denotes and/or options.

Do not enter or allow others to enter the treated are until dust has settled.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

Important: Do not rake or aerify for 4 months after application to avoid disturbing the layer of soil to which The Turf Builder plus Halts® for Lawns was applied.

#### SEEDING/SODDING/SPRIGGING

Please do not apply to newly seeded or sodded areas until after the fourth mowing. On newly sprigged areas, wait 5 months before application.

#### **ACTIVELY GROWING CRABGRASS (OR MOSS).**

This product controls crabgrass in its early stages of growth. This product does not control mature crabgrass and other existing weeds. You can kill broadleaf weeds with Scotts Turf Builder with Plus 2.

[END OF DIRECTIONS FOR USE VERSION #1]

#### [DIRECTIONS FOR USE VERSION #2]

#### **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Turf Builder Plus Halts for Lawns should be applied when your lawn is dry. It is not necessary to water this product in after application. However, for best results the lawn should receive ¼ to ½ inch of water from rainfall or watering within 2-3 days after application.

Apply in early spring before the third or fourth mowing or before temperatures are regularly in the 80's (before dandelions reach the puffball stage). Rain, snow, or freezing weather will not affect the performance of this product.

Do not seed or sod for 4 months following application. The Turf Builder plus Halts® for Lawns [in the soil] will prevents grass seed from sprouting.

Not for use on dichondra or bentgrass lawns.

Allow at least 6 weeks between applications of this product and Treatment TWO [the next application of a fertilizer product]

Important: Do not rake or aerify for 4 months after application to avoid disturbing the layer of soil to which The Turf Builder plus Halts® for Lawns was applied. crabgrass barrier on the soil surface.

#### SEEDING/SODDING/SPRIGGING

Do not apply to newly seeded or sodded areas until after the fourth mowing. On newly sprigged areas, wait 5 months before application.

[Actively growing crabgrass or moss]

This product controls crabgrass in its early stages of growth. This product does not control mature crabgrass and other existing weeds. You can kill broadleaf weeds with Scotts Turf Builder with Plus 2.

Do not enter or allow others to enter the treated are until dust has settled. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

This product applies 1.5 lbs of pendimethalin per acre at the regular rate and 1.67 lbs of pendimethalin at the heavy rate. Do not apply more than twice a year.

#### [END OF DIRECTIONS FOR USE VERSION #2]

# 3

#### [DIRECTIONS FOR USE VERSION #3]

#### **DIRECTIONS FOR USE**

It is violation of Federal law to use this product in a manner inconsistent with its labeling.

#### HOW AND WHEN TO APPLY

Apply Turf Builder plus Halts for Lawns in early spring to prevent crabgrass and other weeds from germinating [to stop the sprouting of crabgrass and other weeds.]

#### **APPLICATION**

Turf Builder plus Halts® for Lawns should be applied when your lawn is dry. It is not necessary to water it in after application. However, for best results the lawn should receive ¼ to ½ inch of water from rainfall or watering within 2-3 days after application.

Apply in early spring before the 3<sup>rd</sup> or 4<sup>th</sup> mowing or before temperatures are regularly in the 80s. Rain, snow or freezing weather will not affect the performance of this product.

#### **IOPTIONAL RATE TO COVER WARM AND COOL SEASON GRASSES!**

- For Kentucky bluegrass, fine fescue, tall fescue, perennial ryegrass and blends of these grasses, apply at the REGULAR RATE.
- For bermudagrass, St. Augustinegrass, bahiagrass, centipedegrass and blends of these grasses, apply at the HEAVY RATE.

#### [END OF OPTIONAL RATE TO COVER WARM AND COOL SEASON GRASSES]

**[OPTIONAL RATE TO COVER SPECIFIC REGIONAL USES -** For Kentucky bluegrass, fine fescue, tall fescue, perennial ryegrass, bermudagrass, St. Augustinegrass, bahiagrass, centipedegrass and blends of these grasses, apply at the REGULAR RATE.]

- This product applies 1.5 lbs of pendimethalin per acre [at the regular rate and 1.67 lbs of pendimethalin at the heavy rate.] Do not apply more than twice a year.
- Apply to prevent germination [stop the emergence of] of crabgrass, foxtail, barnyardgrass, fall panicum, spurge\* and oxalis (common yellow woodsorrel):
- in early spring (before dandelions reach the puffball stage)
- before March in southern California
- before mid-March in northern California

\*For heavy infestations a repeat treatment is recommended after 6-8 weeks.

Apply in August or September to prevent germination [stop the emergence of] of *Poa annua* and chickweed

#### **USE PRECAUTIONS**

Do not seed or sod for 4 months following application. The Turf Builder plus Halts® for Lawns [in the soil] will prevents grass seed from sprouting.

Not for use on dichondra or bentgrass lawns.

Except for heavy infestations of spurge, allow at least 4-month interval between applications of this product.

Do not enter or allow others to enter the treated are until dust has settled. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

IMPORTANT: Do not rake or aerify for 4 months after application to avoid disturbing the layer of soil to which The Turf Builder plus Halts® for Lawns was applied. erabgrass barrier on the soil surface.

#### SEEDING/SODDING/SPRIGGING

Please do not apply to newly seeded or sodded areas until after the fourth mowing. On newly sprigged areas, wait 5 months before application.

#### **ACTIVELY GROWING CRABGRASS OR MOSS**

538-190.20100603.REV.AMEND

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional.] Text separated by / denotes and/or options.

This product controls crabgrass in its early stages of growth. This product does not control mature crabgrass and other existing weeds. You can kill broadleaf weeds with Scotts Turf Builder with Plus 2.

[END OF DIRECTIONS FOR USE VERSION #3]

#### [DIRECTIONS FOR USE VERSION #4]

#### **DIRECTIONS FOR USE**

It is violation of Federal law to use this product in a manner inconsistent with its labeling.

- 1. To prevent the germination [sprouting] of crabgrass, foxtail, barnyardgrass, fall panicum, spurge\* and oxalis (common yellow woodsorrel), apply to dry foliage in the early spring:
  - · before dandelions reach the puffball stage
  - · before the third or fourth mowing
  - before temperatures regularly reach the 80s
  - before March in southern California; or
  - before mid-March in northern California
- 2. Set spreader to the setting indicated by the chart on the right before applying
- 3. It is not necessary to water it in after application. However, for best results the lawn should receive ¼ to ½ inch of water from rainfall or watering within 2-3 days after application.

For areas with moss problems, such as Pacific Northwest, Turf Builder plus Halts® for Lawns can be applied to lawns in the fall to prevent moss from growing.

This product applies 1.5 lbs of pendimethalin per acre [at the regular rate and 1.67 lbs of pendimethalin at the heavy rate.] Do not apply more than twice a year.

#### What to Avoid

- Do not seed or sod for 4 months following application. [Optional The Turf Builder plus Halts® for Lawns [in the soil] will prevents grass seed from sprouting.]
- Do not rake or aerify for 4 months after application to avoid disturbing the layer of soil to which The Turf Builder plus Halts® for Lawns was applied. Do not apply to newly seeded or sodded areas until after the fourth mowing. On newly sprigged areas, wait 5 months before applying the product.
- Do not apply to dichondra or bentgrass lawns.
- Allow at least a 4-months interval between applications of this product.
- Do not enter or allow others to enter the treated are until dust has settled.
- Do not apply this product in a way that will contact any person or pet, either directly or through drift.
- Keep people and pets out of the area during application.

#### Actively growing crabgrass or moss

This product controls crabgrass in its early stages of growth. This product does not control mature crabgrass and other existing weeds. You can kill broadleaf weeds with Scotts Turf Builder with Plus 2.

#### Storage and Disposal

Pesticide Storage: Store in a clean, dry place. Reseal opened bag by folding top down and securing. Pesticide Container Disposal: Nonrefillable container. Do not reuse or refill this container. If Empty: Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### [END OF DIRECTIONS FOR USE VERSION #4]

#### [DIRECTIONS FOR USE VERSION #5]

#### **DIRECTIONS FOR USE**

It is violation of Federal law to use this product in a manner inconsistent with its labeling. This product applies 1.5 lbs of pendimethalin per acre. Do not apply more than twice a year.

#### Quick Start Guide

[You're just three simple steps away from a beautiful Scotts lawn!]

1. Fill & Set Spreader [illustration]

Scotts Broadcast/Rotary Spreaders 3 1/2

Scotts Drop Spreaders 5 ½

[This package applies 2.67 pounds of product per 1000 sq.ft] [Covers 5,000 sq ft]

[Scotts products are designed to work with Scotts spreaders]

[For additional spreader settings, please call 1-800-543-TURF]

2. Apply [illustation]

Apply in early spring, before the 3<sup>rd</sup> or 4<sup>th</sup> mowing. Apply when lawn is dry and before temperatures are regularly in the 80s.

3. Clean-Up [illustration]

Sweeping product from hard surfaces back onto the lawn keeps product [valuable feeding nutrients] on the grass.

#### Restrictions

Do not enter or allow others to enter the treated are until dust has settled.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

#### Other things you should know

For best results the lawn should receive ¼ to ½ inch of water from rainfall or watering within 2-3 days after application.

[Rain, snow or freezing weather will not affect the performance of this product.]

Not for use on dichondra or bentgrass lawns.

This product controls crabgrass in its early stages of growth. It does not control mature crabgrass and other existing weeds. [You can control broadleaf weeds with Scotts Turf Builder with Plus 2 /ABN] Allow at least a 4-month interval between applications of this product.

Important: Do not rake or aerify for 4 months after application to avoid disturbing the layer of soil to which The Turf Builder plus Halts® for Lawns was applied.

#### Seeding/Sodding/Sprigging

Do not seed or sod for 4 months following application. [The Turf Builder plus Halts® for Lawns [in the soil] will prevent grass seed from sprouting.]

Do not apply to newly seeded or sodded areas until after the 4<sup>th</sup> mowing. On newly sprigged areas, wait 5 months before application.

#### [END OF DIRECTIONS FOR USE VERSION #5]

## Bold, italicized text is information for the label. [Bracketed information is optional.] Text separated by / denotes and/or options.

#### -End Directions for Use-

#### [BACK]

#### **Guaranteed Analysis**

[Insert Product Name]	[Insert N-P-K]	[Insert FL Fert. ID]
Total nitrogen (N)	x	X%
XX% water insoluble nitrogen Available phosphate (P <sub>2</sub> O <sub>5</sub> )	×	X%
Soluble potash (K <sub>2</sub> 0)	X	X%
Sulfur (S)XX% combined sulfur (S)	X	X%
Derived from: monoammonium phosphate, ure or potassium sulfate.	ea, methylene ureas, muriate of	potash, ammonium sulfate
Chlorine, not more than	X	X%
Product of USA U.S. Patent No's 5,219,465; 5,300,135		

<sup>\*\*</sup> Contains XX% slowly available methylenediurea and dimethylenetriurea nitrogen.

#### [Florida Annual Fertilizer Applications

On centipede lawns, do not exceed rate of 2 lbs. of Nitrogen per 1,000 sq. ft. in the north and 3 lbs. of Nitrogen per 1,000 sq. ft. in the central and south. On Bahia lawns, do not exceed rate of 3 lbs. of Nitrogen per 1,000 sq. ft. in the north.]

[North Florida is north of Ocala. Central Florida is defined as south of Ocala to a line extending from Vero Beach to Tampa. South Florida includes the remaining southern portion of the state.]

[Information regarding the content and levels of metals in this product is available on the internet at http://www.regulatory-info-sc.com]

Scotts®
Turf Builder Plus Halts®
for Lawns (Crabgrass Preventer)

SCOTTS POLICY No-Quibble Guarantee See back for details [Note to PM: Product applies 1.50 lbs ai/acre at the Regular Rate and 1.67 lbs ai/acre at the Heavy Rate]

#### [SPREADER SETTING INFORMATION]

[Spreader Settings/How to Apply/Spreading Tips]

[This package applies 2.67 pounds of product per 1000 sq.ft.]

Note to PM: At the rate of 2.67 pounds of product per 1000 sq ft, the application is at the regular rate of 1.50 ai/acre

#### [ALTERNATE SPREADER SETTING INFORMATION]

Scotts Spreader Settings	Scotts Drop Spreaders	Scotts EasyGreen™ Rotary	Scotts SpeedyGreen® Rotary
REGULAR RATE: (treats/covers 5,000	XX	XX	XX
HEAVY RATE: (treats/covers 4,500 sq. ft.)	XX	XX	XX
[Optional specific regional rate] *In California, apply at the 5,000 sq. ft. rate only	XX	XX	XX

#### Additional Spreader Settings

EZ Drop (Republic)	XX
Cyclone Rotary	XX
Sears Drop	XX
Ortho Drop	X
Green View Drop	
Precision Drop	

(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

Bold, italicized text is information fo. ...e reader and is not part of the label.

[Bracketed information is optional.] Text separated by / denotes and/or options.



#### [ALTERNATE SPREADER SETTING INFORMATION]

Spreading Tips. For best results, use a Scotts spreader:

Scotts Drop: Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Then operate spreader the longest way of the lawn. Overlap wheel marks to insure uniform feeding. Shut off spreader when you have reached the header strips or stopped.

Scotts EasyGreen™ Rotary: Slide shut-off lever to the right; application automatically starts and stops when you do. For complete coverage make each pass about 30 inches from the previous one so some overlapping occurs.

Scotts SpeedyGreen™ Rotary: Shut off spreader anytime you stop. For complete coverage make each pass about 5 feet from the previous one, so some overlapping occurs. Avoid applying this product on flowers, vegetables and shrub plantings.

# Bold, italicized text is information for ...e reader and is not part of the label. [Bracketed information is optional.] Text separated by / denotes and/or options.

#### [ALTERNATE SPREADER SETTING INFORMATION]

Spreading Tips

For best results, use a Scotts spreader

	Spreade	r Settings	
	REGULAR RATE covers 5,000 sq. ft.	HEAVY RATE covers 4,500 sq. ft.	DIRECTIONS
Scotts [AccuGreen®] Drop Spreaders	Х	х	Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks
Scotts PrecisonGreen® Drop Spreader	Х	X	Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks
Scotts SpeedyGreen® & EdgeGuard™ Rotary	X	X	Make each pass about X feet from previous pass to overlap spread width.
Scotts EasyGreen® Rotary	X	х	Make each pass about XX inches from previous pass to overlap spread width.

#### [ALTERNATE SPREADER SETTING INFORMATION]

#### **Spreader Settings**

For best results, use a Scotts® Spreader

#### Spreading tips

Apply header strips. Then apply in the longest direction of lawn.

REGULAR RATE: For Kentucky bluegrass, fine and tall fescue, perennial ryegrass, buffalograss and blends of these grasses.

HEAVY RATE: For bermudagrass, St. Augustinegrass, bahiagrass, centipedegrass and blends of these grasses.

and blends of these grasses.	pienus of these grasses.		
Scotts Rotary Spreaders	Regular Rate	Heavy Rate	_
Each pass should be within the distance indicated	covers	covers	
below to ensure an overlap	5,000 sq ft	4,500 sq ft	
Scotts SpeedyGreen® & EdgeGuard™ rotary			
(passes within 5 feet of each other)	X	X	
Scotts Drop Spreaders			_
Make sure spreader wheel completely overlaps	X	X	ι
previous wheel marks			
Scotts AccuGreen®	X	X	
Drop Spreaders			
Scotts PrecisionGreen®	X	X	
Drop Spreader			

#### [ALTERNATE SPREADER SETTING INSTRUCTIONS]

Spreader Settings

For best results, use a Scotts® spreader

REGULAR RATE: For Kentucky bluegrass, fine and tall fescue, perennial ryegrass, buffalograss and blends of these grasses.

HEAVY RATE: For bermudagrass, St. Augustinegrass, bahiagrass, centipedegrass and blends of these grass.

**Scotts Rotary Spreaders** Each pass should be within the Regular Rate Heavy Rate distance indicated below to covers X,XXX sq. ft. covers X,XXX sq. ft. ensure an overlap. Scotts SpeedyGreen® Х Χ (passes within 5 feet of each other) Scotts EasyGreen® (passes within 30 inches of each X Χ other) **Scotts Drop Spreaders** Х Х Make sure spreader wheel completely overlaps previous wheel marks. All metal models Х All plastic models

[Bracketed information is optional.] Text separated by / denotes and/or options.

#### [ALTERNATE SPREADER SETTINGS SECTION]

For best results always use a	Regular Rate	Heavy Rate	Width
Scotts® spreader	Covers	Covers	of
·	5,000 sq ft	4,500 sq ft	Coverage
Scotts® AccuGreen® Drop	X	. X	Х
Spreader			
Scotts SpeedyGreen®	X	X	Х
Scotts Broadcast Tractor	X	X	X

#### [ALTERNATE SPREADER SETTINGS SECTION]

Spreading Tips

Apply header strips. Then apply product in longest direction of lawn. For best results, use a Scotts spreader. Shut off spreader or stop each time you reach a header strip.

Scotts Broadcast/Rotary Spreaders] [Spreader Settings]	
Directions] [Each pass should be within 5 feet of each other to ensure an overlap.]	
Scotts Basic, Standard, Deluxe Edgeguard, Lawn Pro or SpeedyGreen	XX]
Scotts EasyGreen	XX]
Directions] [Each pass should be within 30 inches of each other to ensure overlap.]	-
Scotts Drop Spreaders]	
Directions] [Make sure spreader wheel completely overlaps previous wheel marks.]	
Scotts AccuGreen	XX

For additional spreader settings, please call 1-800-543-TURF (8873).

Note to PM:

Bold, italicized text is information for a reader and is not part of the label.

[Bracketed information is optional.] Text separated by / denotes and/or options.

#### **OPTIONAL TEXT AND CLAIMS**

Appropriate formula and company specific information will be inserted on Final Printed Label to replace "X"

#### OPTIONAL FERTILIZER CLAIMS

- A thicker, greener lawn guaranteed!
- · Builds stronger, deeper roots for more effective water use
- · Builds Thick, Green Lawns
- Builds thick, green turf from the roots up without burning your lawn.
- Contains both readily available nitrogen for quick green up and controlled release nitrogen for uniform growth and extended feeding.
- Contains Poly-S™ exclusive controlled release nitrogen
- · Extended feeding to green and thicken your lawn through spring and summer
- · Feeds and greens for fast green up after winter
- Feeds and strengthens helps lawn stand up to heat, drought and wear and tear
- · Golf course results for your home lawn!
- Greens & Feeds Fast green up after winter
- Helps lawn lock in [retain/hold] moisture [water] to protect against heat and drought
- Improves lawn's ability to absorb water and nutrients
- More greening power than (Scotts Brand XXX) [Note to PM: This claims will be used in reference to other Scotts products that deliver higher levels of nitrogen.]
- No Filler [Added]
- Patented [timed-release nitrogen] formula builds thick, green lawns from the roots up
- · Patented timed-release formula builds greener, thicker [thick, green] lawns from the roots up
- Poly-S™ Technology, polymer encapsulated nitrogen
- · Provides even greening
- XX% more greening power than (Scotts Brand XXX) [Note to PM: This claim will be used in reference to other Scotts products that deliver higher levels of nitrogen.]
- Promotes stronger, deeper roots so less frequent watering is needed
- Scotts Best fertilizers
- Slow-release nitrogen fertilizer for uniform growth and extended feeding
- formulated with Scotts Poly-S time release fertilizer, used by Landscape Professionals
- Thicker, greener turf satisfaction guaranteed
- This is the only fertilizer or weed control you will need until fall.
- Timed-release nitrogen won't burn your lawn
- ULTRA GREENING POWER!
- Water Smart
   – Makes the most of every drop
- We guarantee thick, green, weed-free turf without risk of burning or surge growth.
- Won't burn lawn(s) Guaranteed! [Art]

XX	XX	XX
NITROGEN [for color]	PHOSPHORUS [for strength]	POTASSIUM [for protection]
Essential for plant growth; makes	Stimulates root growth; helps	Makes plant strong; better able
grass green.	grass multiply	to resist drought and extreme
		heat
or	or	
		or
Contributes to thicker, greener	Stimulates root growth. Test	
growth.	your soil regularly to see if	Protects turf against disease and
	phosphorus should be applied	drought damage.

#### [CLAIMS SPECIFIC TO PHOSPHORUS-FREE PRODUCT LINE]

- Phosphorus-Free Formulation
- Phosphorus-Free Fertilizer
- Scotts® Phosphorus-Free fertilizer provides the best formula for soils already containing a high natural
  presence of available phosphorus. A soil test can help determine if your soil will support normal turf
  growth without phosphorus supplement

- Scotts Phosphorus-Free products are formulated with Scotts Poly-S® timed-release fertilizer. The unique Poly-S® coating provides your lawn with uniform growth and an extended feeding for up to two months.
- Apply Scotts® Phosphorus-Free Fertilizer with Crabgrass Preventer in Early Spring (February to April)
  - Provides a regular turf feeding
- Apply Scotts® Phosphorus-Free Fertilizer with Weed Control Anytime Broadleaf Weeds are Actively Growing [Provides a regular turf feeding]
- Apply Scotts® Phosphorus-Free Fertilizer Anytime Thickens and greens lawns Provides a regular turf feeding

#### **OPTIONAL PACKAGING CLAIMS**

- [Easy open, easy close]
- [Easy open resealable bag]
- [Reclosable / Resealable bag]
- [Zip [to] close]

#### OPTIONAL WEED CONTROL AND WEED & FEED CLAIMS

- A Scotts® Lawn Pro® Product
- · crabgrass preventer plus lawn fertilizer for established lawns
- Apply in early spring (or apply anytime February through April).
- Available only at authorized Lawn Pro® stores (Dealers)
- Apply after winter when grass is growing
- Apply early in the spring for season-long prevention.
- Apply in early spring when grass is growing
- Apply in Early Spring: February April or FEB/MAR/APR
- Apply the first treatment anytime February through April to prevent weeds and to fertilize. Apply the second treatment six to eight weeks later to control weeds and to fertilize through the summer.
- Delivers pre and early post-emergent crabgrass control
- Early Season Lawn Fertilizer and Crabgrass Preventer
- Experience [Get] The Scotts Advantage™
- Fall applications prevent moss, Poa annua, and chickweed.
- Formulated for the home environment.
- Gives you a thicker, greener lawn than regular Turf Builder with Halts Crabgrass Preventer
- Highly effective pre-emergent control of crabgrass and other grassy weeds
- Highly effective pre-emergent control of crabgrass, foxtail, spurge, oxalis, and other grassy and broadleaf weeds.
- [Results] Backed by Scotts No-Quibble Guarantee
- Lawn Success Made Easy
- Not for use on dichondra or bentgrass lawns
- Not for newly seeded areas.[\* (\*See back for appropriate products to use when seeding)]
- Patented MURP® formula for developing thick, green lawns
- Patented Particle™ Technology
- · Prevents and controls weeds at the right time.
- Prevents crabgrass all season [for up to 4 months]
- Prevents crabgrass and 8 other problem weeds
- Prevents crabgrass, barnyardgrass, Poa annua, foxtail, oxalis, spurge, (and other problem weeds see back) plus fertilizes
- Prevents Crabgrass from Germinating [sprouting.]

- Prevents crabgrass, foxtail, spurge, barnyardgrass, fall panicum, and oxalis (common yellow woodsorrel) while greening your lawn without rapid, extreme growth.
- Prevents crabgrass, foxtail, oxalis and spurge all season long [for up to 4 months]
- · Prevents weeds and fertilizes your lawn
- [Provides] Nutrition + crabgrass fighting power
- [Scotts] Lawn Pro [Available only at authorized Scotts Lawn Pro retailers]
- · Spring applications prevent crabgrass, foxtail, oxalis and spurge
- Stops crabgrass
- Stops crabgrass and other weeds before they sprout and fertilizes your lawn
- Stops crabgrass and other weeds before they sprout and helps make your lawn its thickest, greenest ever.
- Stops crabgrass before its starts [sprouts]!
- This simple 2-treatment program eliminates the confusion over what and when to apply for a thick, green, weed-free lawn . . . guaranteed.
- These two applications replace three regular applications of fertilizer.

#### **OPTIONAL LAWNCARE INFORMATION**

[Feeding/Lawncare Information] [Tips for Lawncare Success:]

#### [Feed Regularly For Your Best Lawn]

[Regular feedings of Scotts Turf Builder will help grow a lawn you and your family can enjoy. Scotts Turf Builder provides the nutrients your lawn needs to look its best and withstand the stresses of weeds, heat, drought and family activity.]

[Mow your lawn high. [A mowing height of 3" / Mowing high] allows the grass to develop a deep root system & helps your lawn use water more effectively.]

[Leave the grass clippings on your lawn. This recycles the plant nutrients back into the soil.] [Conserve water. Your lawn will begin to wilt when water is needed. As much as possible, take advantage of nature's sprinkler and rely on the rain to water your lawn. If It's free.]

[One Annual Feeding-Feeding once a year starts the growth process by greening and building new roots.]

[2-3 Annual Feedings – Each feeding builds on the last. The roots grow thicker and stronger, and the lawn starts to crowd out weeds.] [photo]

[4 Annual Feedings – The root system is deep and strong and the lawn has more resources to survive stresses.] [photo]

#### [Logo: Water Smart]

[Well-fed lawns are more efficient at using available water.] Feeding with Scotts® fertilizer helps grow a thick lawn with more roots to better absorb water and nutrients than an unfed lawn. This helps protect your lawn against heat, drought and other stresses.

#### [20% More Nitrogen/Nutrients/Nutrition than regular Turf Builder]

[The Super Turf Builder Advantage - Your lawn requires essential nutrients to thrive. The Super Turf Builder line of fertilizers is exclusively formulated to deliver the most greening power/nutrients/nutrition you can get from Scotts. The special formula in Super Turf Builder with Halts Crabgrass Preventer gives your lawn 20% more nitrogen/nutrition/nutrients than regular Turf Builder with Halts Crabgrass Preventer for your best lawn ever.]

Note to PM: The contents of the following box, Scotts and Your Environment, will appear in their entirety and the statements will not appear elsewhere on a label.

Scotts and Your Environment

We care. Scotts products are designed with care to grow thicker, greener lawns.

[Because] A Green Lawn is A Good Lawn. A healthy lawn can clean the air, produce oxygen and prevent runoff and soil erosion.

You can make a difference. Help keep our water resources clean. Apply this product only to your lawn, and sweep up any product that lands in the driveway, sidewalk or street back on to your lawn

#### SEASONAL PRODUCT APPLICATION OPTIONS

[Scotts] Recommended Annual Feeding/Lawn Care Program [Plan your feeding schedule. Choose the right product for your lawn. ] [Any Season] [Apply any season if weeds or bugs are not a problem.] [Scotts [Super]Turf Builder Lawn Fertilizer/Brand Name] [Artwork]

[Early Spring – February-April]

[Scotts Turf Builder Lawn Fertilizer/Brand Name] [Artwork]

[To prevent crabgrass: ]

[Scotts [Super] Turf Builder with Halts Crabgrass Preventer/Brand Name] [Artwork]

Late Spring - April-June

[Scotts [Super] Turf Builder Lawn Fertilizer/Brand Name] [Artwork]

[If you have weeds: / To kill weeds:]

[Scotts [Super] Turf Builder with Plus 2 Weed Control/Brand Name] [Artwork]

[Summer -June-August]

[Scotts [Super] Turf Builder Lawn Fertilizer/Brand Name] [Artwork]

[If you have bugs: / To kill bugs:]

[Scotts [Super] Turf Builder with Summerguard/Brand Name] [Artwork]

[If you have grubs/need grub control]

[Scotts Grub-Ex/Brand Name] [Artwork]

[Fall - September-November]

[Scotts [Super] Turf Builder WinterGuard/Brand Name] [Artwork]

[If you have fall weeds: / To kill fall weeds:]

[Scotts [Super] Turf Builder Winterguard with Plus 2 Weed Control/Brand Name] [Artwork]

[Key Product Facts / How To Apply]
[Apply in Early Spring]

#### OPTIONAL CLAIMS REGARDING RECOMMENDED PROGRAMS

- Allow 2 months between application
- For best results, apply a Turf Builder® product four times a year (see back for details).
- For best results, apply as part of a Scotts Annual Lawn Pro® Program [see back for details]
- For best results, apply the Scotts® Turf Builder® Annual Program
- For best results, apply Scotts Annual Lawn Care Program

Bold, italicized text is information handle and is not part of the label. [Bracketed information is optional.] Text separated by / denotes and/or options.

31

- 4-Step® Program
- Guaranteed results

Each step is designed to the specific season to help give you a greener lawn.

- No more guesswork . . . apply the right product at the right time for a thick, green, weed-free lawn.
- Its easy for you to have a better lawn.
- Save Money

Why even consider a lawn care service? Scotts Lawn Pro® Annual Program will give you a beautiful lawn for about one-third the cost.

- Scotts/our best annual/value program
- Simple and easy

No more guesswork. You simply apply the right product – one Step at a time.

- Start anytime . . . just check the month below and apply products at 2 month intervals
- Start anytime

You can begin the Annual Program anytime of the year. Just check the month and select the appropriate Step listed. Apply the remaining Steps at two-month intervals. If weeds or bugs are not a problem, apply Step 4 Lawn Fertilizer.

• Start the program at any time

#### OTHER GREAT TURF BUILDER® PRODUCTS FOR YOUR LAWN.

If weeds are a problem, use Turf Builder Plus 2®, weed and feed. This product clears out dandelions and over 50 other broadleaf weeds while providing your lawn with a safe, uniform feeding of fertilizer.

If you don't have weed problems, use Turf Builder®, lawn fertilizer. Turf Builder® promotes quick, deep greening without the danger of burning.

These great Turf Builder® products are developed specifically by Scotts for the unique needs of your lawn – your satisfaction is unconditionally guaranteed.

Turf Builder Plus 2® Fertilizer plus Broadleaf Weed Control (Crabgrass Preventer) Turf Builder® Fertilizer

#### **Advantages**

- Safe feeding won't burn when applied as directed
- Quick greening usually in 4 to 6 days
- Long lasting feeds up to 2 months
- Dependable traditional Scotts quality
- Prevents 9 weeds:

Gra	ssy Weeds	Broadleaf Weeds
barnyardgrass	fall panicum	chickweed
crabgrass, large	foxtail	oxalis (yellow woodsorrel)
crabgrass, smooth	Poa annua	spurge (prostrate)

#### What to Expect

Crabgrass will be prevented all summer and your lawn will be greener in one week (4-6 days).

Stops crabgrass and other weeds before they sprout and helps make your lawn its thickest, greenest ever.

What to expect: Crabgrass will be prevented all summer and your lawn will be greener in 4 to 6 days. 538-190.20100603.REV.AMEND

Turf Builder plus Halts® for Lawns (Crabgrass Preventer) prevents crabgrass, foxtail, spurge, barnyardgrass, fall panicum, and oxalis (common yellow woodsorrel) from sprouting and appearing above ground level. This product does not control dandelions or any other weeds (including crabgrass) that are already sprouted and growing. You can kill growing broadleaf weeds with Scotts Super Turf Builder Plus 2 weed control plus lawn fertilizer.

Super Turf Builder® lawn fertilizer contains extra nitrogen, carefully blended with potassium and phosphorus, to make your lawn greener.

- Your lawn will be greener in 4 to 6 days if weather conditions are good (warm soil, some moisture) and application instructions were followed.
- The greening will reach its peak 8 to 10 days after application. The color difference will be more noticeable if your lawn is hungry to begin with.
- Super Turf Builder works below the soil, too, helping to promote root and rhizome development; this
  strengthens the grass plants and enables them to produce more blades of grass, and it thickens the
  lawn with the addition of new grass plants.
- Thin areas of turf will fill in over time (about 6 weeks), creating a more uniformly dense lawn.

#### [OPTIONAL INFORMATION ON LAWN SIZING/APPLICATION SEASONS]

Coverage

Treats/covers (and fertilizes) up to XX,XXX sq. ft. (Treats/covers and feeds XX,XXX sq. ft.)

#### How much is enough?

To determine the square footage of your lawn, walk the length and width of your lawn; one average pace equals about 3 feet. Multiply the length of the lawn by the width of the lawn. This equals the area of your lawn in square feet. NOTE: If your lawn has an irregular shape, measure square areas, then add the figures together to reach your total lawn size.

## OPTIONAL CLAIMS SPECIFIC TO SCOTTS TECHNOLOGY

[The Scotts Advantage / Scotts Patented All-in-One Particle\*: Each of Scotts exclusive all-in-one particles contain the guaranteed feeding nutrients and the weed control ingredient to provide consistent feeding and weed control to every treated square inch of your lawn. The result: A thick, green weed-free lawn without burning. Guaranteed.

\*All-in-One Particles: nitrogen, potassium and the weed control contained in every particle.]

**Exclusive Particle Technology** 

The Scotts Difference™

Patented Particle™ Technology

Every particle of this product contains Scotts® patented timed-release nitrogen plus phosphorus, potassium, and weed control. (See back for details.)

The Scotts Difference™

Scotts patented (exclusive) Particle Technology is available only in Scotts® products, so don't be fooled by weed-and-feeds (or crabgrass preventers) claiming to be "just like Scotts".

Uniform proportions of the major nutrients – timed-release nitrogen, plus phosphorus and potassium – and weed control are bonded together in every Turf Builder Plus Halts for Lawns particle, so they are distributed evenly across the entire lawn, eliminating hit-or-miss feeding and weeding. And the timed-release nitrogen feeds your lawn safely, without burning, and steadily for up to 2 months. Because of Scotts exclusive timed-release nitrogen, you won't get the rapid surge growth With regular mowing, you will have fewer clippings and may not even have to bag your clippings.

With Scotts Turf Builder Plus Halts for Lawns, you can be assured that every particle contains timed-release nitrogen, plus the other primary nutrients and weed control.

SCOTTS TECHNOLOGY
<ul> <li>Ultra Turf Builder Plus Halts for Lawns granules are consistent in composition.</li> <li>Result: consistent distribution of nutrients and crabgrass preventer.</li> </ul>

 SCOTTS TECHNOLOGY
Ultra Turf Builder Plus Halts for Lawns delivers the same ratio of primary nutrients plus crabgrass preventer to every treated square inch of turf.
<ul> <li>Result: consistent greening plus [better] crabgrass prevention.</li> </ul>

#### -OR-

[Experience] [Get] The Scotts Advantage™: Feeds Your Lawn and Stops Crabgrass Before It Starts! Every Scotts particle contains plant nutrients and the prevention ingredient. Scotts All-in-One particles™ feed and prevent crabgrass [and other grassy weeds] from sprouting all season long [for up to 4 months].

Note to PM:

Bold, italicized text is information in the label.

Bracketed information is optional.] Text separated by / denotes and/or options.



All-in-One = nitrogen, phosphorus, potassium and the crabgrass prevention ingredient contained in every particle.

- Turf Builder Plus Halts for Lawns
- Each All-in-One\* particle contains nutrients and the crabgrass prevention ingredient
- Evenly dispersed particles provide [better] crabgrass prevention and more consistent feeding

Turf Builder Plus Halts for Lawns
Turf Builder Plus Halts for Lawns particles deliver
the same ratio of nitrogen, phosphorus, potassium
and weed preventer in every treated square inch of
turf for even, consistent feeding plus [better]
crabgrass prevention.

Poly-S™ Technology

Scotts® Slow-release polymer-encapsulated nitrogen fertilizer – for uniform growth with extended feeding.

Advantages of Turf Builder plus Halts® for Lawns

#### QUALITY

TURF BUILDER PLUS HALTS® for LAWNS Our small, uniform granules cover your lawn completely to stop these weeds before they start. All this means that Turf Builder plus Halts® gives your lawn the best season-long crabgrass and foxtail prevention

SCOTTS TRIONIZED® II FORMULA PROVIDES A MORE EFFICIENT NITROGEN THAN EVER BEFORE to help promote quicker greening.

TURF BUILDER PLUS HALTS® WON'T BURN YOUR LAWN. The nitrogen in the Trionized® II formula is buffered. This means Turf Builder plus Halts® for Lawns greens your lawn without the danger of burning.

PART OF THE NITROGEN IN TURF BUILDER PLUS HALTS® for LAWNS IS TIMED-RELEASE to provide a supply of this essential nutrient to help your lawn stay thick and green for up to 6 to 8 weeks.

EACH TURF BUILDER PLUS HALTS® for LAWNS GRANULE CONTAINS THE THREE MAJOR NUTRIENTS AND CRABGRASS PREVENTER. We bond Scotts unique controlled-release nitrogen with other essential nutrients and a unique crabgrass preventer so your lawn receives a safe, uniform feeding and highly effective crabgrass, foxtail and spurge preventer.

prevention.

TURF BUILDER PLUS HALTS® for LAWNS	
<ul> <li>Every granule contains nitrogen, phosphorous, potassium and crabgrass preventer.</li> </ul>	
<ul> <li>Provides safe, even greening with uniform crabgrass prevention.</li> </ul>	
OR	•
Scotts Technology: Turf Builder® plus Halts for Lawns granules are consistent in composition.	
Result: consistent distribution of nutrients and crabgrass preventer. Turf Builder with Halts delivers the same ratio of nutrients plus crabgrass preventer to every treated square inch of turf.  Result: consistent greening plus [better] crabgrass	

#### The Scotts Advantage™:

Unlike most crabgrass prevention products, every Scotts particle contains plant nutrients and the prevention ingredient. Scotts all-in-one\* particles<sup>™</sup> feed and prevent crabgrass [and other grassy weeds] from sprouting all season long [for up to 4 months.]

 Each all-in-one particle contains nutrients and the crabgrass prevention ingredient

ART (Scotts)

 Nutrients and the crabgrass prevention ingredient often in separate particles

 Evenly dispersed particles provide [better] crabgrass prevention and more consistent feeding

ART (others)

 Particles can separate during application, resulting in inconsistent crabgrass prevention and feeding

\*All-in-one = nitrogen, phosphorous, potassium and the crabgrass prevention ingredient contained in every particle

XXXXX

#### [OPTIONAL GUSSET]

Scotts®
Turf Builder Plus Halts®
for Lawns (Crabgrass Preventer)
crabgrass preventer plus fertilizer

SCOTTS POLICY No-Quibble Guarantee See back for details

Treats/covers (and fertilizes) up to XX,XXX sq. ft. (Treats/covers and feeds XX,XXX sq. ft.)

Stops crabgrass and other weeds before they sprout and helps make your lawn its thickest, greenest ever.

Stops crabgrass and other weeds before they sprout and fertilizes your lawn.

Prevents weeds and fertilizes your lawn.

#### [OPTIONAL GUSSET]

PULL TAB	TB+H XXXXX
and remove for	5-6M
pour spout	PROOF OF
	PURCHASE

Easy Open PULL HERE

**CUT HERE TO OPEN** 

TURF BUILDER PLUS HALTS® FOR LAWNS crabgrass preventer plus fertilizer

(Weed-and-Feed)

#### [OPTIONAL CLAIMS and INFORMATION]

"Lawn Success Made Easy"

Your Do-It-Yourself Lawn Care Headquarters

Scotts Lawn Pro retailers can provide you with do-it-yourself expertise and products to have a beautiful lawn simply and easily . . . for less money than hiring a lawn service. That's why we call them lawn pros!

QUESTIONS? [Questions/Information]
Questions/Comments/[Medical] Information 1-800-543-8873

Lawn Questions?

 If you have questions you can talk directly with a Scotts Lawn Counselor. Simply call the toll-free number: 1-800-543-TURF [Scotts Toll-Free Consumer Helpline (1-800-543-TURF)] [Open 8:00 AM to 5:00 PM EST]

Warranty/Guarantee Information

#### **Scotts Policy**

[No-Quibble Guarantee® ◆ Scotts No-Quibble Guarantee]

If for any reason you, [ the consumer,] are not satisfied [with results] after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

Scotts . . . the lawn people Marysville, Ohio 43041

Dedicated to a Beautiful World™ Trusted by generations of homeowners [gardeners], Scotts® [Miracle-Gro®] is dedicated to helping you enhance and protect the beauty of your home environment.

Are you proud of your lawn?

If you have a lawn success story using Scotts products, we'd like to hear about it. Write to Scotts Consumer Service, 14111 Scottslawn Road, Marysville, Ohio 43041. Photos are welcome.

Get Expert Advice For Your Lawn NOW! Want information on what to use and when? Sign up today to get free expert advice specifically for your lawn.

Contact the experts at scotts.com

Visit Scotts.com or call 1-800-543-TURF (8873)

[icon - computer mouse] Visit our/Scotts's website www.scotts.com

[icon - phone] Consumer Helpline 1-800-543-TURF (8873)

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

US Patent No. X,XXX,XXX patent information will be added to FPL

538-190.20100603.REV.AMEND

EPA Reg. No. 538-190

-

Bold, italicized text is information i, ue reader and is not part of the label. [Bracketed information is optional.] Text separated by / denotes and/or options.

This container is made with a minimum of X% recycled material.

20XX Licensed by The Scotts Company[, LLC]. World rights reserved.

Made in/Product of USA.

[Manufactured/distributed/sold/guaranteed by -or- for:] The Scotts Company 14111 Scottslawn Rd. Marysville, OH 43041