c. The appropriate signal word is Caution.

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Your Confidential statement does not indicate an EPA Registration number for the active ingredient. Based on the other applications we will use 241-245, which has a label claim of 90% pendimethalin; however, if this is not a correct assumption please clarify.

Product Manager (25)

Fungicide-Herbicide Branch

Registration Division (TS-767C)

FRONT:

1985 PACKAGE COPY FOR HALTS (S-1280) XXXXX 03/08/84 JF 04/10/84 JF 03/22/84 JF 03/26/84 JF

(Scotts) Halts

prevents crabgrass

(NOTE: The description will be inverted.)

XXXXX


Treats 5,000 sq ft (465 m<sup>2</sup>)

(Scotts(R))

Halts(R) BRAND

crabgrass preventer

stops crabgrass, foxtail, spurge and 6 other problem weeds before they start-see timing on other side.



NET WEIGHT 10 1/16 LBS (4.36 kg)

LEFT COLUMN

BEST DOCUMENT AVAILABLE

KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation.

Avoid contact with eyes, skin, or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Wash after handling. May be harmful if swallowed. Avoid inhalation. Do not contaminate feed or foodstuffs. Do not graze treated areas. Do not feed clippings to livestock.

<u>Environmental Hazards</u>: This product is toxic to fish. Do not apply directly to any body of water. Apply this product only as specified on the label. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

**PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

## FRONT CONTINUED:

RIGHT COLUMN

ACTIVE INGREDIENT: Pendimethalin, N-(1-Ethylpropyl)-3,4-dimethyl-			
2,6-dinitrobenzenamine			
INERT INGREDIENTS:			
-n. n. M. F66 MV			100.00%
EPA Reg No 538-XX Product of USA	EPA	LSt !	538-0H-1
The O M Scott & Sons Company Marysville, Ohio 43041			
(c) 1985, The O M Scott & Sons Company. All rights reserved.	•		

2

XXXXX

(Scotts) Halts

prevents crabgrass

BEST DOCUMENT AVAILABLE

RIGHT GUSSET:

XXXXX

(Scotts)

**Halts** 

prevents crabgrass

538-192

LEFT GUSSET

(Scotts)

Halts

prevents crabgrass XXXXX

BEST DOCUMENT AVAILABLE

(Scotts) Halts

prevents crabgrass

XXXXX Halts XX EASY OPEN BAG PULL WHITE TAPE

(NOTE: The description will be inverted.)

XXXXX

Treats 5,000 sq ft (465 m<sup>2</sup>)

(Scotts(R))

Halts(R) BRAND crabgrass preventer

stops crabgrass, foxtail, spurge and 6 other problem weeds before they start--see below.

Directions for use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

LEFT COLUMN

DO apply when lawn is dry.

DO apply, to prevent germination of crabgrass, foxtail, spurge, barnyardgrass, fall panicum, goosegrass\*, oxalis:

. before March 1 in southern California. For best results on thin lawns apply by mid-February.

. before mid-March in northern California.

. early Spring (up to time dandelions are in puffball stage) in all other states.

\* for goosegrass control, repeat application in 8 weeks.

Rain, snow or freezing weather after application will not affect the performance of this product.

DO apply in August or September to prevent germination of <u>Poa annua</u> and chickweed.

DO apply at

Scotts Spreader Setting PF EasyGreen TM Drop\* Rotary

<sup>\*</sup>also Automatic and Standard models

## BACK CONTINUED:

DO overlap PF or other drop spreader wheel tracks to avoid missed streaks.

RIGHT COLUMN

DON'T use this product on dichondra or bentgrass lawns.

DON'T use this product to control dandelions or any other weeds already sprouted and actively growing. Scotts Summer Crabgrass Control (R) is recommended to control actively growing crabgrass.

DON'T use on newly seeded grass lawns <u>until</u> after the fourth mowing. On newly sprigged areas, wait 5 months before application.

DON'T plant grass seed for four growing months after use of this product.

DON'T apply more frequently than twice yearly. Allow at least a 4 month interval between applications (except for goosegrass control).

DON'T rake or aerify after application, as the Halts(R) chemical barrier in the soil will be disturbed.

NOTE: Do not apply material to cement stone, clothing or shoes. If contact occurs, brush off particles to prevent staining. If necessary, rinse off with water.

XXXXX

## Scotts Policy No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

0 (UPC)
32247 XXXXX

SCOTTS...the lawn people Marysville, Ohio 43041

XXXXX

(Scotts)

Halts

prevents crabgrass