

Acq. # 538-194 Job # 1067 Pma

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO. 538-194	DATE OF ISSUANCE March 27, 1985
	TERM OF ISSUANCE Conditional	
	NAME OF PESTICIDE PRODUCT Ureapril Fertilizer Plus Phosphoric Acid 40%	

NOTICE OF PESTICIDE:  REGISTRATION  
 REREGISTRATION

(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

160 125 186  
18 1

C. M. Scott & Sons Company  
 Marysville, OH 43041

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA Sec. 3(c)(7) provided that you:

1. you will make the following labeling changes before you release the product for shipment:
  - a. Add the phrase, "EPA Registration No. 538-194."
  - b. Under the ingredient statement, the correct chemical nomenclature is Thiophanate-Methyl, [Dimethyl(1,2-phenylene)bis(iminocarbonylthioyl)bis(carbamate)].
  - c. Clarify the pest claim "leaf spot" by parenthetically adding the genera intended to be controlled or change claim to "leaf spots" if all economically important leaf spot diseases are intended to be controlled.
  - d. Add the statement "Do not adjust rates of application in order to meet fertilizer requirements for your soil."
  - e. The proposed label must contain dosage rates for the proposed use as well as suggested spreader settings for these rates.
  - f. Under directions for use, change "precautions" to "Rate to Use".

**BEST AVAILABLE COPY**

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL: *Henry M. Dandy* DATE: 3/27/85

2. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

  
Henry M. Jacoby  
Product Manager 21  
Fungicide-Herbicide Branch  
Registration Division (TS-767C)

FRONT:

FERTILIZER PLUS  
FUNGICIDE VIII #XXXX  
(S-1194)  
05/07/84 RF  
05/16/84 R  
06/07/84 R  
06/11/84 R  
06/21/84 RF

(Scotts(R))  
ProTurf(R)  
BRAND

23-3-3  
Fertilizer Plus  
Fungicide VIII

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

MAR 27 1985

- . Broad Spectrum Fungicide
  - . Controlled release Nitrogen
- Net Weight 33 1/2 lbs (15.20 kg)

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
538-194

KEEP OUT OF REACH OF CHILDREN  
CAUTION  
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Do not get in eyes, on skin, or on clothing. In case of contact immediately wash eyes or skin with plenty of water. Get medical attention if irritation persists. May be harmful if swallowed or absorbed through skin. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

Environmental Hazards: Do not apply directly to water.

ACTIVE INGREDIENTS:

Thiophanate-methyl, Dimethyl 4,4'-o-phenylenebis [3-thioallophanate] . . . . .	1.75%
Iprodione, 3-(3,5-Dichlorophenyl)-N-(1-methylethyl) -2,4-dioxo-1-imidazolidinecarboxamide. . . . .	0.83%
INERT INGREDIENTS: . . . . .	97.38%
	Total 100.00%

EPA Reg No 538-XX

EPA Est 538-OH-1

FRONT CONTINUED:

Fertilizer Plus Fungicide VIII

23-3-3

Guaranteed Analysis

Total nitrogen (N) . . . . .	23%
0.6% ammoniacal nitrogen	
14.7% urea, methylene ureas nitrogen	
7.7% water insoluble nitrogen	
Available phosphoric acid (P <sub>2</sub> O <sub>5</sub> ) . . . . .	3%
Soluble potash (K <sub>2</sub> O) . . . . .	3%
Derived from monoammonium phosphate, urea, methylene ureas and muriate of potash.	
Chlorine, not more than . . . . .	2.60%

Product of USA

ProTurf Division, The O M Scott & Sons Company  
Marysville, Ohio 43041

(c) 1985. The O M Scott & Sons Company. All rights reserved.

---

Recommended for Use by Professionals

---

XXXXX

23-3-3  
Fertilizer Plus  
Fungicide VIII

**GUSSET:**

**RIGHT GUSSET**

**XXXXX**

**(Scotts(R))  
ProTurf(R)  
BRAND**

**23-3-3  
Fertilizer Plus  
Fungicide VIII**

**LEFT GUSSET**

**Scotts(R)  
ProTurf(R)  
BRAND**

**23-3-3  
Fertilizer Plus  
fungicide VIII**

**XXXXX**

BACK:

23-3-3  
Fertilizer Plus  
Fungicide VIII

XXXXX

(Scotts<sup>(R)</sup>)  
ProTurf<sup>(R)</sup>  
BRAND

23-3-3  
Fertilizer Plus  
Fungicide VIII

#### Directions for use

---

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For use on fairways, tees and putting greens consisting of bentgrass, bluegrass, Poa annua, bermudagrass, ryegrass, fine fescue or tall fescue or mixtures where these grasses predominate.

Controls these diseases while fertilizing the turfgrass:

Dollar spot  
Brown patch  
Fusarium (Gerlachia) patch\*  
Leaf spot  
Red leaf spot

\*Washington, Oregon and California only

Apply to moist or dry foliage. To avoid product pickup, lightly irrigate treated areas soon after application.

For prevention or control of dollar spot, leaf spot, red leaf spot, Fusarium patch (in Washington, Oregon and California) and brown patch (light to moderate activity), apply at the RECOMMENDED RATE when disease activity is expected or noted. Repeat at two to three week intervals to prevent disease through the season.

To control severe leaf spot, dollar spot and red leaf spot, apply at the DOUBLE RATE every 10-14 days until the disease is brought under control, then revert back to the preventive schedule.

To control severe brown patch infestations, use a non-fertilizer fungicide such as ProTurf Systemic Fungicide, ProTurf Fungicide VI, or ProTurf Fungicide 7 to limit the amount of fertilizer applied. Follow with the recommended rate of either product once the disease is controlled.

**BACK CONTINUED:**

**Precautions**

On short cut bentgrass (less than 3/4 inch) apply only to dry foliage when temperatures are above 80° f.

Do not expose product to atmospheric moisture. For example, after application fold down and seal top of bag. This is particularly important under humid conditions.

Use only in clean, dry hopper. Do not leave product in hopper after application.

**Storage and Disposal**

**STORAGE:** Store in a clean, dry place. Reseal opened bag by folding top down and securing.

**PESTICIDE DISPOSAL:** Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**Suggested Spreader Settings**  
to provide proper distribution calibrate spreader before application

04780