

10F7

P.M.O.S.

538-199

FRONT


Rev. 01/08/85 ASH

Rev. 02/15/85 VS

Rev. 02/18/85 VS

(BURST)  
Revolutionary Advanced  
Lawn Care Product!

XXXXX




Scotts Policy  
No Quibble  
Guarantee  
See back for details


**SCOTTS (R)  
TURF MANAGER**  
for St. Augustinegrass

Lawn Fertilizer plus Growth Regulator

Reduces mowing by up to 50% while helping  
to maintain a green lawn.




**Fertilizer only**  
(4 weeks after application)



**SCOTTS TURF MANAGER**  
(4 weeks after application)

- o Helps reduce summer surge growth  
by up to 50%
- o Helps maintain a green lawn

See back to learn how Scotts Turf Manager can  
change the way you care for your lawn



FRONT CONTINUED:

Net Weight 361 9/32 LBS (163.88 kg)

31-3-9

LEFT COLUMN

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. If in eyes: Flush with plenty of water. Get medical attention if irritation persists. Harmful if swallowed. Do not contaminate feed or foodstuffs. Do not contaminate water used for irrigation or domestic purposes. Do not graze treated areas. Do not feed clippings to livestock. Keep children and pets of treated areas until material is washed into soil. Do not use clippings to mulch flower beds or vegetable gardens.

Environmental Hazards: Do not apply directly to lakes, streams, or ponds. Do not apply to steep slopes or when weather conditions favor drift or runoff from target areas.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.


PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

ACTIVE INGREDIENT:

Paclobutrazol: (2RS, 3RS)-1-(4-chlorophenyl)  
-4,4-dimethyl-2-(1,2,4-triazol-1-yl)-pentan-3-ol . . . . . 0.018%

INERT INGREDIENTS: . . . . . 99.982%  
Total 100.000%



FRONT CONTINUED

RIGHT COLUMN

EPA Reg. No. 538-XX  
SCOTTS TURF MANAGER  
for St. Augustinegrass

EPA Est 538-OH-1

31-3-9

Guaranteed Analysis

Total nitrogen (N) . . . . . 31%  
 0.7% ammoniacal nitrogen  
 23.5% urea, methylene ureas nitrogen  
 6.8% water insoluble nitrogen  
 Available phosphoric acid (P<sub>2</sub>O<sub>5</sub>) . . . . . 3%  
 Soluble potash (K<sub>2</sub>O) . . . . . 9%


Derived from: monoammonium phosphate, urea, methylene ureas,  
potassium sulfate.

U.S. Pat. No's: 3,705,794 and 3,989,470

Product of USA

The O M Scott & Sons Company  
Marysville, Ohio 43041

(c) 1985, The O M Scott & Sons Company. All rights reserved.



BACK

SCOTTS (R)  
TURF MANAGER  
for St. Augustinegrass

Lawn Fertilizer plus Growth Regulator

How Scotts Turf Manager can change the way you care for your lawn . . . .

What is Scotts Turf Manager?

SCOTTS TURF MANAGER is the result of many years of turfgrass research by a team of Scotts scientists that answers the question: "How can I reduce the work associated with having a vigorously growing, green St. Augustinegrass lawn.?"

How does Scotts Turf Manager work?


Scotts Turf Manager helps the grass plant regulate the production of the growth substances to reduce the amount of vertical growth while maintaining a green lawn.

Does this mean I won't have to mow?

No, but you should be able to reduce mowing by up to 50% and even when you do mow to give your lawn that manicured look, there will be considerably less grass clippings.

When should I apply Scotts Turf Manager?

You can use Scotts Turf Manager anytime St. Augustinegrass is actively growing and fully recovered from Winter Dormancy (when mowings are required on a regular basis). One repeat application can be made 8 weeks after the first application, but applications should not be made when cooler fall temperatures approach and turf growth begins to slow down.



5011

BACK CONTINUED

What if I have weeds?

Scotts Turf Manager will not prevent or remove weeds from your lawn. A truly weedy lawn is the sign of a weak, thin lawn that will be better off receiving Turf Builder + Halts in early Spring and Bonus S six weeks later. Feed it again in the Fall with Turf Builder (or apply Scotts 4-STEP Annual Lawn Program). Next Spring your improved lawn will be ready for Scotts Turf Manager.

What if I need to seed?

Scotts Turf Manager is not for thin lawns. A sparse, thin lawn should receive Scotts Grass Seed and an application of Starter Fertilizer. Feed it with Turf Builder 4 to 6 weeks after seeding. Then when you have a thicker lawn it will be ready for Scotts Turf Manager in Spring or Fall. If you only have a few barespots, they may be seeded one month after applying Scotts Turf Manager.

More questions?

We've answered your most obvious questions about this advanced lawn care product. If you want to get further answers regarding this revolutionary way to care for your lawn, talk directly with one of Scotts Lawn Counselors by simply dialing this toll free number 1-800-543-TURF (in Ohio 1-800-762-4010).

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

BACK CONTINUED

APPLICATION


- o If you've recently applied a lawn product to your lawn, wait at least 2 weeks before applying this product.
- o Spring/Fall: Apply to dry foliage at the Spring/Fall Rate when the grass is growing moderately (generally prior to Memorial Day and after Labor Day.
- o Summer: Apply to dry foliage at the Summer Rate when your grass is growing most actively.
- o It is best to water after application if rainfall does not occur within 3 to 5 days. Continue to provide adequate water during periods of extended dry weather.
- o Mow the lawn one week after application. The slowed growth and improved greening will then become visible over the next several weeks.
- o Do not apply to lawns of northern grasses, tall fescue, zoysiagrass, and bermudagrass or to vegetable plants, fruit trees, flowers or shrubs.
- o For best results, get uniform application by using the appropriate Scotts spreader setting and referring to "Tips on Spreading."

	<u>Scotts Drop Spreader</u>	<u>Scotts Easy Green <sup>TM</sup> Rotary</u>
Spring/Fall Rate (Treats 7,500 sq ft)	XX	XX
Summer Rate (Treats 5,000 sq ft)	XX	XX

SEEDING/SODDING

On a newly sodded lawn, delay application until the grass has rooted firmly.

Delay sprigging for at least one month after an application has been made.



BACK CONTINUED

TIPS ON SPREADING WITH SCOTTS SPREADERS

Scotts Drop:

- Mow lawn first if grass is tall enough to touch the bottom of spreader
- Operate spreader the longest way of the lawn
- Overlap wheels to insure uniform application
- Shut off spreader at all turns and stops

(MODIFIED  
ILLUS. WITHOUT  
HEADER STRIPS)

(MODIFIED  
ILLUS. WITHOUT  
HEADER STRIPS)

EasyGreen™ Rotary:

- Slide shut-off lever to the right. Application automatically starts and stops when you do.
- Avoid misses by making each pass about 30 inches from the previous one so some overlapping occurs.
- Apply on a calm day.

XXXXX

Scotts Policy  
No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.  
Scotts ... the lawn people of ITT  
Marysville, Ohio 43041

\_\_\_\_\_  
0 (UPC)  
\_\_\_\_\_  
32247 XXXXX

SATISFACTION GUARANTEED BY SCOTTS

(NOTE: The description below will be inverted.)

XXXXX

(Scotts (R) ) Turf Manager