(S-1424T)<sup>\*</sup>GROWTH MANAGER PLUS FERTILIZER FOR ST. AUCUSTINE 39511 08/08/85 AR 03/27/86 AR 09/12/85 AR 05/19/86 AR 02/11/86 AR 06/06/86 AR 03/05/86 AR 06/10/86 AR

٦



## FRONT

	Treats 5 SCOTIS POLICY No Quibble Guarantee SEE BACK FOR DETAILS	,000 sq ft (465m <sup>2</sup> )
	рното	
	ACCEPTED JUL 2 4 1986	
     Scotts <sub>(R)</sub>	Under the Sederal Insecticity. Fungiando, and Rodonticado Act. as amended, for the posticido registered under, 8-199 EPA Reg. No. 598-199	Less Work Up to 50% . LESS MOWING

NE GROWTH MANAGERTM For St Augustinegrass

Lawn Growth Regulator plus Firtilizer

·····

. .

. : .

Net Weight 4 5/8 LBS (2.10 kg)

LEFT COLUMN:

KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTIONARY STATEMENTS

<u>Hazards to Humans and Domestic Animals</u>: CAUTION, causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. <u>If in eyes</u>: Flush with plenty of water. Get medical attention if irritation persists. Harmful if swallowed. Do not contaminate feed or foodstuffs. Do not contaminate water used for irrigation or domestic purposes. Do not graze treated areas. Do not feed clippings to livestock. Do not use clippings to mulch around trees, shrubs, flower beds or vegetable gardens. Keep children and pets off treated areas until material is washed into soil.

<u>Environmental Hazards</u>: Do not apply directly to lakes, streams, ponds or wetlands. Do not apply to steep slopes or when weather conditions favor drift or runoff from target areas.

STORAGE: Store in a clean, dry place. Reseal inner bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Discard container in trash.

ACTIVE INGREDIENT: Paclobutrazol $(\underline{+})-(\underline{R}^*,\underline{R}^*)-\beta-[(4-chlorophenyl)methyl]-\partial-(1,1-dimethylethyl)-1H-1,2,4-triazole-1-ethanol$	3%
INERT INGREDIENTS:	22

RIGHT COLUMN:

EPA Reg. No. 538-199	EPA Est 538-OH-1
SCOITS GROWTH MANAGER for St. Augustinegrass	29-3-3
	6431152

Guaranteed Analysis

To <u>t</u> al nitrogen (N)	. 29%		
Ω.7% ammoniacal nitrogen			
22.1% urea, methylene ureas nitrogen			
6.2% water insoluble nitrogen			
Available phosphoric acid (P <sub>2</sub> O <sub>5</sub> )	. 3%		. •
Soluble potash ( $K_2O$ )	. 3%		••••
Derived from: monoammonium phosphate, urea, methylene ureas,		•	•
potassium sulfate.			
U.S. Pat. No. 3,705,794; 3,989,470	Product	of USA	۴

The O M Scott & Sons Company Marysville, Ohio 43041

BEST AVAILABLE COPY

per 21

29-3-3

GMSA 39511 5M PROOF OF PURCHASE (Scotts) 31,21

SCOTTS(<sub>R</sub>)

GROWTH MANAGER For St. Augustinegrass

#### Lawn Growth Regulator plus Fertilizer

How will this product reduce summertime mowing?

Left Column

Scotts Growth Manager is the result of many years of turfgrass research in Florid<sup>+</sup>, Texas and other areas by a team of Scotts scientists. It was developed to answer the question: "How can I reduce the summertime mowing chore associated with having a beautiful St. Augustinegrass lawn?"

Does this mean 1 won't have to mow?

No, but with an early summer application, you should be able to skip up to half your mowings over the summer.

Center Column:

Up to 50% less mowing Here's an example of what you might expect, based on our testing:

Wilh Growth Manager applied in early summer

6 to 8 mowings

Fertilizer only applied in early summer

-----

12 mowings

Note: You may make one reapplication of Growth Manager when your lawn starts to require weekly mowings.

Right Column:

Less clippings each time you mow When you do mow, it will be easier to push your mower because there will be fewer grass clippings.

РНОТО

With Growth Manager

Fertilizer Only

BEST AVAILABLE COPY

#### Scotts Policy No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly. Scotts...the lawn people Marysville, Ohio 430-.

#### BACK CONTINUED:

How Does It Work?

[ ]	Photo	l
Treated	Untreated	
   	Upright growth is slowed, without harming the plant	     

#### Left Column:

The St. Augustinegrass plants in your lawn naturally produce growth hormones that encourage undesirable rapid leaf growth during hot, rainy summer weather. Growth Manager regulates these hormones, without harming the plant, so that upward growth is slowed. Your lawn will appear to be growing in "slow motion".

#### <u>Center Column:</u>

Why does Growth Manager contain fertilizer?

Growth Manager contains a 29-3-3 fertilizer applied at a "light rate" compared with Scotts Turf Builder(R) or Bonus S(R). It may seem contradictory that fertilizer, which helps your St. Augustinegrass grow, is combined with the growth regulator ingredient. Our research testing has proven that the growth regulator works more effectively in combination with fertilizer. The fertilizer also provides essential nutrients your lawn needs during the summer to keep it green and healthy looking.

#### Right Column:

More questions?

We've answered the most obvious questions about this advanced lawn care product. If you want to get further information, talk directly with one of Scotts Lawn Counselors by simply dialing this toll free number: 1-800-543-TURF

(c) 1986, The O M Scott & Sons Company. All rights reserved.

## BEST AVAILABLE COPY

•=

2-12

#### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

#### APPLICATION

- Growth Manager should be your second application of the year following a spring application of Bonus  $S_{(R)}$  or Turf Builder<sub>(R)</sub>.
- Apply to dry foliage anytime between Memorial Day and Labor Day when the grass is actively growing and has filled in fully from any winter damage.
- Water after application (to carry the growth regulator ingredient to the roots).
- Continue to provide adequate water during periods of extended dry weather to keep your lawn from becoming stressed.
- Mow the lawn about one week after application. The slowed growth and improved greening will then become visible over the next several weeks. The slowed growth will be noticeable for up to eight weeks and the improved greening for up to 12 weeks. You may reapply Growth Manager once, if desired, (up until Labor Day) when your lawn requires weekly mowings.
- Do not apply to lawns of zoysiagrass, bahiagrass, bermudagrass, centipede and mixed lawns of St. Augustinegrass/bermudagrass, since Growth Manager will not be effective in regulating the growth of these grasses.
- Do not apply around vegetable plants, fruit trees, flowers or shrubs.
  However, application to St. Augustinegrass under the drip zone will not harm trees.
- For best results, you will get uniform application by using the appropriate Scott spreader setting and referring to "Tips on Spreading" on left side of package.

	Scotts	Scotts		
	Drop	EasyGree	ntm	
	Spreader	Rotary		
Application Rate	4 1/4	2 <u>5</u> 1/2		
Directions Co	ntique on other side			
Directions Co	and other side			
SCOTTS(R)	NC GROWTH MANAGER			
For `St	. Augustinegrass		•	•••••
Lawn Growth	Regulator plus Fertiliz	er	• •	• • • • • • • • • • • •
Less Work			•	•
Up to 50%				
Less Mowing				
	BEST AV	AILABLE C	OPY ]	
		CONTRACTOR OF THE OWNER	Norman	

#### DIRECTIONS (continued)

#### SPRIGGING/SODDING

On a newly sodded lawn, delay application until the grass has rooted firmly. On a recently sprigged lawn, delay application until the lawn has completely filled in.

Delay sprigging/sodding for at least one month after an application has been made.

#### TIPS ON SPREADING WITH SCOTTS SPREADER

Scotts Drop:

- Mow lawn first if grass is tall enough to touch the bottom of spreader
- Operate spreader the longest way of the lawn (MODIFIED ILLUS, WITHOUT HEADER STRIPS)
- Overlap wheels to insure uniform application
- Shut off spreader at all turns or stops

(MODIFIED ILLUS. WITHOUT HEADER STRIPS)


## EasyGreen<sup>TM</sup> Rotary:

- Slide shut-off lever to the right. Application automatically starts and stops when you do.
- Avoid misses by making each pass about 30 inches from the previous one so some overlapping occurs.
- Apply on a calm day.

SCOTTS(R) GROWTH MANAGER For St. Augustinegrass

## Lawn Growth Regulator plus Fertilizer

Less Work Up to 50% Less Mowing



÷

SCOTTS <sub>(R)</sub>	Easy to Open
For St. Augustinegrass	Just Pull Tab on Side
(Handle)	
Lawn Growth Regulator plus Fertilizer	Price Circle

Treats 5,000 sq ft

BOTTOM

•

0 (UPC) 32247 39511

> 1 . . . . 4 . . . . 4 . . . . 4 . . . . . . . . . . . . . . . . .

	(S-14251)' GROWTH MANAGER
•	PLUS FERTILIZER FOR
	ST. AUGUSTINE 39511
	08/08/85 AR 03/27/86 AR
•	09/12/85 AR 05/19/86 AR
	02/11/86 AR 06/06/86 AR
	03/05/86 AR 06/10/86 AR
FRONT	SCOTTS POLICY No Quibble Guarantee SEE BACK FOR DETA 31
!	() (5m <sup>2</sup> )
1	SCOITS POLICY
	No Quibble
	Guarantee 3
	SEE BACK FOR DETA 31
	PHOTO ACCEPTED
	PROTO
	JUL 2 4 1986
	Under the and stat Insociation,
	Fungi ide, and Redenticide Act
	as one jed, for the pesticide
	EPA Reg. No. 578-199
	Less Work
	Up to 50% (
Scotts(R)	LESS MOWING
1	1

Cot 1

A GROWTH MANAGER<sub>TM</sub> For St Augustinegrass

Lawn Growth Regulator plus Fertilizer

## FRONT CONTINUED:

Net Weight 361 9/32 LBS (163.88 kg)

LEFT COLUMN:

**KEEP OUT OF REACH OF CHILDREN** CAUTION PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. If in eyes: Flush with plenty of water. Get medical attention if irritation persists. Harmful if swallowed. Do not contaminate feed or foodstuffs. Do not contaminate water used for irrigation or domestic purposes. Do not graze treated areas. Do not feed clippings to livestock. Do not use clippings to mulch around trees, shrubs, flower beds or vegetable gardens. Keep children and pets off treated areas until material is washed into soil.

Environmental Hazards: Do not apply directly to lakes, streams, ponds or wetlands. Do not apply to steep slopes or when weather conditions favor drift or runoff from target areas.

STORAGE: Store in a clean, dry place. Reseal inner bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Discard container in trash.

ACTIVE INGREDIENT:	
Paclobutrazol (+)-( $\mathbb{R}^{*},\mathbb{R}^{*}$ )- $\beta$ -[(4-chlorophenyl)methyl]- $a$ -(1,1-	
dimethylethyl)-1H-1,2,4-triazole-1-ethanol	0.018%
INERT INGREDIENTS:	99.982%
	100.00%

RIG"T COLUMN:

EPA Reg <sub>c</sub> , No. 538-199	EPA Est 538-OH-1
SCOTTS <sup>J</sup> GROWTH MANAGER for St. Augustinegrass	31-3-9
	643-1152

#### Guaranteed Analysis

dual allocca linarjoro
Total nit <u>rog</u> en (N)
0.7% ammoniacal nitrogen
23.5% urea, methylene ureas nitrogen
6.8% water insoluble nitrogen
Available phosphoric acid $(P_2O_5)$
Soluble potash $(K_2O)$
Derived from: monoammonium phosphate, urea, methylene ureas, potassium sulfate.

U.S. Pat. No. 3,705,794; 3,989,470

The O M Scott & Sons Company Marysville, Ohio 43041

Product of USA

••••

-

31-3-9

 $|0_{\beta}|$  /

GMSA 39511 5M PROOF OF PURCHASE (Scotts)

BACK:

scotts(<sub>R</sub>)

GROWTH MANAGER For St. Augustinegrass

## Lawn Growth Regulator plus Fertilizer

How will this product reduce summertime mowing?

<u>Left Column</u>

Scotts Growth Manager is the result of many years of turfgrass research in Florida, Texas and other areas by a team of Scotts scientists. It was developed to answer the question: "How can I reduce the summertime mowing chore associated with having a beautiful St. Augustinegrass lawn?"

Does this mean I won't have to mow?

No, but with an early summer application, you should be able to skip up to half your mowings over the summer.

<u>Center Column:</u>

<u>Up to 50% less mowing</u> Here's an example of what you might expect, based on our testing:

With Growth Manager applied in early summer

6 to 8 mowings

Fertilizer only applied in early summer


12 mowings

Note: You may make one reapplication of Growth Manager when your\_lawn starts to require weekly mowings.

Right Column:

Less clippings each time you mow When you do mow, it will be easier to push your mower because there will be fewer grass clippings.

рното



With Growth Manager

Fertilizer Only

#### Scotts Policy No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly. Scotts...the lawn people Marysville, Ohio 43041

#### BACK CONTINUED:

#### How Does It Work?

1	1
I Treated Ur	ntreated   
Upright growth is slowed, without harming the plant	

#### Left Column:

The St. Augustinegrass plants in your lawn naturally produce growth hormones that encourage undesirable rapid leaf growth during hot, rainy summer weather. Growth Manager regulates these hormones, without harming the plant, so that upward growth is slowed. Your lawn will appear to be growing in "slow motion".

## Center Column:

ŧ

Why does Growth Manager contain fertilizer?

Growth Manager contains a 31-3-9 fertilizer applied at a "light rate" compared with Scotts Turf Builder(R) or Bonus S(R). It may seem contradictory that fertilizer, which helps your St. Augustinegrass grow, is combined with the growth regulator ingredient. Our research testing has proven that the growth regulator works more effectively in combination with fertilizer. The fertilizer also provides essential nutrients your lawn needs during the summer to keep it green and healthy looking.

#### Right Column:

More questions?

We've answered the most obvious questions about this advanced lawn care product. If you want to get further information, talk directly with one of Scotts Lawn Counselors by simply dialing this toll free number: 1-800-543. TURF.

(c) 1986, The O M Scott & Sons Company. All rights reserved.

. . .

BEST	AVAILABLE COPY	7

121121

•.•.



Treats 5,000 sq ft

Easy to Open Just Puli Tab on Side

> Price Circle

BOTTOM

0 (UPC)

32247 39511

<u>`</u>`

Pull Tab to Open

#### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

## APPL1CATION

- Growth Manager should be your second application of the year following a spring application of Bonus  $S_{(R)}$  or Turf Builder<sub>(R)</sub>.
- Apply to dry foliage anytime between Memorial Day and Labor Day when the grass is actively growing and has filled in fully from any winter damage.
- Water after application (to carry the growth regulator ingredient to the roots).
- Continue to provide adequate water during periods of extended dry weather to keep your lawn from becoming stressed.
- Mow the lawn about one week after application. The slowed growth and improved greening will then become visible over the next several weeks. The slowed growth will be noticeable for up to eight weeks and the improved greening for up to 12 weeks. You may reapply Growth Manager once, if desired, (up until Labor Day) when your lawn requires weekly mowings.
- Do not apply to lawns of zoysiagrass, bahiagrass, bermudagrass, centipede and mixed lawns of St. Augustinegrass/bermudagrass, since Growth Manager will not be effective in regulating the growth of these grasses.
- Do not apply around vegetable plants, fruit trees, flowers or shrubs.
  However, application to St. Augustinegrass under the drip zone will not harm trees.
- For best results, you will get uniform application by using the appropriate Scott spreader setting and referring to "Tips on Spreading" on left side of package.

Tere side of package.	Scotts Drop <u>Spreader</u>	Scotts EasyGreen <sup>TM</sup> <u>Rotary</u>
Application Rate	4 1/4	25 1/2
Directions Continue SCOITS <sub>(R)</sub> For St. Aug	GROWTH MANAGER	
Lawn Growth Regula	ator plus Fertil	lizer
Less Work Up to 50% Less Mowing		

BEST AVAILABLE COPY

<u>wIRECTIONS</u> (continued)

#### SPRIGGING/SODDING

On a newly sodded lawn, delay application until the grass has rooted firmly. On a recently sprigged lawn, delay application until the lawn has completely filled in.

Delay sprigging/sodding for at least one month after an application has been made.

#### TIPS ON SPREADING WITH SCOTTS SPREADER

Scotts Drop:

- Mow lawn first if grass is tall enough to touch the bottom of spreader
- Operate spreader the longest way of the lawn (MODIFIED ILLUS. WITHOUT HEADER STRIPS)
- Overlap wheels to insure uniform application
- Shut off spreader at all turns or stops (

(MODIFIED ILLUS. WITHOUT HEADUR STRIPS)

. . . :

EasyGreen<sup>TM</sup> Rotary:

- Slide shut-off lever to the right. Application automatically starts and stops when you do.
- Avoid misses by making each pass about 30 inches from the previous one so some overlapping occurs.
- Apply on a calm day.

SCOTTS(R) W GROWTH MANAGER For St. Augustinegrass

## Lawn Growth Regulator plus Fertilizer

Less Work Up to 50% Less Mowing



09/17/92	HK	03113180	нк
02/11/86	AR	06/06/86	AR
03/05/86	8A	06/10/86	AR.

FRONT

124

	SCOTIS POLICY No Quibble Guarantee	reats 5,000 sq ft (465m <sup>2</sup> )
	SEE BACK FOR DETAILS	ACCEPTED
	рното	JUL 2 4 1988 Under an With A Internet Pungel in cost a dura station os was ded to the pendede register i or det 297-199 EPA Rog. No. 4938-199
Scotts(R)		Less Work Up to 50% LESS MOWING

GROWTH MANAGERTM For St Augustinegrass

Lawn Growth Regulator plus Fertilizer

and the second second

	_			1
REST	AVAIL	ABLE	COPY	
분동부탁			And in case of the local division of the loc	τ.

10.11

## 'FRONT\_CONTINUED:

Net Weight 12 1/2 LBS (5.67 kg)

30-3-10

LEFT COLUMN:

KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTIONARY STATEMENTS

<u>Hazards to Humans and Domestic Animals</u>: CAUTION, causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. <u>If in eyes</u>: Flush with plenty of water. Get medical attention if irritation persists. Harmful if swallowed. Do not contaminate feed or foodstuffs. Do not contaminate water used for irrigation or domestic purposes. Do not graze treated areas. Do not feed clippings to livestock. Do not use clippings to mulch around trees, shrubs, flower beds or vegetable gardens. Keep children and pets off treated areas until material is washed into soil.

<u>Environmental Hazards</u>: Do not apply directly to lakes, streams, ponds or wetlands. Do not apply to steep slopes or when weather conditions favor drift or runoff from target areas.

STORAGE: Store in a clean, dry place. Reseal inner bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DIS 'OSAL: Do not reuse container. Discard container in trash.

ACTIVE INGEDIENT:	
Paclob.trazol (+)−(R*,R*)−β−[(4−chlorophenyl)methyl]− −(1,1−	
dimetlylethyl)-1H-1,2,4-triazole-1-ethanol	0.44%
TNERT IN RENTENCE	00 569

TIMERI IN REDIENTS:	•	-	-	-	٠	٠	•	٠	•	•	•	٠	·	٠	٠	•	•	٠	•	•	•	•	99.56%	•
																	-	To	ta	1			100.00%	,

RIGHT COLUMN:

EPA Reg. No. 538-199	EPA Est 538-OH-1
SCOTTS GROWTH MANAGER for St. August	inegrass 30-3-10
	643-1152

Guaranteed Analysis			
Total nitrogen (N)	30	<b>%</b>	
0.6% ammonia <del>c</del> al nitrogen			
22.9% urea, methylene ureas nitrogen		•••	
6.5% water insoluble nitrogen			•••••
Available phosphoric acid (P205)	. 3%	• • •	• •
Soluble potash (K <sub>2</sub> O)	. 10%	•	*****
Derived from: monoammonium phosphate, urea, methylene ureas, potassium sulfate.		•••••	••••••
U.S. Pat. No. 3,705,794; 3,989,470	Produc	t of USA	•
The O M Scott & Sons Company Marysville, Ohio 43041		•••••	
BEST AVAILABLE COPY	]	•• •	



PqI

GMSA 39511 5M PROOF OF PURCHASE (Scotts)

BACK :

SCOTTS(<sub>R</sub>)

GROWTH MANAGER For St. Augustinegrass

#### Lawn Growth Regulator plus Fertilizer

How will this product reduce summertime mowing?

#### Left Column

Scotts Growth Manager is the result of many years of turfgrass research in Florida, Texas and other areas by a team of Scotts scientists. It was developed to answer the question: "How can I reduce the summertime mowing chore associated with having a beautiful St. Augustinegrass lawn?"

Does this mean 1 won't have to mow?

No, but with an early summer application, you should be able to skip up to half your mowings over the summer.

<u>Center Column:</u>

Up to 50% less mowing Here's an example of what you might expect, based on our testing:

With Growth Manager applied in early summer

Fertilizer only applied in early summer

12 mowings

6 to 8 mowings

Note: You may make one reapplication of Growth Manager when your lawn starts to require weekly mowings.

Right Column:

Less clippings each time you mow When you do mow, it will be easier to push your mower because there will be fewer grass clippings.

рното

With Growth Manager

Fertilizer Only

BEST AVAILABLE CO

39511

16521

## Scotts Policy \_ No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly. Scotts...the lawn people Marysville, Ohio 43041

BACK CONTINUED:

-

How Does It Work?

	Photo	
Treated		Untreated
	Upright growth is without harming th	

## Left Column:

The St. Augustinegrass plants in your lawn naturally produce growth hormones that encourage undesirable rapid leaf growth during hot, rainy summer weather. Growth Manager regulates these hormones, without harming the plant, so that upward growth is slowed. Your lawn will appear to be growing in "slow motion".

#### Center Column:

Why does Growth Manager contain fertilizer?

Growth Manager contains a 30-3-10 fertilizer applied at a "light rate" compared with Scotts Turf Builder<sub>(R)</sub> or Bonus S<sub>(R)</sub>. It may seem contradictory that fertilizer, which helps your St. Augustinegrass grow, is combined with the growth regulator ingredient. Our research testing has proven that the growth regulator works more effectively in combination with fertilizer. The fertilizer also provides essential nutrients your lawn needs during the summer to keep it green and healthy looking.

Right Column:

More questions?

We've answered the most obvious questions about this advanced lawn tare, product. If you want to get further information, talk directly with one of Scotts Lawn Counselors by simply dialing this toll free number: 1-800-543-1URF.

(c) 1986, The O M Scott & Sons Company. All rights reserved.

# BEST AVAILABLE COPY

19,21

	Easy to Open Just Puil Tab on Side
SCOTTS (R) GROWTH MANAGERTM	I
For St. Augustinegrass	
(Handle) =	
Lawn Growth Regulator plus Fertilizer	Price


Treats 5,000 sq ft

Price Circle

BOTTOM

(UPC) 0

32247 39511



•<u>тор</u>

#### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

#### APPLICATION

- Growth Manager should be your second application of the year following a spring application of Bonus  $S_{(R)}$  or Turf Builder(R).
- Apply to dry foliage anytime between Memorial Day and Labor Day when the grass is actively growing and has filled in fully from any winter damage.
- Water after application (to carry the growth regulator ingredient to the roots).
- Continue to provide adequate water during periods of extended dry weather to keep your lawn from becoming stressed.
- Mow the lawn about one week after application. The slowed growth and improved greening will then become visible over the next several weeks. The slowed growth will be noticeable for up to eight weeks and the improved greening for up to 12 weeks. You may reapply Growth Manager once, if desired, (up until Labor Day) when your lawn requires weekly mowings.
- Do not apply to lawns of zoysiagrass, bahiagrass, bermudagrass, centipede and mixed lawns of St. Augustinegrass/bermudagrass, since Growth Manager will not be effective in regulating the growth of these grasses.
- Do not apply around vegetable plants, fruit trees, flowers or shrubs.
  However, application to St. Augustinegrass under the drip zone will not harm trees.
- G For best results, you will get uniform application by using the appropriate Scott spreader setting and referring to "Tips on Spreading" on left side of package.

	Scotts Drop <u>Spreader</u>	Scotts EasyGreenTM Rotary
Application Rate	4 1/4	25 1/2
Dimetione Cor	tinus on other side	

Directions Continue on other side

SCOTTS<sub>(R)</sub> GROWTH MANAGER For St. Augustinegrass

#### Lawn Growth Regulator plus Fertilizer

11.11

Less Work Up to 50% Less Mowing LEFT SIDE

DIRECTIONS (continued)

#### SPRIGGING/SODDING

On a newly sodded lawn, delay application until the grass has rooted firmly. On a recently sprigged lawn, delay application until the law<del>n</del> has completely filled in.

Delay sprigging/sodding for at least one month after an application has been made.

#### TIPS ON SPREADING WITH SCOTTS SPREADER

Scotts Drop:

- Mow lawn first if grass is tall enough to touch the boltom of spreader
- Operate spreader the longest way of the lawn (M

(MODIFIED ILLUS. WITHOUT HEADER STRIPS)

- Overlap wheels to insure uniform application
- Shut off spreader at all turns or stops

(MODIFIED ILLUS, WITHOUT HEADER STRIPS)

## EasyGreen<sup>TM</sup> Rotary:

- Slide shut-off lever to the right. Application automatically starts and stops when you do.
- Avoid misses by making each pass about 30 inches from the previous one so some overlapping occurs.
- Apply on a calm day.

SCOTTS(R) GROWTH MANAGER For St. Augustinegrass

#### Lawn Growth Regulator plus Fertilizer

Less Work Up to 50% Less Mowing