

RANGE LABELS

LOW END OF RANGE (S-1425T)

FRONT:

GROWTH MANAGER FOR
ST. AUGUSTINEGRASS XXXXX

05/24/93 VS/cr

Feeds up to 5,000 sq. ft.


XXXX

(Scotts(R))

(Scotts(R)) GROWTH MANAGER™
for St. Augustinegrass

Lawn Fertilizer Plus SGE*

*Shade Growth Enhancer



[NOTE: Description above will be inverted]

(Scotts(R))
Growth Manager for St. Augustinegrass

Exclusive patented formula to help grow thicker, greener turf in the shade.


-- The Scotts Difference™ --

- o Scotts exclusive Shade Growth Enhancer helps grass to capture more sunlight
- o Use on any kind of grass, any time of year, in place of regular fertilizer
- o Scotts No-Quibble Guarantee™
- o Toll-free Consumer Hotline: 1-800-543-TURF

Patented Particle Technology
[art: particle with NPK + iron]

Unlike other fertilizers, every particle of Growth Manager for St. Augustinegrass contains

- o Scotts patented timed-release nitrogen
- o phosphorus
- o Potassium
- o Iron
- o Sulfur
- o Scotts exclusive Shade Growth Enhancer



XX-X-XX

CAUTION: KEEP OUT OF REACH OF CHILDREN.
See back for additional precautionary statements.

ACTIVE INGREDIENT:

Paclobutrazol, (+)-(R*R*,)-B-[(4-chlorophenyl)methyl]-a-
(1,1-dimethylethyl)-1H-1,2,4-triazole-1-ethanol 0.018%


INERT INGREDIENTS: 99.982%

Total 100.000%

EPA Reg No 538-199

EPA Est 538-OH-1

Net Weight 63.77 lbs. (28.92 kg)



[LEFT GUESSET]

Feeds up to 5,000 sq. ft.

(Scotts(R)) Growth Manager for St. Augustinegrass

XXXX

[UPC CODE]
0 32247 02995 X


[RIGHT GUESSET]

Feeds up to 5,000 sq. ft.

(Scotts(R)) Growth Manager for St. Augustinegrass

XXXX

[UPC CODE]
0 32247 02995 X



Easy Open
PULL TAB
and remove
pour spout
PULL HERE

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. If in eyes: Flush with plenty of water. Get medical attention if irritation persists. Harmful if swallowed. Do not contaminate feed or foodstuffs. Do not contaminate water used for irrigation or domestic purposes. Do not graze treated areas. Do not feed clippings to livestock. Do not use clippings to mulch around trees, shrubs, flower beds, or vegetable gardens.

Environmental Hazards: For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply to steep slopes or when weather conditions favor drift or runoff from target areas.

Scotts GROWTH MANAGER for St. Augustinegrass

XX-X-X

Guaranteed Analysis


Total nitrogen (N)	XX%
% ammoniacal nitrogen	
% urea nitrogen	
% water soluble organic nitrogen*	
% water insoluble nitrogen	
Available phosphoric acid (P ₂ O ₅)	X%
Soluble potash (K ₂ O)	X%
Iron (Fe)	X.X%
Sulfur (S) (Combined)	X%

Derived from: monoammonium phosphate, urea, methylene ureas, potassium sulfate, ferrous sulfate.

Contains XX% slowly available methylenediurea and dimethylenetriurea nitrogen.

Product of U.S.A.

The O. M. Scott & Sons Company
14111 Scottslawn Road
Marysville, Ohio 43041



(Scotts^(R)) GROWTH MANAGER™
for St. Augustinegrass
Growth Regulator Plus Lawn Fertilizer

Exclusive patented formula to help grow thicker, greener turf in the shade.

You may have some questions about this product, since it is quite different from regular fertilizers. Here are answers to some commonly asked questions:

1. How will this product help me grow grass in the shade?

Plants growing in the shade naturally try to stretch for more light. With grass, this stretched growth is removed by the lawn mower, causing shady lawns to be thinner than a lawn growing in the sun. The Shade Growth Enhancer in Scotts Growth Manager for St. Augustinegrass, however, encourages grass plants to spread, making the lawn thicker and allowing the grass to capture more sunlight.

2. What if I have very little grass growing in my shady lawn areas?

If the shady area receives some sunlight for 3 or more hours per day, plant a special seed mixture such as Scotts Shady Area or Perfect Choice for Shady Areas and apply Starter Fertilizer the same day. After the new grass has been mowed three times, apply Scotts Growth Manager for St. Augustinegrass at the recommended rate.


If the area receives less than 3 hours of sun each day, you will need to prune the trees to allow more sun to shine on the area. If that is not possible, you can plant a ground cover such as creeping vinca or pachysandra, or spread bark mulch over the area.

3. What if there is moss growing in the shady area of my lawn?

Apply Turf Builder Plus Moss Control to eliminate the moss, followed by an application of Growth Manager for St. Augustinegrass 6 to 8 weeks later. If there is very little grass growing in the area after the moss dies, follow the recommendations in the answer to question #2.

4. What if part of my lawn is in shade and part in full sun?

It's okay to use Growth Manager for St. Augustinegrass on the entire lawn, but for best results in full sun, use regular Turf Builder fertilizer.



How and when to apply


Directions for use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- o Use anytime on actively growing turf (when mowing is required regularly).
- o On cool season grasses such as Kentucky bluegrass, fine fescue, perennial ryegrass, apply at the NORMAL RATE.
- o On tall fescue, centipede, and St. Augustinegrass, use the HEAVY RATE. Apply to centipedegrass only in the spring; up to two applications may be made.
- o This product may be applied at 8-week intervals.
- o Apply when grass is wet or dry. For best results, water if rainfall does not occur within 2 days. Continue to provide adequate water during periods of extended dry weather.

PRECAUTIONS:

- o If a weed, disease, or insect problem occurs, apply a recommended control product in the normal manner. This product is compatible with other lawn products.
- o Not for use during periods of extreme dry or cold weather or during heavy insect or disease activity.
- o Do not use as a fertilizer for shrubs, flowers, trees, or vegetable plants.
- o Do not use clippings as mulch around trees, shrubs, flower beds, or vegetable gardens. It is best to leave clippings on your lawn.
- o On newly sodded turf, delay treatment until the grass has rooted firmly.
- o Delay sprigging for at least 4 weeks after application.
- o On a recently sprigged or seeded lawn, delay application until the lawn has completely filled in.



- o Do not use spreader settings other than those recommended. Improper rates may cause undesirable turf growth control and areas may discolor temporarily.
- o Where large areas of turf have been thinned from winter damage, disease, or insects, withhold application until lawn has completely filled in.


STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

What to expect

Early benefits of application will be visible 7 to 10 days after application. Improved greening should persist for up to 8 weeks. With continued use of this product, density of turf in shade will improve.



Spreading tips

For best results, use a Scotts spreader

	Spreader Settings*		Directions
	REGULAR RATE covers 5,000 sq. ft.	HEAVY RATE covers 2,500 sq. ft.	
Scotts Drop Spreaders	X	X	Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.
Scotts EasyGreen Rotary	X	X	Make each pass about 30 inches from previous pass to overlap spread width.
Scotts SpeedyGreen Rotary	X	X	Make each pass about 5 feet from previous pass to overlap spread width.


*Additional Spreader Settings (Regular Rate)

- Cyclone Rotary (Model B) . . . X
- Ortho Drop (#5000) . . . X
- Central Drop (#205) . . . X
- Green View Drop (Spred II) . . X
- Sears Drop (#19810). . . . X
- Precision Drop (Red Devil) . . X

(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

[*NOTE TO AGENCY: Spreader settings are approximate and may change at actual production. EPA will be notified of any changes.]

Questions?
 Call Scotts toll-free
 Consumer Hotline:
 1-800-543-TURF



Scott's No-Quibble Guarantee™

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

Scotts ...the lawn people
Marysville, Ohio 43041

(c) 1993. The O M Scott & Sons Company, Marysville, OH 43041

All rights reserved.

Made in U.S.A.

(UPC)
0 32247 02995 X

Feeds up to 5,000 sq. ft.

(Scotts®) Growth Manager
For St. Augustinegrass lawns

(NOTE: The description below will be inverted.)

2995

1978R/1-18

