

1055  
11m25  
58-200

FRONT:

1987 PACKAGE COPY FOR XXXXX  
Turf Builder plus Halts (Cartridge)  
10/08/86 AR  
10/10/86 AR

Treats 5,000 sq ft (465m<sup>2</sup>)

NEW  
HANDY PACKAGE

ACCEPTED  
NOV 26 1986  
The United States Department of Agriculture  
Animal and Plant Health Inspection Service  
is hereby notified that this pesticide is  
registered under  
EPA Reg. No. 627-202

(Scotts (R))  
Turf Builder  
plus Halts (R)  
BRAND

SCOTTS POLICY  
No-Quibble  
Guarantee  
SEE BACK FOR DETAILS

lawn fertilizer plus crabgrass preventer

- . clean, easy to use granules
- . use with any Scotts spreader

NET WEIGHT 15 LBS (6.80 kg)

30-3-10

KEEP OUT OF REACH OF CHILDREN  
CAUTION  
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Do not get in eyes. If in eyes, flush with plenty of water and get medical attention if irritation persists. Wash after handling. May be harmful if swallowed. Do not contaminate feed or foodstuffs. Do not graze treated areas. Do not feed clippings to livestock.

Environmental Hazards: This pesticide is toxic to fish. Do not apply directly to water. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. In case of spills, either collect for use or dispose of properly.

**STORAGE:** Store in a clean, dry place. Reseal opened container.

**PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse container. Rinse thoroughly before discarding in trash.

FRONT CONTINUED:

ACTIVE INGREDIENT:

Pendimethalin, N-(1-Ethylpropyl)-3,4-dimethyl-  
2,6-dinitrobenzenamine\* . . . . .

1.15%

INERT INGREDIENTS . . . . .

98.85%

Total

100.00%

EPA Reg No 538-202 EPA Est 538-OH-1  
Turf Builder plus Halts(R) lawn fertilizer plus crabgrass preventer 30-3-10

Guaranteed Analysis

Total nitrogen (N) . . . . . 30%

0.6% ammoniacal nitrogen

22.9% urea, methylene ureas nitrogen

6.5% water insoluble nitrogen

Available phosphoric acid (P<sub>2</sub>O<sub>5</sub>) . . . . . 3%

Soluble potash (K<sub>2</sub>O) . . . . . 10%

Derived from monoammonium phosphate, urea, methylene ureas and  
potassium sulfate


U S Pat No 3,705,794 and 3,989,476

Product of USA

\*Licensed under one or more of the following U.S. patents: 3,920,742;

4,066,441

The O M Scott & Sons Company  
Marysville, Ohio 43041



BACK:

Treats 5,000 sq ft (465m<sup>2</sup>)

TB+H XXXXX  
5M  
PROOF  
OF  
PURCHASE  
(Scotts)

(Scotts(R))  
Turf Builder  
plus Halts(R)  
BRAND


lawn fertilizer plus crabgrass preventer

. feeds up to two months while preventing:

barnyardgrass  
chickweed  
crabgrass

fall panicum  
foxtail

oxalis (common yellow  
woodsorrel)  
spurge



BACK CONTINUED:

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

LEFT COLUMN

Application

- . Apply to dry foliage. It is not necessary to water in after application.
- . Apply this product in early Spring before the 4th mowing or before temperatures are regularly in the 80's. Rain, snow or freezing weather after application will not affect the performance of this product.
- . Do not seed or sod for four growing months following application. This product can prevent seeds from germinating.
- . On newly seeded or sodded areas, wait until grass has been mowed at least 4 times.
- . Do not use on bentgrass lawns.
- . Do not apply to shrubs, flower or garden seed beds or plants.
- . Do not apply this product more than once a year.
- . Do not apply material to cement, stone, clothing, or shoes. If contact occurs brush off particles to prevent staining. If necessary, rinse off with water.

Raking

You may rake your lawn lightly to remove grass clippings or debris. But avoid breaking the soil surface in your lawn for 4 months after application. Heavy raking will disturb the crabgrass barrier and reduce the effectiveness of this product.

RIGHT COLUMN


Tips on Spreading

Scotts Drop:

- . First apply 2 header strips.
- . Overlap spreader application area to avoid strips of untreated lawn.
- . Shut off spreader when you reach the header strip or any time you stop.

(ILLUS.)

(ILLUS.)



BACK CONTINUED:

Scotts EasyGreen™ Rotary:

- Slide shut-off lever to the right, application automatically starts and stops when you do
- Avoid misses by making each pass about 30 inches from the previous one so some overlapping occurs

Scotts Cartridge Rotary Spreader:

- Remove cap from this cartridge but not the foil seal
- Plug cartridge onto spreader and tighten with sliding holder (ILLUS.)
- Avoid misses by making each pass about 36 inches from the previous one so some overlapping occurs
- Begin walking before turning on; turn off before stopping.

Scotts Spreader Settings

Scotts Drop Spreaders	4 1/2	Scotts EasyGreen™ Rotary	25	Scotts Cartridge Rotary	XX
-----------------------------	-------	--------------------------------	----	-------------------------------	----

If you have questions

We designed this product to make having a better lawn as simple and easy as possible. But you may still have some questions about your lawn during the year. If so, you can get the answers by talking directly with one of Scotts lawn counselors. Simply dial this toll-free number 1-800-543-TURF (in Ohio 1-800-762-4010).

XXXXX

Scotts Policy  
No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

SCOTT'S...the lawn people  
MARYSVILLE, OHIO 43041

0 (UPC)

32247 XXXXX

(c) 1987, The O M Scott & Sons Company. All rights reserved.