

EPC

538-202 17121
 1989 PACKAGE COPY FOR #XXXXXX
 CG Preventer plus Fertilizer
 01/21/85 AR 07/11/85 AR
 04/30/85 AR 08/30/85 AR
 05/03/85 AR 08/05/86 AR
 09/23/87 AR 06/21/88 AR
 08/04/88 VS
 04/10/89 VS (11/89 VS


16

(Scotts (R))
 (Lawn Pro) step™ 1
 (R)

XXXXX (placed vertically) (Above copy to be inverted.)

Treats (5,000-6,000 sq ft) (465m²) (Bag)
 (in California treats 5,000 sq ft)
 Treats 1,000 sq ft (Shaker Container)

(Scotts (R))
 (Lawn Pro)
 (R)



SCOTT'S POLICY
 No-Quibble
 Guarantee
 SEE BACK FOR DETAILS

Scotts Best
 Annual (Lawn Care) Program

Early Spring Treatment
 (Apply between February and April)

step™ 1

of 4 easy steps to
 a better lawn

(ILLUS.)

Crabgrass Preventer
 plus Fertilizer

NET WEIGHT 34 7/16 LBS (15.62 kg) (Bag)
 NET WEIGHT X LBS (Shaker Container)

30-3-9

KEEP OUT OF REACH OF CHILDREN
 CAUTION
 PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Do not get in eyes. If in eyes, flush with plenty of water and get medical attention if irritation persists. Wash after handling. May be harmful if swallowed. Do not contaminate feed or foodstuffs. Do not graze treated areas. Do not feed clippings to livestock.

Environmental Hazards: This pesticide is toxic to fish. Do not apply directly to water. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. In case of spills, either collect for use or dispose of properly.

STORAGE: Store in a clean, dry place. Reseal opened (container) or (bag by folding top down and securing).

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag (or container). Discard bag (or container) in trash.

FRONT CONTINUED:

ACTIVE INGREDIENT:

Pendimethalin, N-(1-Ethylpropyl)-3,4-dimethyl- 2,6-dinitrobenzenamine*	0.50%
INERT INGREDIENTS	99.50%
Total	100.00%

EPA Reg No 538-202 EPA Est 538 OH-1 643-XXXX
Crabgrass Preventer plus Fertilizer 30-3-9

Guaranteed Analysis

Total nitrogen (N)	30%
X.X% ammoniacal nitrogen	
XX.X% urea, methylene ureas nitrogen	
X.X% water insoluble nitrogen	
Available phosphoric acid (P ₂ O ₅)	3%
Soluble potash (K ₂ O)	9%
Derived from monoammonium phosphate, urea, methylene ureas and potassium sulfate	

U S Pat No 3,705,794 and 3,989,470 Product of USA

*Licensed under one or more of the following U.S. patents: 3,920,742;
4,066,441

The C M Scott & Sons Company
Marysville, Ohio 43041

GUSSETS:

RIGHT GUSSET

XXXXX (Scotts (R)) Scotts Best step™ 1 SCOTTS POLICY
(Lawn Pro) Annual No-Quibble
(R) Program SEE BACK FOR DETAILS
Guarantee

Annual Lawn Care Program
Unconditionally Guaranteed
Early Spring Treatment
(5,000-6,000 sq. ft.)

LEFT GUSSET

(Scotts (R)) Annual step™ 1 SCOTTS POLICY XXXXX
(Lawn Pro) Program No-Quibble
(R) SEE BACK FOR DETAILS
Guarantee

Annual Lawn Care Program
Unconditionally Guaranteed
Early Spring Treatment
(5,000-6,000 sq. ft.)

BACK:

PULL TAB
and remove for
pour spout
(ILLUS.)
Easy
Open PULL HERE

Treats (5,000-6,000 sq ft)(465m²) (Bag)
(In California Treats 5,000 sq ft;
Treats 1,000 sq ft (Shaker Container)

STP1 XXXX
5M
PROOF
OF
PURCHASE
(Scotts)

(Scotts (R))
(Lawn Pro)
(R)
Scotts Best
Annual
Program

Annual Lawn Care Program

The Simple Approach to a Greener Lawn

Lawn Care is no longer a mystery. Four easy treatments contain all the ingredients to give you a better lawn at an economical price. Start the program anytime, just check the month and select the proper treatment.

Now it's easy for you to have a better lawn

Save money

Why even consider a lawn care service? Scotts Annual Program will give you a beautiful lawn for about half the cost.

Start anytime

You can start the Annual Program anytime of the year. Just check the month and select the appropriate Step listed below.

Simple and easy

No more guesswork. You simply apply the right product - one Step at a time.

Guaranteed results

Each Step is designed for the specific season to help give you a healthier, greener lawn.

(ILLUS.)

(The 4 Steps listed below will be placed horizontally in one row.)

step 1. Early Spring February-April

(Early Spring Treatment February-April)

Crabgrass Preventer plus Fertilizer - prevents crabgrass, foxtail, spurge, oxalis, chickweed and other annual weeds (while feeding your lawn) while providing deep, thick greening for up to 2 months. This is Scotts best fertilizer plus crabgrass preventer.

In the Pacific Northwest, Step 1 is "Moss Control plus Fertilizer".

EACK CONTINUED:

step™ 2. Late Spring April-June

(Early Spring Treatment - April-June)

Weed Control plus Fertilizer - controls dandelions and other broadleaf weeds while greening your lawn for up to 2 more months (while feeding your lawn). This is Scotts best weed and feed.

step™ 3. Summer June-August

(Summer Treatment - June-August)

Insect Control plus Fertilizer - controls white grubs, chinch bugs, sod webworms and other lawn insects plus keeps your lawn green through the Summer (greens your lawn).

step™ 4. Fall August-November

(Fall Treatment - August-November)

Lawn Fertilizer - specially formulated for the Fall - the best time to develop a stronger root system for a healthier, thicker lawn. Helps your lawn green up even quicker next Spring. Greens your lawn during the fall and aids root growth and helps green your lawn next spring. This is Scotts best fall fertilizer.

Early Spring Treatment step™ DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

LEFT COLUMN

Application

- . Apply to dry foliage. It is not necessary to water in after application.
- . Apply this product in early Spring before the 4th mowing or before temperatures are regularly in the 80's (See map). Rain, (Map) snow or freezing weather after application will not affect the (Illus) performance of this product.
- . Do not seed or sod for four growing months following application. This product can prevent seeds from germinating.
- . On newly seeded or sodded areas, wait until grass has been mowed at least 4 times.
- . Do not use on Dichondra, bahiagrass, bentgrass or centipedegrass lawns.
- . Do not apply to shrubs, flower or garden seed beds or plants.
- . Do not apply this product more than once a year. Allow at least 4-6 weeks between applications of any other product in this Program.

BACK CONTINUED:

- Do not apply material to cement, stone, clothing, or shoes. If contact occurs brush off particles to prevent staining. If necessary, rinse off with water.

Raking

You may rake your lawn lightly to remove grass clippings or debris. But avoid breaking the soil surface in your lawn for 4 months after application. Heavy raking will disturb the crabgrass barrier and reduce the effectiveness of this product.

RIGHT COLUMN

(The following instructions to be used on 5,000-6,000 sq ft bag only).

Tips on Spreading

Scotts Drop:

- First apply 2 header strips. (ILLUS.) (ILLUS.)
- Overlap spreader application area to avoid strips of untreated lawn.
- Shut off spreader when you reach the header strip or any time you stop.

EasyGreen™ Rotary:

- Slide shut-off lever to the right, application automatically starts and stops when you do
- Avoid misses by making each pass about 30 inches from the previous one so some overlapping occurs

Speedy Green™ Rotary:

- Shut-off spreader anytime you stop
- Avoid misses by making each pass about 5 ft. from the previous one so some overlapping occurs

Scotts Spreader Settings

Scotts Drop Spreaders	X	Scotts EasyGreen™ Rotary	XX	Scotts Speedy Green™	XX
-----------------------------	---	--------------------------------	----	----------------------------	----

Tips on Spreading

This bag should cover 5,000-6,000 sq.ft. (For example: 50 ft. x 100 ft.-or 60 x 100 sq.ft. = 5,000-6,000 sq. ft.) Close spreader when filling, stopping or turning.

BACK CONTINUED:

Suggested Spreader Settings**

Additional spreader Settings (Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

Scotts Drop	XX
Scotts EasyGreen™	XX
Scotts SpeedyGreen™	XX
Cyclone Rotary (Model B)	XX
Central Drop (#205)	XX
Sears Drop (#19810)	XX
Ortho Drop (#5000)	XX
Greenview Drop (Spred II)	XX
Precision Drop (Red Devil)	XX

**These spreader settings are approximate, you may need to adjust for proper coverage.

(The following instructions to be used on 1,000 sq ft shaker container only).

APPLICATION RATE (Actual Size) contents of this package covers a
25 ft. by 40 ft. area (1,000 sq. ft.)

Picture of
shaker carton

Use lightweight
shaker carton to
sprinkle evenly
over lawn as shown.

Picture of dime

If you have questions

We designed this Program to make having a better lawn as simple and easy as possible. But you may still have some questions about your lawn during the year. If so, you can contact the Scotts Lawn Pro retailer where you bought this Program. They are ready to answer your questions and provide any help or information that you may need. -OR- You can get the answers by talking directly with one of Scotts lawn counselors. Simply dial this toll-free number 1-800-543-TURF (Monday through Friday 9:00 AM to 5:00 PM Eastern time (in Ohio 1-800-762-4010).

XXXXX

Back Continued:

Scotts Policy
No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

0 (UPC) 1
32247 XXXXX

SCOTTS...the lawn people
MARYSVILLE, OHIO 43041

(c) 1989, The O M Scott & Sons Company. All rights reserved.

(Description below will be inverted.)

(Scotts (R))
(Lawn Pro) step™ 1
(R)

XXXXX (placed vertically)

Unconditionally Guaranteed

If you are not satisfied with the results from using this product, we will refund your purchase price. Send us evidence of purchase.

(2513X/9-16

1989 PACKAGE COPY FOR #XXXXX
 CG Preventer plus Fertilizer
 01/21/85 AR 07/11/85 AR
 04/30/85 AR 08/30/85 AR
 05/03/85 AR 08/05/86 AR
 09/23/87 AR 06/21/88 AR
 08/04/88 VS
 04/10/89 VS 04/11/89 VS

(Scotts (R))
 (Lawn Pro) step™ 1
 (R)

XXXXX (placed vertically) (Above copy to be inverted.)

Treats (5,000-6,000 sq ft) (465m²) (Bag)
 (In California treats 5,000 sq ft)
 Treats 1,000 sq ft (Shaker Container)

(Scotts (R))
 (Lawn Pro)
 (R)

Scotts Best
 Annual (Lawn Care) Program


SCOTTS POLICY
 No-Quibble
 Guarantee
 SEE BACK FOR DETAILS

Early Spring Treatment
 (Apply between February and April)

step™ 1

of 4 easy steps to
 a better lawn

(ILLUS.)



Crabgrass Preventer
 plus Fertilizer

NET WEIGHT 9 5/8 LBS (4.37 kg) (Bag)
 NET WEIGHT X LBS (Shaker Container)

30-3-9

KEEP OUT OF REACH OF CHILDREN
 CAUTION
 PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Do not get in eyes. If in eyes, flush with plenty of water and get medical attention if irritation persists. Wash after handling. May be harmful if swallowed. Do not contaminate feed or foodstuffs. Do not graze treated areas. Do not feed clippings to livestock.

Environmental Hazards: This pesticide is toxic to fish. Do not apply directly to water. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. In case of spills, either collect for use or dispose of properly.

STORAGE: Store in a clean, dry place. Reseal opened (container) or (bag by folding top down and securing).

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag (or container). Discard bag (or container) in trash.

FRONT CONTINUED:

10-3-15

ACTIVE INGREDIENT:

Pendimethalin, N-(1-Ethylpropyl) 3,4-dimethyl-
2,6-dinitrobenzenamine*

1.79%

INERT INGREDIENTS

98.21%

Total

100.00%

EPA Reg No 538-202 EPA Est 538-OH-1

643-XXXX

Crabgrass Preventer plus Fertilizer

30-3 9

Guaranteed Analysis

Total nitrogen (N) 30%

X.X% ammoniacal nitrogen

XX.X% urea, methylene ureas nitrogen

X.X% water insoluble nitrogen

Available phosphoric acid (P₂O₅) 3%

Soluble potash (K₂O) 9%

Derived from monoammonium phosphate, urea, methylene ureas and
potassium sulfate

U S Pat No 3,705,794 and 3,989,470

Product of USA

*Licensed under one or more of the following U.S. patents: 3,920,742;

4,066,441

The O M Scott & Sons Company

Marysville, Ohio 43041

GUSSETS:

11-5-15

RIGHT GUSSET

XXXXX	(Scotts (R)) (Lawn Pro) (R)	Scotts Best Annual Program	step™ 1	SCOTTS POLICY No-Quibble Guarantee SEE BACK FOR DETAILS
-------	------------------------------------	----------------------------------	---------	--

Annual Lawn Care Program

Unconditionally Guaranteed

Early Spring Treatment
(5,000-6,000 sq. ft.)

LEFT GUSSET

((Scotts (R)) (Lawn Pro) (R)	Annual Program	step™ 1	SCOTTS POLICY No-Quibble Guarantee SEE BACK FOR DETAILS	XXXXX
---	------------------------------------	-------------------	---------	--	-------

Annual Lawn Care Program

Unconditionally Guaranteed

Early Spring Treatment
(5,000-6,000 sq. ft.)

BACK:

1206

PULL TAB
and remove for
pour spout
(ILLUS.)
Easy
Open PULL HERE

Treats (5,000-6,000 sq ft)(465m²) (Bag)
(In California Treats 5,000 sq ft)
Treats 1,000 sq ft (Shaker Container)

STP1 XXXX
5M
PROOF
OF
PURCHASE
(Scotts)

(Scotts (R))
(Lawn Pro)
(R)
Scotts Best
Annual
Program

Annual Lawn Care Program

The Simple Approach to a Greener Lawn

Lawn Care is no longer a mystery. Four easy treatments contain all the ingredients to give you a better lawn at an economical price. Start the program anytime, just check the month and select the proper treatment.

Now it's easy for you to have a better lawn

Save money

Why even consider a lawn care service? Scotts Annual Program will give you a beautiful lawn for about half the cost.

Start anytime

You can start the Annual Program anytime of the year. Just check the month and select the appropriate Step listed below.

Simple and easy

No more guesswork. You simply apply the right product - one Step at a time.

Guaranteed results

Each Step is designed for the specific season to help give you a healthier, greener lawn.

(ILLUS.)

(The 4 Steps listed below will be placed horizontally in one row.)

step 1. Early Spring February-April

(Early Spring Treatment - February-April)

Crabgrass Preventer plus Fertilizer - prevents crabgrass, foxtail, spurge, oxalis, chickweed and other annual weeds (while feeding your lawn) while providing deep, thick greening for up to 2 months. This is Scotts best fertilizer plus crabgrass preventer.

In the Pacific Northwest, Step 1 is "Moss Control plus Fertilizer".

BACK CONTINUED:

step™ 2. Late Spring April-June

(Early Spring Treatment - April-June)

Weed Control plus Fertilizer - controls dandelions and other broadleaf weeds while greening your lawn for up to 2 more months (while feeding your lawn). This is Scotts best weed and feed.

step™ 3. Summer June-August

(Summer Treatment - June-August)

Insect Control plus Fertilizer - controls white grubs, chinch bugs, sod webworms and other lawn insects plus keeps your lawn green through the Summer (greens your lawn).

step™ 4. Fall August-November

(Fall Treatment - August-November)

Lawn Fertilizer - specially formulated for the Fall - the best time to develop a stronger root system for a healthier, thicker lawn. Helps your lawn green up even quicker next Spring. Greens your lawn during the fall and aids root growth and helps green your lawn next spring. This is Scotts best fall fertilizer.

Early Spring Treatment step™1 DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

LEFT COLUMN

Application

- . Apply to dry foliage. It is not necessary to water in after application.
- . Apply this product in early Spring before the 4th mowing or before temperatures are regularly in the 80's (See map). Rain, (Map) snow or freezing weather after application will not affect the (Illus) performance of this product.
- . Do not seed or sod for four growing months following application. This product can prevent seeds from germinating.
- . On newly seeded or sodded areas, wait until grass has been mowed at least 4 times.
- . Do not use on Dichondra, bahiagrass, bentgrass or centipedegrass lawns.
- . Do not apply to shrubs, flower or garden seed beds or plants.
- . Do not apply this product more than once a year. Allow at least 4-6 weeks between applications of any other product in this Program.

BACK CONTINUED:

14

Do not apply material to cement, stone, clothing, or shoes. If contact occurs brush off particles to prevent staining. If necessary, rinse off with water.

Raking

You may rake your lawn lightly to remove grass clippings or debris. But avoid breaking the soil surface in your lawn for 4 months after application. Heavy raking will disturb the crabgrass barrier and reduce the effectiveness of this product.

RIGHT COLUMN

(The following instructions to be used on 5,000-6,000 sq ft bag only).

Tips on Spreading

Scotts Drop:

- First apply 2 header strips. (ILLUS.) (ILLUS.)
- Overlap spreader application area to avoid strips of untreated lawn.
- Shut off spreader when you reach the header strip or any time you stop.

EasyGreen™ Rotary:

- Slide shut-off lever to the right, application automatically starts and stops when you do
- Avoid misses by making each pass about 30 inches from the previous one so some overlapping occurs

Speedy Green™ Rotary:

- Shut-off spreader anytime you stop
- Avoid misses by making each pass about 5 ft. from the previous one so some overlapping occurs

Scotts Spreader Settings

Scotts Drop Spreaders	X	Scotts EasyGreen™ Rotary	XX	Scotts Speedy Green™	XX
-----------------------------	---	--------------------------------	----	----------------------------	----

Tips on Spreading

This bag should cover 5,000-6,000 sq.ft. (For example: 50 ft. x 100 ft.-or 60 x 100 sq.ft. = 5,000-6,000 sq. ft.) Close spreader when filling, stopping or turning.

1403
15

Suggested Spreader Settings**

Additional spreader Settings (Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

Scotts Drop	XX
Scotts EasyGreen™	XX
Scotts SpeedyGreen™	XX
Cyclone Rotary (Model B)	XX
Central Drop (#205)	XX
Sears Drop (#19810)	XX
Ortho Drop (#5000)	XX
Greenview Drop (Spred II)	XX
Precision Drop (Red Devil)	XX

**These spreader settings are approximate, you may need to adjust for proper coverage.

(The following instructions to be used on 1,000 sq ft shaker container only).

APPLICATION RATE (Actual Size) contents of this package covers a
25 ft. by 40 ft. area (1,000 sq. ft.)

Picture of
shaker carton

Use lightweight
shaker carton to
sprinkle evenly
over lawn as shown.

Picture of dime

If you have questions

We designed this Program to make having a better lawn as simple and easy as possible. But you may still have some questions about your lawn during the year. If so, you can contact the Scotts Lawn Pro retailer where you bought this Program. They are ready to answer your questions and provide any help or information that you may need.-OR-You can get the answers by talking directly with one of Scotts lawn counselors. Simply dial this toll-free number 1-800-543-TURF (Monday through Friday 9:00 AM to 5:00 PM Eastern time (in Ohio 1-800-762-4010).

XXXXX

