

JUN - 5 1992

Dr. Vincent Snyder, Jr.  
The O.M. Scott & Sons Company  
14111 Scottslawn Road  
Marysville, OH 43041

Dear Dr. Snyder:

Subject: Minor Label Amendments Submitted for the  
Following Products on May 13, 1992  
Bonus S  
EPA Registration No. 538-18  
Turf Builder Plus Halts for Lawns  
EPA Registration No. 538-190  
Crabgrass Preventer Plus Fertilizer (Step 1)  
EPA Registration No. 538-202  
Super Bonus S Lawn Weed Control Plus  
Fertilizer  
EPA Registration No. 538-229

The labeling amendments referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. Submit five (5) copies of your final printed labeling before you release the product for shipment. A stamped copy is enclosed for your records.

Sincerely yours,

**BEST AVAILABLE COPY**

Robert J. Taylor  
Product Manager (25)  
Fungicide-Herbicide Branch  
Registration Division (H7505C)

Enclosure

64679:I:WP50:Allen:WP25-4:KEVRIC:06/04/92:07/03/92:DD

FRONT:

7 10

RANGE LABELS  
Low End

Crabgrass Preventer Plus  
Fertilizer

04/10/89 VS 04/11/89 VS  
04/11/91 VS/cr  
05/13/92 VS/cr


(Scotts (R))  
(Lawn Pro ) step™ 1  
(R)

XXXXX (placed vertically) (Above copy to be inverted.)

Treats (5,000-6,000 sq ft) (465 m<sup>2</sup>) (bag)  
(in California treats 5,000 sq ft)  
Treats 1,000 sq ft (Shaker Container)  
(Treats and feeds 5,000 sq. ft.)

(Scotts (R))  
(Lawn Pro)

Scotts Best  
Annual (Lawn Care) Program



SCOTTS POLICY  
No-Quibble  
Guarantee  
SEE BACK FOR DETAILS

Early Spring Treatment  
(Apply between February and April)

step™ 1

(OPTIONAL FRONT PANEL STATEMENT - Do not use on dichondra, St. Augustine, or bentgrass lawns).

of 4 easy steps to  
a better lawn

(ILLUS.)

Crabgrass Preventer  
plus Fertilizer  
(Weed-and-Feed)

NET WEIGHT 34 7/16 LBS (15.62 kg) (Bag)  
NET WEIGHT X.X LBS (Shaker Container)

30-3-9

KEEP OUT OF REACH OF CHILDREN  
CAUTION  
PRECAUTIONARY STATEMENTS

**BEST AVAILABLE COPY**

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Do not get in eyes, on skin or on clothing. If in eyes or on skin, flush with plenty of water and get medical attention if irritation persists. Wash after handling. May be harmful if swallowed. Do not contaminate feed or foodstuffs. Do not graze treated areas. Do not feed clippings to livestock.

Environmental Hazards: This pesticide is toxic to fish. Do not apply directly to water. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. In case of spills, either collect for use or dispose of properly.

STORAGE: Store in a clean, dry place. Reseal opened (container) or bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag (or container). Discard bag (or container) in trash.

ACTIVE INGREDIENT:

Pendimethalin, N-(1-Ethylpropyl)-3,4-dimethyl-2,6-dinitrobenzenamine\*

Pendimethalin, N-(1-Ethylpropyl)-3,4-dimethyl-2,6-dinitrobenzenamine* . . . . .	0.50%
INERT INGREDIENTS . . . . .	99.50%
Total	100.00%

EPA Reg No 538-202 EPA Est 538-OH-1  
Crabgrass Preventer plus Fertilizer  
(Weed-and-Feed)

30-3-9

Guaranteed Analysis

643-XXXX

Total nitrogen (N) . . . . .	30%
X.X% ammoniacal nitrogen	
XX.X% urea, methylene ureas nitrogen	
X.X% water insoluble nitrogen	
Available phosphoric acid (P <sub>2</sub> O <sub>5</sub> ) . . . . .	9%
Soluble potash (K <sub>2</sub> O) . . . . .	9%
Derived from monoammonium phosphate, urea, methylene ureas and potassium sulfate	

U S Pat No 3,705,794 and 3,989,470

Product of USA

\*Licensed under one or more of the following U.S. patents: 3,920,742; 4,066,441

The O M Scott & Sons Company  
Marysville, Ohio 43041

**BEST AVAILABLE COPY**

GUSSETS:

RIGHT GUSSET

XXXXX	(Scotts (R)) (Lawn Pro ) (R)	Scotts Best Annual Program	step™ 1	SCOTTS POLICY No-Quibble Guarantee SEE BACK FOR DETAILS
-------	------------------------------------	----------------------------------	---------	--

Annual Lawn Care Program

Unconditionally Guaranteed

Early Spring Treatment  
(5,000-6,000 sq. ft.)

LEFT GUSSET

(Scotts (R)) (Lawn Pro ) (R)	Scotts Best Annual Program	step 1	SCOTTS POLICY No-Quibble Guarantee SEE BACK FOR DETAILS	XXXXX
------------------------------------	----------------------------------	--------	--	-------

Annual Lawn Care Program

Unconditionally Guaranteed

Early Spring Treatment  
(5,000-6,000 sq. ft.)

**BEST AVAILABLE COPY**

**BACK:**

PULL TAB  
and remove for  
pour spout  
(ILLUS.)  
Easy  
Open PULL HERE

Treats (5,000-6,000 sq. ft (465 m<sup>2</sup>))(Bag)  
(In California Treats 5,000 sq ft)  
Treats 1,000 sq ft (Shaker Container)  
(Treats and feeds 5,000 sq. ft.)

STP1 XXXXX  
5M  
PROOF  
OF  
PURCHASE  
(Scotts)

(Scotts (R))  
(Lawn Pro )  
(R)

Scotts Best  
Annual  
Program

**Annual Lawn Care Program**

**The Simple Approach to a Greener Lawn**

Lawn Care is no longer a mystery. Four easy treatments contain all the ingredients to give you a better lawn and economical price. Start the program anytime, just check the month and select the proper treatment.

**Now it's easy for you to have a better lawn**

**Save money**

Why even consider a lawn care service? Scotts Annual Program will give you a beautiful lawn for about half (one-third) the cost.

**Start anytime**

You can start into the Annual Program anytime of the year. Just check the month and select the appropriate Step listed below.

**Simple and easy**

No more guesswork. You simply apply the right product - one Step at a time.

**Guaranteed results**

Each Step is designed for the specific season to help give you a greener lawn.

(ILLUS.)

(The 4 Steps listed below will be placed horizontally in one row.)

**step 1. Early Spring February-April**

(Early Spring Treatment - February-April)

Crabgrass Preventer plus Fertilizer - prevents crabgrass, foxtail, spurge, oxalis, chickweed and other annual weeds while providing deep, thick greening for up to 2 months. This is Scotts best fertilizer plus crabgrass preventer. In the Pacific Northwest, Step 1 is "Moss Control plus Lawn Fertilizer". For St. Augustinegrass Step 1 is "Super Bonus S".

**BEST AVAILABLE COPY**

BACK CONTINUED:

**step 2. Late Spring April-June**

(Early Spring Treatment - April-June)

Weed Control plus Fertilizer - controls dandelions, clover, chickweed and other broadleaf weeds while greening your lawn for up to 2 more months (while feeding your lawn). This is Scotts best weed and feed. For St. Augustinegrass, Step™ 2 is "Super Turf Builder".

**step 3. Summer June-August**

(Summer Treatment - June-August)

Insect Control plus Fertilizer - controls white grubs, chinch bugs, sod webworms and other lawn insects plus keeps your lawn green through the Summer (greens your lawn).

**step 4. Fall August-November**

(Fall Treatment - August-November)

Lawn Fertilizer - specially formulated for the Fall - the best time to develop a stronger root system for a more vigorous, thicker lawn. Helps your lawn green up even quicker next Spring. This is Scotts best fall fertilizer.

**Early Spring Treatment step™ 1 DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

LEFT COLUMN

**Application**

- . Apply to dry foliage. It is not necessary to water in after application.
- . Apply this product in early Spring before the 4th mowing or before temperatures are regularly in the 80's (See Map). Rain, (MAP) snow or freezing weather after application will not affect the (ILLUS) performance of this product.
- . Do not seed or sod for four growing months following application. This product can prevent seeds from germinating.
- . On newly seeded or sodded areas, wait until grass has been mowed at least 4 times.
- . Do not use on Dichondra or bentgrass lawns.
- . Do not apply to shrubs, flower or garden seed beds or plants.
- . Do not apply this product more than once a year. Allow at least 4-6 weeks between applications of any other product in this Program.

**BEST AVAILABLE COPY**

BACK CONTINUED:

26/12

- Do not apply material to cement, stone, clothing, or shoes. If contact occurs brush off particles to prevent staining. If necessary, rinse off with water.

**Raking**

You may rake your lawn lightly to remove grass clippings or debris. But avoid breaking the soil surface in your lawn for 4 months after application. Heavy raking will disturb the crabgrass barrier and reduce the effectiveness of this product.

RIGHT COLUMN

(The following instructions to be used on 5,000-6,000 sq ft bag only).

**Tips on Spreading**

**Scotts Drop:**

- First apply 2 header strips. (ILLUS.) (ILLUS.)
- Overlap spreader application area to avoid strips of untreated lawn.
- Shut off spreader when you reach the header strip or any time you stop.

**EasyGreen<sup>R</sup> Rotary:**

- Slide shut-off lever to the right, application automatically starts and stops when you do
- Avoid misses by making each pass about 30 inches from the previous one so some overlapping occurs

**SpeedyGreen<sup>TM</sup> Rotary**

- Shut-off spreader anytime you stop
- Avoid misses by making each pass about 5 ft. from the previous one so some overlapping occurs

**Scotts Spreader Settings**

Scotts Drop Spreaders	X	Scotts EasyGreen <sup>R</sup> Rotary	XX	Scotts SpeedyGreen <sup>TM</sup> Rotary	: XX
-----------------------------	---	--	----	---	------

**Tips on Spreading**

This bag should cover 5,000-6,000 sq. ft. (For example: 50 ft. x 100 ft. - or 60 x 100 sq. ft. = 5,000-6,000 sq. ft.). Close spreader when filling, stopping or turning.

**BEST AVAILABLE COPY**

Suggested Spreader Settings\*\*

Additional Spreader Settings (Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

Scotts Drop	XX
Scotts EasyGreen™	XX
Scotts SpeedyGreen™	XX
Cyclone Rotary (Model B)	XX
Central Drop (#205)	XX
Sears Drop (#19810)	XX
Ortho Drop (#5000)	XX
Greenview Drop (Spred II)	XX
Precision Drop (Red Devil)	XX

\*\*These spreader settings are approximate, you may need to adjust for proper coverage.

(The following instructions to be used on 1,000 sq ft shaker container only).

APPLICATION RATE (Actual Size) contents of this package covers a 25 ft. by 40 ft. area (1,000 sq. ft.)

Picture of shaker carton

Use lightweight shaker carton to sprinkle evenly over lawn as shown.

Picture of dime



**ALTERNATE SPREADER SETTING SECTION**

**Spreading Tips**

**For best results, use a Scotts spreader**

RIGHT COLUMN

**DESIRABLE PLANTS: DON NOT APPLY ON OR UNDER THE BRANCH SPREAD (ROOTZONE) OF TREES, SHRUBS, BEDDING PLANTS, FLOWERS, OR GARDEN PLANTS, PARTICULARLY IN COMPACT, SLOWLY DRAINING SOILS IN THE DALLAS-FT WORTH AREA.**

	Spreader Setting REGULAR RATE covers 5,000 sq.ft.	DIRECTIONS
Scotts Drop Spreaders	X	Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.
Scotts EasyGreen <sup>R</sup> Rotary	X	Make each pass about XX inches from previous pass to overlap spread width.
Scotts SpeedyGreen <sup>R</sup> Rotary	X	Make each pass about X feet from previous pass to overlap spread width.

**If you have questions**

We designed this Program to make having a better lawn as simple and easy as possible. But you may still have some questions about your lawn during the year. If so, you can contact the Scotts Lawn Pro retailer where you bought this Program. They are ready to answer your questions and provide any help or information that you may need. -OR- You can get the answers by talking directly with one of Scotts lawn counselors. Simply dial this toll-free number 1-800-543-TURF.

XXXXX

**BEST AVAILABLE COPY**

BACK CONTINUED:

10 10

**Scotts Policy  
No-Quibble Guarantee**

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

0 (UPC) 1  
32247 XXXXX

SCOTTS...the lawn people  
MARYSVILLE, OHIO 43041

(c) 1992, The O M Scott & Sons Company. All rights reserved.

(Description below will be inverted.)

(Scotts (R))  
(Lawn Pro ) step™ 1  
(R)  
(Weed-and-Feed)

XXXXX (placed vertically)

**Unconditionally Guaranteed**

If you are not satisfied with the results from using this product, we will refund your purchase price. Send us evidence of purchase.

1578R/1-11

**BEST AVAILABLE COPY**