

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, D.C. 20460 EPA Reg. Number: Date of Issuance:

538-202

MAY 1 6 2006

NOTICE OF PESTICIDE:

__ Registration
__X Reregistration
(under FIFRA, as amended)

Term of Issuance: Unconditional

Name of Pesticide Product:

Crabgrass Preventer Plus Lawn Food

Name and Address of Registrant (include ZIP Code): THE SCOTTS COMPANY

14111 SCOTTS COMPANY 14111 SCOTTSLAWN RD MARYSVILLE, OHIO 43041

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Document(s), EPA has reregistered the product listed above. Enclosed is a copy of your label stamped "Accepted". This action is taken under the authority of section 4 (g) (2) (c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended.

Reregistration under this section does not eliminated the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

Joanne D. Miller

A stamped copy of your labeling is enclosed for your records.

Signature of Approving Official:

Joanne I. Miller Product Manager 23

Herbicide Branch

Registration Division (7505P)

Date:

MAY 1.6 2006

MASTER LABEL

[FRONT]



Crabgrass Preventer Plus Lawn Food EPA Reg No 538-202

(Weed-and-Feed)

ACCEPTED MAY 1 6 2006

SCOTTS®

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

IOPTIONAL FRONT PANEL CLAIMS AND INFORMATION

538-202

- This is the only fertilizer or weed control you will need until fall.
- Prevents and controls weeds at the right time.
- Extended feeding to green and thicken your lawn through spring and summer
- Slow-release nitrogen fertilizer for uniform growth and extended feeding
- Poly-S[™] Technology, polymer encapsulated nitrogen
- Patented [timed-release nitrogen] formula builds thick, green lawns from the roots up
- Apply early in the spring for season-long prevention.
- Specially formulated with Scotts Poly-S time release fertilizer, used by Landscape Professionals
- Contains both readily available nitrogen for quick green up and controlled release nitrogen for uniform growth and extended feeding.
- Highly effective pre-emergent control of crabgrass, foxtail, spurge, oxalis, and other grassy and broadleaf weeds.
- Patented timed-release formula builds greener, thicker [thick, green] lawns from the roots up
- [Results] Backed by Scotts No-Quibble Guarantee
- More greening power than [Note to PM: this claim is only reference to Scotts products (e.g. Our Super Turf Builder line contains XX% more nutrients that our standard Turf Builder line)]
- Prevents Crabgrass from Germinating
- Builds Thick, Green Lawns
- Apply in Early Spring: February April
- Lawn Success Made Easy
- This simple 2-treatment program eliminates the confusion over what and when to apply for a thick, green, weed-free lawn...guaranteed.
- Apply the first treatment anytime February through April to prevent weeds and to fertilizer. Apply the second treatment
 six to eight weeks later to control weeds and to fertilize through the summer. These two applications replace three regular
 applications of fertilizer.
- America's favorite crabgrass preventer plus lawn fertilizer for established lawns
- Prevents crabgrass, barnyardgrass, Poa annua, foxtail, oxalis, spurge, (and other problem weeds see back) plus fertilizes with America's favorite fertilizer
- Not for use on dichondra or bentgrass lawns
- Not for newly seeded areas.* (*See back for appropriate products to use when seeding)
- Patented MURP® formula for developing thick, green lawns
- Patented Particle™ Technology
- Experience The Scotts Advantage™
- Stops crabgrass before its starts!
- Early Season Lawn Fertilizer and Crabgrass Preventer
- Prevents crabgrass and 8 other problem weeds

- Delivers pre and early post-emergent crabgrass control
- Results backed by Scotts No-Quibble Guarantee
- · Prevents weeds and fertilizes your lawn
- Stops crabgrass and other weeds before they sprout and helps make your lawn its thickest, greenest ever.
- Stops crabgrass and other weeds before they sprout and fertilizes your lawn.
- Start anytime . . . just check the month below and apply products at 2 month intervals.
- Guaranteed results

Each step is designed to the specific season to help give you a greener lawn.

Save Money

Why even consider a lawn care service? Scotts Lawn Pro® Annual Program willgive you a beautiful lawn for about one-third the cost.

Start anytime

You can begin the Annual Program anytime of the year. Just check the month and select the appropriate Step listed. Apply the remaining Steps at tow-month intervals.

Simple and easy

No more guesswork. You simply apply the right product- one Step at a time.

- For best results, apply as part of a Scotts Annual Lawn Pro® Program [see back for details]
- Now its easy for you to have a better lawn.
- Scotts best for a Picture-Perfect lawn
- Results with one application
- Greens in 72 hours
- Starts working immediately!
- · Prevents crabgrass all season
- Stops crabgrass before it starts
- A thick, green lawn in days
- Greening last for months.
- · See the results with a lush, deep green lawn
- · Guaranteed results
- 2 in 1 Prevents crabgrass and greens your lawn
- Exclusive All-In-One particle provides even, complete coverage
- Won't burn your lawn
- Strengthens turf from the roots up
- Thickens lawn to fill in thin spots
- Wake up your lawn after winter!
- Rebuilds your lawn after winter!
- Rebuild your lawn!
- Easy to apply!
- Deep feeds you lawn with essential nutrients
- Results you can see within a few days!
- Gives visible results with one application!
- Revives lawn with essential nutrients
- Get your lawn off to a strong start this spring!
- Guaranteed not to burn your lawn!

A Scotts® Lawn Pro® Product Available only at authorized Lawn Pro® stores (Dealers)

- Provides even greening better than all soluble fertilizers
- XX% more greening power than brand X [Note to PM: this claim is only reference to Scotts products (e.g. Our Super Turf Builder line contains XX% more nutrients that our standard Turf Builder line)]

538-202 (Amend pending) Page 2 of 23

• Prevents crabgrass, foxtail, spurge, barnyardgrass, fall panicum, and oxalis (common yellow woodsorrel)while greening your lawn without rapid, extreme growth.

• Formulated for the home environment.

Prevents crabgrass and 8 other problem weeds

Thicker, greener turf - satisfaction guaranteed

COVERAGE: Treats (and fertilizes) 5,000 - 6,000 sq. ft.

APPLICATION: (See back for details)

Apply in early spring (or apply anytime February through April). Not for use on dichondra or bentgrass lawns.

XX	X	X
NITROGEN	PHOSPHORUS	POTASSIUM
Essential for plant growth; makes	Stimulates root growth; helps grass	Makes plant strong; better able to
grass green.	multiply.	resist drought and extreme heat.

Golf course results for your home lawn!

Exclusive Particle Technology

- 79 of the top 100 golf courses use exclusive Scotts Ultra fertilizer technology for maximum turf performance
- Timed-release nitrogen won't burn your lawn

ULTRA GREENING POWER!

[FRONT PANEL CONT.]

NET WEIGHT XX.XX LBS

XX-X-X

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back for additional precautionary statements

ACTIVE INGREDIENT:

Pendimethalin[†] 1.22%
INERT INGREDIENTS: 98.78%
Total 100.00%

†CAS #40487-42-1 EPA Reg. No. 538-202

EPA Est 538-OH-1

Crabgrass Preventer Plus Lawn Food XX-X-X

643-XXX

[GUSSETS]

Scotts®
Crabgrass Preventer
Plus Lawn Food

SCOTTS POLICY No-Quibble Guarantee See back for details XXXXX

Treats (and fertilizes) up to 5,000 – 6,000 sq. ft. (Treats and feeds 5,000 sq. ft.)

Stops crabgrass and other weeds before they sprout and helps make your lawn its thickest, greenest ever.

Stops crabgrass and other weeds before they sprout and fertilizes your lawn.

Prevents weeds and fertilizes your lawn.

[OPTIONAL GUSSET]

PULL TAB and remove for pour spout		TB+H XXXXX 5-6M PROOF OF PURCHASE
Easy PULL HERE		
Open <u>-OR-</u>		
CUT HERE TO OPEN	Crabgrass Preventer	
	Plus Lawn Food	
	(Weed-and-Feed)	

[BACK]

Guaranteed Analysis

Total margen (11)	XX%
XX% ammoniacal nitrogen	
XX% urea, methylene ureas nitrogen**	
XX% water insoluble nitrogen	
Available phosphate (P ₂ O ₅)	X%
Soluble potash (K ₂ 0)	XX%
Derived from: monoammonium phosphate, urea, methylene u	reas muriate of notach or notaccium sulfate
• • • •	
Chlorine, not more than	
• • • •	

Treats (and fertilizes) up to 5,000 – 6,000 sq. ft. (Treats and feeds 5,000 sq. ft.)

Scotts®
Crabgrass Preventer
Plus Lawn Food

SCOTTS POLICY No-Quibble Guarantee See back for details

The Scotts Company 14111 Scottslawn Rd. Marysville, Ohio 43041

©2005. The Scotts Company. World rights reserved.

IOPTIONAL BACK PANEL CLAIMS

[CLAIMS SPECIFIC TO PHOSPHORUS-FREE PRODUCT LINE]

- Phosphorus-Free Formulation
- Phosphorus-Free Fertilizer
- Scotts® Phosphorus-Free fertilizer provides the best formula for soils already containing a high natural
 presence of available phosphorus. A soil test can help determine if your soil will support normal turf
 growth without phosphorus supplement
- Scotts Phosphorus-Free products are specially formulated with Scotts Poly-S® timed-release fertilizer. The unique Poly-S® coating provides your lawn with uniform growth and an extended feeding for up to two months.
- Apply Scotts® Phosphorus-Free Fertilizer with Crabgrass Preventer in Early Spring (February to April)
 Highly effective pre-emergent control of crabgrass and other grassy weeds
 Provides a regular turf feeding
- Apply Scotts® Phosphorus-Free Fertilizer with Weed Control Anytime Broadleaf Weeds are Actively Growing

Kills dandelions, clover, and other broadleaf weeds

Provides a regular turf feeding

• Apply Scotts® Phosphorus-Free Fertilizer Anytime

Thickens and greens lawns

Provides a regular turf feeding

XX	XX	XX
Nitrogen for Color	Phosphorus for Strength	Potassium for Protection
Contributes to thicker, greener	Stimulates root growth. Test your soil	Protects turf against disease and
growth.	regularly to see if phosphorus should	drought damage.
	be applied	

The Scotts Difference™

Patented Particle™ Technology

Unlike ordinary weed-and-feeds (or crabgrass preventer), every particle of this product contains Scotts® patented timed-release nitrogen plus phosphorus, potassium, and weed control. (See back for details.)

Spring applications prevent crabgrass, foxtail, oxalis, spurge and knotweed.

Fall applications prevent moss, Poa annua, and chickweed.

- Contains Poly-S™ exclusive controlled release nitrogen
- Scotts No-Quibble Guarantee™
- Toll-Free Consumer Helpline (1-800-543-TURF

"We guarantee thick, green, weed-free turf without risk of burning or surge growth."

Builds thick, green turf from the roots up without burning your lawn.

For best results, apply a Turf Builder® product four times a year (see back for details).

Treats and feeds X,XXX sq. ft.

-OR-

The Scotts Difference™

Scotts patented (exclusive) Particle Technology is available only in Scotts® products, so don't be fooled by weed and-feeds (or crabgrass preventers) claiming to be "just like Scotts".

Uniform proportions of the major nutrients – timed-release nitrogen, plus phosphorus and potassium – and weed control are bonded together in every Crabgrass Preventer plus Lawn Food particle, so they are distributed evenly across the entire lawn, eliminating hit-or-miss feeding and weeding. And the timed-release nitrogen feeds your lawn safely, without burning, and steadily for up to 2 months. Because of Scotts exclusive timedrelease nitrogen, you won't get the rapid surge growth associated with ordinary, fast-release weed-and-feeds. With regular mowing, you will have fewer clippings and may not even have to bag your clippings.

Remember, even weed-and-feeds (or crabgrass preventers) claiming to contain slow- or controlled-release nitrogen typically are just simple mixes, so they can't deliver the consistent great results you'll get from Scots patented Particle Technology. With Scotts Crabgrass Preventer Plus Lawn Food, you can be assured that every particle contains timed-release nitrogen, plus the other primary nutrients and weed control.

ORDINARY SIMPLE MIXES	SCOTTS TECHNOLOGY
Nutrient and crabgrass preventer granules of many	Ultra Crabgrass Preventer Plus Lawn Food granules
different sizes and shapes.	are consistent in composition.
Result: granules of unequal size can separate during	Result: consistent distribution of nutrients and
application	crabgrass preventer.

SCOTTS TECHNOLOGY
Ultra Crabgrass Preventer Plus Lawn Food delivers the same ratio of primary nutrients plus crabgrass preventer to every treated square inch of turf. Result: consistent greening plus better crabgrass prevention.

-OR-

[Experience] The Scotts AdvantageTM: Feeds Your Lawn and Stops Crabgrass Before It Starts! Scotts Crabgrass Preventer Plus Lawn Food works by forming a preventive barrier in the soil. Unlike most [many/other/ordinary] crabgrass prevention products, every Scotts particle contains plant nutrients andthe prevention ingredient. Scotts All-in-One particlesTM feed and provide a preventive barrier to every treated square inch of your lawn, keeping crabgrass and other grassy weeds from sprouting all season long.

All-in-One = nitrogen, phosphorus, potassium and the crabgrass prevention ingredient contained in every particle.

Crabgrass Preventer Plus Lawn Food

- Each All-in-One* particle contains nutrients and the crabgrass prevention ingredient
- Evenly dispersed particles provide better crabgrass prevention and more consistent feeding

Ordinary Mixed Fertilizers

- Nutrients and the crabgrass prevention ingredient often in separate particles
- Particles can separate during application, resulting in inconsistent crabgrass prevention and feeding.

[OPTIONAL CLAIMS]

Crabgrass Preventer Plus Lawn Food Crabgrass Preventer Plus Lawn Food particles deliver the same ration of nitrogen, phosphorus, potassium and weed preventer in every treated square inch of turf for even, consistent feeding plus better crabgrass prevention. Ordinary Mixed Crabgrass Preventer Granules contain different nutrient and crabgrass prevention granules of different sizes and shapes can separate during application resulting in uneven, inconsistent crabgrass prevention and feeding.

Poly-S™ Technology

Scotts® Slow-release polymer-encapsulated nitrogen fertilizer – for uniform growth with extended feeding.

Advantages of Crabgrass Preventer Plus Lawn Food

SUPERIOR QUALITY

Our small, uniform granules cover your lawn completely to stop these weeds before they start. All this means that Crabgrass Preventer plus Lawn Food gives your lawn the best seasonlong crabgrass, foxtail and spurge prevention available.

SCOTTS TRIONIZED® II FORMULA PROVIDES A MORE EFFICIENT NITROGEN THAN EVER BEFORE to help promote quicker greening.

Crabgrass Preventer plus Lawn Food WON'T BURN YOUR LAWN. The nitrogen in the Trionized® II formula is buffered. This means Crabgrass Preventer Plus Lawn Food greens your lawn without the danger of burning.

PART OF THE NITROGEN IN CRABGRASS PREVENTER PLUS LAWN FOOD IS TIMED-RELEASE to provide a supply of this essential nutrient to help your lawn stay thick and green for up to 6 to 8 weeks.

EACH CRABGRASS PREVENTER PLUS LAWN FOOD GRANULE CONTAINS THE THREE MAJOR NUTRIENTS AND CRABGRASS PREVENTER. We bond Scotts unique controlled-release nitrogen with other essential nutrients and a unique crabgrass preventer so your lawn receives a safe, uniform feeding and the most effective seasonlong crabgrass, foxtail and spurge prevention available.

		COMPETITIVE SIMPLE MIXTURE
	CRABGRASS PREVENTER PLUS LAWN FOOD	-0 r -
		ORDINARY MIXED CRABGRASS PREVENTOR
•	Every granule contains nitrogen, phosphorous, potassium and crabgrass preventer.	Granules contain different nutrients.
•	Provides safe, even greening with uniform crabgrass prevention.	May cause uneven greening and spotty crabgrass prevention.

Scotts Technology: Turf Builder® plus Halts for Lawns granules are consistent in composition.	Ordinary Simple Mixes: Nutrient and crabgrass preventer granules of many different sizes and shapes.
Result: consistent distribution of nutrients and crabgrass preventer. Turf Builder with Halts delivers the same ratio of nutrients plus crabgrass preventer to every treated square inch of turf. Result: consistent greening	Results: granules of unequal size can separate during application which can result in uneven, inconsistent crabgrass prevention and feeding.

AMERICA'S FAVORITES

plus better crabgrass prevention.

OTHER GREAT TURF BUILDER® PRODUCTS FOR YOUR LAWN.

--OR--

If weeds are a problem, use Turf Builder Plus 2®, America's favorite weed and feed. This product clears out dandelions and over 50 other broadleaf weeds while providing your lawn with a safe, uniform feeding of fertilizer.

If you don't have weed problems, use Turf Builder®, America's favorite lawn fertilizer. Turf Builder® promotes quick, deep greening without the danger of burning.

These great Turf Builder® products are developed specifically by Scotts for the unique needs of yourlawn – your satisfaction is unconditionally guaranteed.

Turf Builder Plus 2®
Fertilizer plus Broadleaf Weed Control
(Crabgrass Preventer)
[OPTIONAL BACK PANEL CLAIMS]

Turf Builder® Fertilizer

--OR--

Advantages

- Safe feeding won't burn when applied as directed
- Quick greening usually in 4 to 6 days
- Long lasting feeds up to 2 months
- Dependable traditional Scotts quality
- Prevents 9 weeds:

Grassy \	Veeds	Broadleaf Weeds
barnyardgrass	fall panicum	chickweed
crabgrass, large	foxtail	oxalis (yellow woodsorrel)
crabgrass, smooth	Poa annua	spurge (prostrate)

What to Expect

Crabgrass and other weeds listed will be prevented all summer and your lawn will be greener in one week (4-6 days).

[OPTIONAL]

For best results, apply the Scotts® Turf Builder® Annual Program For best results, apply Scotts Annual Lawn Care Program

- No more guesswork . . . apply the right product at the right time for a thick, green, weedfree lawn.
- Start anytime . . . just check the month below and apply products at 2 month intervals
- Start the program at any time
- Allow 2 months between application

Crabgrass Preventer Plus Lawn Food Apply in early spring (Feb April) Prevents crabgrass and other annual weeds while feeding your lawn. (In the Pacific Northwest, substitute Turf Builder and Moss Control Granules. For St. Augustinegrass, substitute Bonus S. For dormant bermudagrass, substitute Halts.)	Turf Builder® With Plus 2 Weed Control Apply in late spring (April – June) Kills dandelions and other broadleaf weeds while feeding your lawn. (For St. Augustinegrass, substitute Turf Builder.)
Turf Builder® With Insect Control	Turf Builder®
 Apply in summer (June – Aug.) Kills lawn damaging insects plus fleas while feeding your lawn. For grub control, apply Scotts® GrubEx® anytime from April to mid-August. 	 Apply in fall (Aug. – Nov.) Important time to feed for a thicker, greener lawn.

Crabgrass Preventer Plus Lawn Food (Treatment One) forms a barrier in the soil which prevents foxtail, spurge, barnyardgrass, fall panicum and oxalis (common yellow woodsorrel) from sprouting and appearing above ground level.

Treatment Two will control dandelions and most other weeds that have already sprouted and are growing.

— OR—

Eliminates growing broadleaf weeds with Scotts Super Turf Builder Plus 2 Weed Control plus Fertilizer.

Stops crabgrass and other weeds before they sprout and helps make your lawn its thickest, greenest ever.

What to expect: Crabgrass and other weeds listed will be prevented all summer and your lawn will be greener in 4 to 6 days.

Crabgrass Preventer Plus Lawn Food forms a barrier in the soil which prevents crabgrass, foxtail, spurge, barnyardgrass, fall panicum, goosegrass, and oxalis (common yellow woodsorrel) from sprouting and appearing above ground level. This product does not control dandelions or any other weeds (including crabgrass) that are already sprouted and growing. You can kill growing broadleaf weeds with Scotts Super Turf Builder Plus 2 weed control plus lawn fertilizer.

Super Turf Builder® lawn fertilizer contains extra nitrogen, carefully blended with potassium and phosphorus, to make your lawn greener.

- Your lawn will be greener in 4 to 6 days if weather conditions are good (warm soil, some moisture) and application instructions were followed.
- The greening will reach its peak 8 to 10 days after application. The color difference will be more noticeable if your lawn is hungry to begin with.
- Super Turf Builder works below the soil, too, helping to promote root and rhizome development; this strengthens the grass plants and enables them to produce more blades of grass, and it thickens the lawn with the addition of new grass plants.
- Thin areas of turf will fill in over time (about 6 weeks), creating a more uniformly dense lawn.

JOPTIONAL BACK PANEL CLAIMS

step[™] 1. Early spring February – April

Crabgrass Preventer plus Fertilizer – prevents crabgrass, foxtail, spurge, oxalis, chickweed and other annual weeds while providing deep, thick greening for up to 2 months. This is Scotts best fertilizer plus crabgrass preventer. In the Pacific Northwest, StepTM 1 is "Moss Control plus Lawn Fertilizer (<u>or</u>) Turf Builder with Moss Control." For St. Augustinegrass, StepTM 1 is "Super Bonus S."

step[™] 2. Late Spring April – June

Weed Control plus Fertilizer – controls dandelions, clover, chickweed and other broadleaf weeds while [greening -or- feeding] your lawn for up to 2 more months. This is Scotts best weed and feed. For St. Augustine, Step™ 2 is "Super Turf Builder."

stepTM 3. Summer June – August

Insect Control plus Fertilizer – controls white grubs, chinch bugs, sod webworms and other lawn insects plus [keeps your lawn green -or- greens your lawn] through the Summer. For grub control apply "Scoots® GrubEx® anytime from April to mid-August.

stepTM 4. Fall August – November

Lawn Fertilizer – specifically formulated for the Fall – the best time to develop a stronger root system for a more vigorous, thicker lawn. Helps your lawn green up even quicker next Spring. This is Scotts best fall fertilizer.

Super Winterizer Additional Super Winterizer Feeding Late Fall September – November

4 to 6 weeks after Early Fall Lawn Fertilizer feeding. Apply as last feeding in fall to help prepare your Lawn for winter.

538-202 (Amend pending) Page 10 of 23

[OPTIONAL INFORMATION ON LAWN SIZING/APPLICATION SEASONS]

Coverage

Treats (and fertilizes) up to 5,000 - 6,000 sq. ft. (Treats and feeds 5,000 sq. ft.)

How much is enough?

To determine the square footage of your lawn, walk the length and width of your lawn; one average pace equals about 3 feet. Multiply the length of the lawn by the width of the lawn. This equals the area of your lawn in square feet. NOTE: If your lawn has an irregular shape, measure square areas, then add the figures together to reach your total lawn size.

How and when to apply

Apply in early spring.

Easy to Apply

[NOTE TO PM: OPTION 1 DIRECTIONS FOR USE]

DIRECTIONS FOR USE

It is violation of Federal law to use this product in a manner inconsistent with its labeling.

Application

- Apply to dry foliage. It is not necessary to water inafter application. However, for best results the lawn should receive 1/4 to 1/2 inch of water from rainfall or watering within 2-3 days after application.
- Apply this product in early Spring before the 4th mowing or before temperatures are regularly in the 80's (See Map). Rain, snow or freezing weather after application will not affect the performance of this product.
- Do not seed of sod for four growing months following application. This product can prevent seeds from germinating.
- On newly seeded or sodded areas, wait until grass has been mowed at least 4 times.
- Do not use on Dichondra or bentgrass lawns.
- Do not apply to shrubs, flower or garden seed beds or plants.
- Allow at least 4-6 weeks between applications of any other product in this Program.
- Do not apply material to cement, stone, clothing, or shoes. If contact occurs brush off particles to prevent staining. If necessary, rinse off with water.
- This product applies 1.5 [1.25] lbs of pendimethalin per acre at the regular rate (and 1.67 lbs of pendimethalin at the heavy rate). Do not apply more than twice a year.

Raking

You may rake your lawn lightly to remove grass clippings or debris. But avoid breaking the soil surface in your lawn for 4 months after application. Heavy raking will disturb the crabgrass barrier and reduce the effectiveness of this product.

Do not enter or allow others to enter the treated are until dust has settled. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

Storage and Disposal

Storage: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

Disposal: If Empty: Do not reuse this container. Place in trash or offer for recycling if available.

If Partly Filled: Call your local solid waste agency or I-800-CLEANUP for disposal instructions. Never place

unused product down any indoor or outdoor drain.

[NOTE TO PM: END OF OPTION I DIRECTIONS FOR USE]

INOTE TO PM: OPTION 2 DIRECTIONS FOR USE

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Ready ["man reading" icon]

WHEN TO APPLY

To prevent the germination of crabgrass, spurge, foxtail, barnyardgrass, fall panicum and oxalis (common yellow woodsorrel), apply:

- Before temperatures regularly reach the 80s
- When the lawn is dry. It is not necessary to water in immediately after application. However, for best results the lawn should receive 1/2 to 1/2 inch of water from rainfall or watering within 23 days after application.
- If you have recently seeded your lawn, you cannot apply this product until the new lawn has been mowed 4 times. On newly sprigged areas, wait 5 months before using.
- This product controls crabgrass in its early stages of growth, not mature crabgrass, broadleaf weeds, or other crabgrass in its early stages of growth.
- Wait at least 4 months between applications. Do not apply more than twice a year.
- This product applies 1.5 [1.25] lbs of pendimethalin per acre at the regular rate [and 1.67 lbs of pendimethalin at the heavy rate]. Do not apply more than twice a year.

HOW TO APPLY

Set [man	
filling	

NORTHERN LAWNS: Kentucky bluegrass, fine and tall fescue, perennial ryegrass, buffalograss and blends of these grasses.

spreader icon]

SOUTHERN LAWNS: Bermudagrass, St. Augustinegrass, bahiagrass, centipedegrass and blends of

This product cannot be used on dichondra or bentgrass lawns.

[NOTE TO PM: SPREADER SETTING WILL BE INSETED HERE]

Go [man	Apply two strips around the lawn perimeter,
pushing	and then apply in the longest direction of
spreader	the lawn (see example at right). Release
iconl	control lever at the end of a row or if you stop.

[spread pattern diagram]

[NOTE TO PM: OPTIONAL LANGUAGE]

Spreader tips

When using a broadcast spreader, make each pass 5 feet from the previous pass. When using a drop spreader, make each pass 30 inches from the previous pass. Don't apply to driveway, sidewalk or street.

Know [man and sprinkler icon]

AFTER YOU APPLY

- Lawn should receive 1/2-inch of water within 3 days of application.
- Do not seed or sod for 4 months.
- Do not aerate the lawn for 4 months.
- To prevent staining, sweep product off of cement, stone or metal surfaces
- Do not allow people or pets to enter the treated are until dust has settled.
- Do not apply this product in a way that will contact any person or pet, either directly or through drift.
- Keep people and pets out of the area during application.

Storage and Disposal

Storage: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

Disposal: If Empty: Do not reuse this container. Place in trash or offer for recycling if available.

If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

INOTE TO PM: END OF OPTION 2 DIRECTIONS FOR USE

[DIRECTIONS FOR USE VERSION #3]

HOW AND WHEN TO APPLY

Apply Turf Builder plus Halts for Lawns in early spring to prevent crabgrass and other weeds from germinating. **DIRECTIONS FOR USE**

It is violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLICATION

Turf Builder plus Halts® for Lawns should be applied when your lawn is dry. It is not necessary to water it in after application. However, for best results the lawn should receive ¼ to ½ inch of water from rainfall or watering within 2-3 days after application.

Apply in early spring before the 3rd or 4th mowing or before temperatures are regularly in the 80s. Rain, snow or freezing weather will not affect the performance of this product.

- For Kentucky bluegrass, fine fescue, tall fescue, perennial ryegrass and blends of these grasses, apply at the REGULAR RATE.
- For bermudagrass, St. Augustinegrass, bahiagrass, centipedegrass and blends of these grasses, apply at the HEAVY RATE.
- This product applies 1.5 [1.25] lbs of pendimethalin per acre at the regular rate [and 1.67 lbs of pendimethalin at the heavy rate]. Do not apply more than twice a year.
- Apply to prevent germination of crabgrass, foxtail, barnyardgrass, fall panicum, spurge* and oxalis (common yellow woodsorrel):
- in early spring (before dandelions reach the puffball stage)
- before March in southern California
- before mid-March in northern California

*For heavy infestations a repeat treatment is recommended after 68 weeks.

Apply in August or September to prevent germination of Poa annua and chickweed

USE PRECAUTIONS

Do not seed or sod for 4 months following application. The crabgrass barrier prevents grass seed from sprouting.

Not for use on dichondra or bentgrass lawns. Except for heavy infestations of spurge, allow at least 4-month interval between applications of this product.

Do not enter or allow others to enter the treated are until dust has settled. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

IMPORTANT: Do not rake or aerify for 4 months after application to avoid disturbing the crabgrass barrier on the soil surface.

Seeding/sodding/sprigging

Please do not apply to newly seeded or sodded areas until after the fourth mowing. On newly sprigged areas, wait 5 months before application.

Actively growing crabgrass or moss

This product controls crabgrass in its early stages of growth. This product does not control mature crabgrass and other existing weeds. You can kill broadleaf weeds with Scotts Turf Builder with Plus 2.

Storage and Disposal

Storage: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

Disposal: If Empty: Do not reuse this container. Place in trash or offer for recycling if available.

If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

JEND OF DIRECTIONS FOR USE VERSION #31

[DIRECTIONS FOR USE VERSION #4]

DIRECTIONS FOR USE

It is violation of Federal law to use this product in a manner inconsistent with its labeling.

- 1. To prevent the germination of crabgrass, foxtail, barnyardgrass, fall panicum, purge* and oxalis (common yellow woodsorrel), apply to dry foliage in the early spring:
 - before dandelions reach the puffball stage
 - · before the third or fourth mowing
 - before temperatures regularly reach the 80s
 - before March in southern California; or
 - before mid-March in northern California
- 2. Set spreader to the setting indicated by the chart on the right before applying
- 3. It is not necessary to water it in after application. However, for best results the lawn should receive ¼ to ½ inch of water from rainfall or watering within 2-3 days after application.

For areas with moss problems, such as Pacific Northwest, Turf Builder plus Halts® for Lawns can be applied to lawns in the fall to prevent moss from growing.

This product applies 1.5 [1.25] lbs of pendimethalin per acre at the regular rate [and 1.67 lbs of pendimethalin at the heavy rate]. Do not apply more than twice a year.

What to Avoid

- Do not seed or sod for 4 months following application. [Optional- The crabgrass barrier prevents grass seed from sprouting.]
- Do not rake or aerify for 4 months after application to avoid disturbing the crabgrass barrier [on the soil surface]
- Do not apply to newly seeded or sodded areas until after the fourth mowing. On newly sprigged areas, wait 5 months before applying the product.
- Do not apply to dichondra or bentgrass lawns. Allow at least a 4-months interval between applications of this product.
- Do not enter or allow others to enter the treated are until dust has settled.
- Do not apply this product in a way that will conact any person or pet, either directly or through drift.
- Keep people and pets out of the area during application.

Actively growing crabgrass or moss

This product controls crabgrass in its early stages of growth. This product does not control mature crabgrass and other existing weeds. You can kill broadleaf weeds with Scotts Turf Builder with Plus 2.

Storage and Disposal

Storage: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

Disposal: If Empty: Do not reuse this container. Place in trash or offer for recycling if available.

If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

[END OF DIRECTIONS FOR USE VERSION #4]

FIRST AID

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 1520 minutes. If in eyes: Hold eye open and rinse slowly and gently with water for 1520 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment.

PRECAUTIONARY STATEMENTS

<u>Hazards to Humans and Domestic Animals</u> Harmful is absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing.

User Safety Recommendations

User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. User should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

<u>Environmental Hazards</u>: This pesticide is toxic to fish. Do not apply directly to water. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters. In case of spills, either collect for use or dispose of properly.

Staining Note: Can cause staining to cement, stone, metallic surfaces (such as automobiles and garden furnitue), closing or shoes. If contact occurs, brush off particles to prevent staining and/or unwanted tracking into the house. If necessary, rinse off with water.

Scotts & Your Environment

We care.

Scotts products are designed with care to grow thicker, greener lawns.

You should, too.

A healthy lawn cleans the air, produces oxygen and prevents excessive runoff and soil erosion.

Do the right thing.

Help keep our water resources clean. Use as directed. Apply this product only to your lawn, and sweep up any poduct that lands in the driveway, sidewalk or street.

The Scotts Company 14111 Scottslawn Rd Marysville, OH 43041

2003. Licensed by The Scotts Company. World rights reserved.

[Note to PM: Product applies 1.25 or 1.50 lbs ai/acre at the Regular Rate and 167 lbs ai/acre at the Heavy Rate]

[OPTIONAL SPREADER INFORMATION]

Spreader Setting	Regular Rate (covers 5,000 or 6,000 sq. ft.)	Heavy Rate (covers 4,500 sq. ft.)
Scotts Drop Spreaders	X	X
Scotts EasyGreen™ Rotary	X	X
Scotts SpeedyGreen® Rotary	X	X

Additional Spreader Settings

EZ Drop (Republic)XX	Ortho DropX
Cyclone RotaryXX	Green View DropX
Sears DropXX	Precision DropX

(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

If your spreader is a:	Set the spreader at: [COVERS 5,000 – 6,000 sq ft)	Set the spreader at: [COVERS – 4,500 sq ft]
Scotts Rotary Spreader Scotts SpeedyGreen®, EdgeGuard®, Basic, Standard and Deluxe with EdgeGuard®	x	X
Scotts EasyGreen®	х	Х
EZ Broadcast, Republic #540; Scotts Broadcast Tractor Spreader	X	x
Scotts Drop Spreader Scotts AccuGreen® Scotts Precision Green®	х	Χ .
EZ Drop, Republic #530	X	X

Scotts Drop:

- First apply 2 header strips
- Operate spreader the longest way of the lawn
- Overlap wheels to insure uniform feeding
- Shut off spreader when you have reached the header strips or stopped
- Mow lawn first if grass is tall enough to touch the bottom of the spreader

EasyGreen™ Rotary:

- Slide shut-off lever to the right. Application automatically starts and stops when you do
- For complete coverage make each pass about 30 inches from the previous one so some overlapping occurs

SpeedyGreen™ Rotary:

- Shut-off spreader anytime you stop
- For complete coverage make each pass about 5 feet from the previous one so some overlapping occurs Avoid applying product in flower beds adjacent to lawns

[ALTERNATE SPREADER INFORMATION]

Spreading Tips. For best results, use a Scotts spreader:

Scotts Drop: Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Then operate spreader the longest way of the lawn. Overlap wheel marks to insure uniform feeding. Shut off spreader when you have reached the header strips or stopped.

Scotts EasyGreen™ Rotary: Slide shut-off lever to the right; application automatically starts and stops when you do. For complete coverage make each pass about 30 inches from the previous one so some overlapping occurs.

Scotts SpeedyGreen™ Rotary: Shut off spreader anytime you stop. For complete coverage make each pass about 5 feed from the previous one, so some overlapping occurs. Avoid applying this product on flowers, vegetables and shrub plantings.

[ALTERNATE SPREADER SETTING INFORMATION]

Spreading Tips

For best results, use a Scotts spreader

	Spreader Settings		
	REGULAR	HEAVY RATE	DIRECTIONS
	RATE	Covers 4,500 sq	
	covers 5,000 –	ft	
	6,000 sq. ft.		
Scotts			Mow lawn first; apply 2 header strips; apply longest direction of
[AccuGreen®]	X	X	lawn, overlapping wheel marks
Drop Spreaders			
Scotts			Mow lawn first; apply 2 header strips; apply longest direction of
PrecisonGreen®	X	X	lawn, overlapping wheel marks
Drop Spreader			
Scotts			Make each pass about X feet from previous pass to overlap spread
SpeedyGreen® &	X	X	width.
EdgeGuard™			
Rotary			
Scotts			Make each pass about XX inches from previous pass to overlap
EasyGreen®	Х	X	spread width.
Rotary			

JALTERNATE SPREADER SETTING INFORMATION

19/24

Spreader Settings

For best results, use a Scots® Spreader

Spreading tips

Apply header strips. Then apply in the longest direction of lawn.

Scotts Rotary Spreaders Each pass should be within the distance indicated below to ensure an overlap	Regular Rate covers 5,000 – 6,000 sq ft	HEAVY RATE Covers 4,500 sq ft
Scotts SpeedyGreen® & EdgeGuard™ rotary (passes within 5 feet of each other)	X	x .
Scotts Drop Spreaders Make sure spreader wheel completely overlaps previous wheel marks	Χ .	X
Scotts AccuGreen® Drop Spreaders Scotts PrecisionGreen®	X	X
Drop Spreader	X	X

(ALTERNATE SPREADER SETTING INSTRUCTIONS)

For best results always use a Scotts®	Regular Rate	Heavy Rate	Width
spreader	Covers	Covers	of
	5,000 – 6,000sg ft	4,500 sq ft	Coverage
Scotts® AccuGreen® Drop Spreader	X		X
Scotts SpeedyGreen®	Χ		X
Scotts Broadcast Tractor	X	-	X

OPTIONAL BACK PANEL CLAIMS]

There's a Scotts product for every need:

Dandelions? Scotts Super Turf Builder Plus 2 weed control plus lawn fertilizer eliminates over 50 weeds while giving your lawn a full feeding of Super Turf Builder® lawn fertilizer.

Seeding, sodding, or sprigging, for new lawns, use Scotts StarterTM Fertilizer and follow up in 4 to 6 weeks with Scotts Turf Builder to establish new plantings.

Confused over what to do or when to do it? With Scotts 4-Step™ annual program it is hard to fail. Simply apply Step™ 1 in early spring and another Step™ every two months. You will eliminate weeds and insects and feed your lawn yearround with Scott's best annual program. (NOT for dichondra, St. Augustinegrass and some geographical areas.)

Lawn Questions?

Have questions or need advise?

Questions, Comments, Information

Call Scott's toll-free consumer helpline: 1-800-543-TURF (In Ohio, 1-800-762-4010)

Open Monday through Saturday 9:00 am to 5:00 pm EST.

-OR-

Consumer Helpline 1-800-539-6569

"Lawn Success Made Easy"
Visit Scott's website at www.scottslawn.com

Your Do-It-Yourself Lawn Care Headquarters

Scotts Lawn Pro retailers can provide you with do-it-yourself expertise and products to have a beautiful lawn simply and easily . . . for less money than hiring a lawn service. That's why we call them lawn pros!

QUESTIONS?

If you have questions you can talk directly with a Scotts Lawn Counselor. Simply call the tollfree number: 1-800-543-TURF (In Ohio, 1-800-762-4010).

Scotts Policy No-Quibble Guarantee®

If for any reason you[, the consumer,] are not satisfied [with results] after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

Scotts . . . the lawn people Marysville, Ohio 43041

Dedicated to a Beautiful WorldTM Trusted by generations of homeowners [gardeners], Scotts® [Miracle-Gro®] is dedicated to helping you enhance and protect the natural beauty of your home environment.

Are you proud of your lawn?

If you have a lawn success story using Scotts products, we'd like to hear about it. Write to Scotts Consumer Service, 14111 Scottslawn Road, Marysville, Ohio 43041. Photos are welcome.


538-202 (Amend pending) Page 19 of 23

Back panel

For best results, apply Scotts Annual Lawn Care Program.

- Start the program at any time.
- Allow 2 months between applications.

[ART] For lawns in the shaded areas, phone 1-800-543-TURF or visit our website at www.scottslawn.com for the Annual Lawn Care Program for your area.



The Scotts Advantage[™]:

Scotts Turf Builder Plus Halts for Lawns works by forming a preventive barrier in the soil. Unlike most crabgrass prevention products, every Scotts particle contains plant nutrients and the prevention ingredient. Scotts all-in-one* particles feed and provide a preventative barrier to every treated square inch of your lawn, keeping crabgrass and other grassy weeds from sprouting all season long.

ART (Scotts)

- Each all-in-one particle contains nutrients and the crabgrass prevention ingredient
- Evenly dispersed particles provide better crabgrass prevention and more consistent feeding

ART (others)

- Nutrients and the crabgrass prevention ingredient often in separate particles
- Particles can separate during application, resulting in inconsistent crabgrass prevention and feeding

^{*}All-in-one = nitrogen, phosphorous, potassium and the crabgrass prevention ingredient contained in every particle

22/24

KEY PRODUCT FACTS r Spreader Settings: For best results, use a Scotts spreader Spreading Tips Apply header strips. Regular Rate Then apply product in :deral law covers 5,000 sq. ft. longest direction of n a lawn. Scotts Rotary Spreaders: Each pass should be within the distance indicated with its below to ensure an overlap ART Scotts SpeedyGreen® X X ermination of (passes within 5 feet of each other) oxtail, anicum and Scotts EasyGreen® XXXXlow (passes within 30 inches of each other) odry foliage in Scotts Drop Spreaders: Make sure spreader wheel completely overlaps previous wheel marks ns reach the puffball or fourth mowing; Х Х All metal models ures regularly reach ART All plastic models XX XXi southern California; ch in northern ie setting indicated before applying. Additional Spreader Settings EZ Drop, Republic (#530) Scotts Broadcast Tractor Spreader X EZ Broadcast Republic (#540) Х

What To Avoid

- Do not seed or sod for 4 months after application.
- Do not rake or aerate for 4 months after application to avoid disturbing crabgrass barrier.
- Do not apply to newly seeded or sodded areas until after the 4th mowing. On newly sprigged areas, wait 5 months before applying product.
- Do not apply to dichondra or bentgrass lawns.
- Do not apply this product more than twice annually.
 Allow at least a 4-month interval between applications of this product.

This product can cause staining. To prevent staining and/or unwanted tracking of particles into the house, sweep or brush accidentally applied materials off of cement, stone, metallic surfaces (such as autos and garden furniture), clothing and shoe surfaces. If necessary, rinse off with water.

This product does not control actively growing crabgrass and other existing weeds. You can kill growing broadleaf weeds with Scots Turf Builder ® with Plus 2® Weed Control.

Storage and Disposal

- Storage: Store in a clean, dry place. Reseal opened bag by folding top down and securing.
- Pesticide Disposal: Securely wrap original container in several layers of newspaper and discard in trash.
- Container Disposal: Do not reuse bag. Discard in trash.

FIRST AID AND ENVIRONMENTAL HAZARDS

KEEP OUT OF REACH OF CHILDREN. CAUTION PRECAUTIONARY STATEMENTS:

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Do not get in eyes, on skin or clothing. Wash after handling. May be harmful if swallowed. Do not contaminate feed or foodstuffs. Do not graze treated areas. Do not feed clippings to livestock.

First Aid Art • FIRST AID: If in eyes or on skin, flush with plenty of water and get medical attention if irritation persists.

Environmental Hazards: This pesticide is toxic fish. Do not apply directly to water. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters. In case of spills, either collect for use or dispose of properly.

Guaranteed Analysis	Questions / Information	U.S. Patent No. 4,378,238
Turf Builder		Product of U.S.A.
Plus Halts XX-X-X F64	Consumer Help Line	The Scotts Company
Total nitrogen (N). XX ^o X.X% ammoniacal nitrogen	% 1-800-543-TURF (8873)	14111 Scottslawn Road Marysville, Ohio 43041
XX.X% urea nitrogen	77' '	©
XX.X% other water soluble nitrogen*	Visit our web site	1
X.X% water insoluble nitrogen	www.scottslawn.com	9
Available phosphate (P ₂ O ₅) X ^o	%	9
Soluble potash (K ₂ O). X		
Derived from: monoammonium phosphate, urea, methylene ureas, and muriate of potash.	If for any reason you are not satisfied with results after using any Scotts product, you	
Chlorine, not more than X%	are entitled to get your money back.	UPC
*Contains 11.7% slowly available methylenediurea and dimethylenetriurea nitrogen.	Simply send us evidence of purchase and we will mail you a refund check promptly.	

ĺ