

U.S. ENVIRONMENTAL PROTECTION AGENCY  
OFFICE OF PESTICIDES PROGRAMS  
REGISTRATION DIVISION (WH-567)  
WASHINGTON, D.C. 20460

EPA REGISTRATION NO.  
538-204

DATE OF ISSUANCE  
AUG 1 1985

NOTICE OF PESTICIDE:  REGISTRATION  
 REREGISTRATION

TERM OF ISSUANCE

NAME OF PESTICIDE PRODUCT

New Western Lawn Insect Control  
Plus Fertilizer

(Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code):

O. M. Scott & Sons Company  
14310 Scottlawn Road  
Marysville, OH 43041

185/152613  
17/1

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA as amended provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration No. 538-204."
- b. Change "4-methyl-6" to "6-methyl-4" in the active ingredient statement.
- c. Delete "NEW, IMPROVED FORMULA with DIAZINON" from the front label. The formula is identical to EPA Registration Number 538-92.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

ATTACHMENT IS APPLICABLE

DEPT. AFRICAN AFFAIRS

SIGNATURE OF APPROVING OFFICIAL

DATE

A stamped copy of the label is enclosed for your records.

We note that the 15 1/2 lb bag for the Lawn Insect Control Plus Fertilizer treats 5000 sq ft and that New Western Lawn Insect Control Plus Fertilizer treats only 2500 sq ft. Please explain.

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosure

FRONT:

1986 PACKAGE COPY FOR LP NEW  
WESTERN LAWN INSECT CONTROL  
PLUS FERTILIZER XXXXX  
04/22/85 JF 05/14/85 JF  
05/06/85 JF 05/21/85 JF

XXXXX (Scotts) New Western Lawn Insect (Scotts )  
Control plus Fertilizer (Lawn Pro)  
(R)

(NOTE: The description above will be inverted.)

Treats 2,500 sq ft (232 m<sup>2</sup>)

NEW, IMPROVED  
FORMULA WITH  
DIAZINON

(Scotts (R))

New Western  
Lawn Insect  
Control plus  
Fertilizer

For use on grass and dichondra lawns

Controls sod webworms, European crane fly  
larvae (leatherjackets), chinch bugs, flea  
beetles and vegetable weevils (on dichondra),  
white grubs and other lawn insects listed  
on back panel.

Feeds your lawn with Scotts exclusive  
slow-release nitrogen fertilizer.

ACCEPTED  
with COMMENTS  
EPA Letter Dated:

AUG 1 1985

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
535-204

A SCOTTS(R) Lawn Pro(R) PRODUCT

Available only at authorized Lawn Pro stores

NET WEIGHT XXXX LBS (X.XX kg)

28-6-4

LEFT COLUMN

KEEP OUT OF REACH OF CHILDREN  
CAUTION  
PRECAUTIONARY STATEMENTS

BEST AVAILABLE COPY

Hazards to Humans and Domestic Animals: CAUTION. Harmful if swallowed. May  
be absorbed through the skin. Do not get in eyes, on skin, or on clothing.  
Avoid inhalation. If on skin: remove contaminated clothing and wash affected  
areas with soap and water. If in eyes: flush eyes with plenty of water.  
Call a physician if irritation persists. Wash thoroughly after handling and  
before eating or smoking. Do not contaminate feed or foodstuffs. Water  
treated area after application and allow to dry before permitting use.

12/30/50 2.4 10.5 4.17

FRONT CONTINUED:

Note to Physician: Diazinon is a cholinesterase inhibitor. Atropine is antidotal if symptoms of cholinesterase inhibition are present.

Environmental Hazards: This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

ACTIVE INGREDIENT:

Diazinon [O,O-Diethyl O-(2-isopropyl-4-methyl-6-pyrimidinyl) phosphorothioate]

Diazinon [O,O-Diethyl O-(2-isopropyl-4-methyl-6-pyrimidinyl) phosphorothioate]	3.60%
<u>INERT INGREDIENTS:</u>	<u>96.40%</u>
Total	100.00%


RIGHT COLUMN

EPA Reg No 538-92	FPA Est 538 OH-1
Product of USA	
New Western Lawn Insect Control plus Fertilizer 28-6 4	643 1121
Guaranteed Analysis	

Total nitrogen(N)	28%
1.3% ammoniacal nitrogen	
17.3% urea, methylene ureas nitrogen	
9.4% water insoluble nitrogen	
Available phosphoric acid (P <sub>2</sub> O <sub>5</sub> )	6%
Soluble potash (K <sub>2</sub> O)	4%
Derived from: monoammonium phosphate, urea, methylene ureas, and potassium sulfate.	

US Pat No 3,705,794	Other Pat Pend
---------------------	----------------

The O M Scott & Sons Company  
Marysville, Ohio 43041



GUSSETS:

LEFT GUSSET.

(Scotts) New Western Lawn Insect  
Control plus Fertilizer

A SCOTTS  
Lawn  
Pro  
PRODUCT


XXXXX

RIGHT GUSSET

XXXXX A SCOTTS  
Lawn  
Pro  
PRODUCT

(Scotts) New Western Lawn Insect  
Control plus Fertilizer

(Packaging calendar)



**BACK:**

PULL TAB  
and remove for  
pour spout

(ILLUS.)

Easy  
Open PULL HERE

Treats 2,500 sq ft (232 m<sup>2</sup>)  
(Scotts (p.) New Western  
Lawn Insect  
Control plus  
Fertilizer

NW LIC + F XXXXX  
2.5M  
PROOF  
OF  
PURCHASE  
(Scotts)

Controls insects and feeds the lawn.

Controls sod webworms (lawn moth larvae), European crane fly larvae (leatherjackets), chinch bugs, flea beetles (in dichondra) and vegetable weevils (in dichondra).

Also controls the following insects in grass or dichondra lawns:

ants	crickets	white grubs
armyworms	cutworms	(Japanese beetle,
Bermuda mites	earwigs	European chafer,
billbugs	leafhoppers	Masked chafer,
chiggers	mole crickets	Phyllophaga-May
clover mites	ticks	or June beetle)

Directions for use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**LEFT COLUMN**

DO apply when insect activity or damage (chewed or browned leaves) is first observed or suspected in the lawn.

**NOTE:**

For crane fly larvae (leatherjackets) apply when activity is first noticed in the spring, usually mid-March to mid-April.

For chinch bugs start treatments when daily high temperatures are 80° or above and repeat at week intervals.

For grub control, the most likely period for grubs is July through September but in some cases grubs are active in the spring. An application for spring grub activity requires a repeat summer early fall application for effective control.

For mole crickets, the best time to apply is in May to July.

DO apply when lawn is dry. For white grubs and mole crickets, water thoroughly, let lawn dry and then apply product.

**BEST AVAILABLE COPY**

**BACK CONTINUED:**

DO water lawn after application to wash granules from the lawn foliage. If treating for grubs or mole crickets, water thoroughly (so that active ingredients will be carried into the rootzone).

**RIGHT COLUMN**

DO make a repeat application of a Scotts insect control product (with or without fertilizer) if there are signs of renewed insect activity. (Normally, application gives effective control for approximately 6 weeks.)

DO apply at

Application Rate	Scotts Drop Spreaders	Scotts EasyGreen™ Rotary
(treats 2,500 sq ft)	6	26

DON'T treat just the browned areas of lawn. To prevent further damage, treat entire lawn.

DON'T use any other lawn control product for at least one week after application.

DON'T allow traffic on lawn after application until granules are watered off lawn foliage and lawn has dried.

DON'T use on fruit or vegetable plantings.

DON'T apply with a rotary-type spreader except Scotts Easy Green™ Rotary, which is especially designed for safe, even application of control products.

A SCOTTS(R) Lawn Pro(R) PRODUCT

Available only at authorized Lawn Pro stores

XXXXX

Scotts Policy  
No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

SCOTTS...the lawn people . Marysville, Ohio 43041

0 (UPC)

32241 XXXXX

(c) 1986, THE O M SCOTT & SONS COMPANY. ALL RIGHTS RESERVED.