

Chemical 1-Naphthaleneacetic Acid

Ethyl Ester

Plant Growth Regulator for Formulating use Only

3
393

Acid, ethyl ester	-	-	-	95.0%
	-	-	-	5.0%
Total				100.0%

EPA Est. No. 5481-CA-1

KEEP OUT OF REACH OF CHILDREN
CAUTION
 Si usted no entiende la etiqueta, busque a alguien para que se to
 explique a usted en detalle.
 (If you do not understand this label, find someone to explain it to you in detail.)

ADDITIONAL STATEMENTS

PLANTS AND DOMESTIC ANIMALS

Allowed. Avoid contact with skin and eyes.

PRACTICAL TREATMENT

Plenty of water for at least 15 minutes and get medical attention.
 Drink 1 or 2 glasses of water and induce vomiting by touching
 or give anything by mouth to an unconscious person.
 and water.

ENVIRONMENTAL HAZARDS

Use in waters unless in accordance with NPDES permit. For guidance

USE FOR FORMULATION

In a manner inconsistent with its labeling. This pesticide may be used
 on apples, pears, olives, non-bearing citrus, non-bearing nectarines
 Formulation into a plant growth regulator is prohibited for use on
 responsible for obtaining EPA registrations for their formulated

STORAGE AND DISPOSAL

Do not use in feed stuffs. Do not use in equipment or in a container in which
 chemicals unless thoroughly cleaned.
 Rinse water that cannot be used according to label instructions
 local, state or local procedures.
 (cont). Then offer for recycling or reconditioning, or puncture and
 local and state procedures. Do not contaminate water, food or

(continued on inside of this prtg. 04-01-94)

IMPORTANT: PLEASE READ BEFORE USE

By using this product, the user accepts the following:

LIMITED WARRANTY

AMVAC warrants that (a) this product conforms to the chemical description on its label; (b) this product is reasonably
 fit for the purposes stated on its label, subject to the inherent risks referred to herein, when used in accordance with
 its directions; and (c) that the directions, warnings, cautions, and other statements on this label are based upon
 responsible experts' evaluations of reasonable tests of effectiveness, of toxicity to laboratory animals and plants,
 of residues on food crops, and upon reports of field experience. Testing has not been performed on all varieties of
 food crops, and plants, in all states, or under all application, weather and crop conditions.
 There are no express warranties other than those set forth herein. Amvac neither makes nor intends, nor does it
 authorize any agent or representative to make, any other warranty, express or implied. Amvac expressly excludes
 and disclaims all implied warranties of merchantability, fitness for particular purpose, or any other warranty of quality
 or performance.

This warranty does not extend to, and the user shall be solely responsible for, any loss or damage which results from
 the use of this product in any manner which is inconsistent with this label's directions, warnings or cautions.
 User's exclusive remedy and Amvac's or seller's exclusive liability for any claim, loss, damage, or injury resulting
 from the use or handling of this product, whether or not based in contract, negligence, strict liability in tort, or otherwise
 shall be limited, at Amvac's option, to replacement of, or repayment of the purchase prices for, the quantity of product
 with respect to which damages are claimed. In no event shall Amvac or Seller be liable for special, indirect, or
 consequential damages resulting from the use or handling of this product.

FOR THE FOLLOWING EMERGENCIES, PHONE 24 HOURS A DAY
 1 - TRANSPORTATION: CHEMTREC 1-800-424-9300
 2 - MEDICAL: H.I.S. 1-800-228-5635 Ext. 169

NET WEIGHT 50 POUNDS

VAC CHEMICAL CORPORATION

4100 EAST WASHINGTON BLVD. - LOS ANGELES, CA 90023 - U.S.A.

BEST AVAILABLE COPY

Mr. Vincent Snyder, Jr.
The O. M. Scott & Sons Company
1411 Scottslawn Road
Marysville, Ohio 43041

Dear Mr. Snyder:

Subject: Amendment- Revise per Diazinon Registration Standard
Western Lawn Insect Control Plus Fertilizer
EPA Registration Number 538-204
Your submission dated September 27, 1993

The application referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, and a copy of a stamped label is enclosed for your records.

Please make the following revisions when preparing the actual finished label:

1. Under Environmental Hazards change "Do not apply directly to water." to read "Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark."
2. In the list of insects on the back panel change "brown dog ticks" to read "Brown dog ticks".
3. Under SPECIAL PRECAUTIONS TO REDUCE RISKS TO BIRDS change "(duck and geese)" to read "(ducks or geese)".
4. Under SPECIAL PRECAUTIONS TO REDUCE RISKS TO BIRDS change "Do not exceed maximum permitted label rates since" to read "Do not exceed maximum permitted label rates, since".

CONCURRENCES

SYMBOL	H7505C							
SURNAME	JTD							
DATE	5/5/94							

)) 2 of 12
5. Under Storage: change to read "Store in original container in a cool, dry, well-ventilated area inaccessible to children, and domestic animals. Do not store near fertilizers, herbicides, seeds, food, or feed. Reseal opened bag by folding top down and securing."

6. Under CONTAINER DISPOSAL: change "Do not reuse bag." to read "Do not reuse empty bag."

Sincerely yours,

George T. LaRocca
Product Manager (13)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

MASTER LABEL

3 of 12

FRONT:

PACKAGE COPY FOR LAWN PRO
WESTERN LAWN INSECT CONTROL
PLUS FERTILIZER XXXXX

11/13/90 AR 12/19/90 AR
01/31/91 VS/cr
03/27/92 VS/cr 09/29/93 VS/cr

(Scotts)R

Western Lawn Insect Control
Plus Fertilizer

XXXXX

Controls major home lawn insect problems
and fertilizes your lawn

For outdoor use on the home lawn only

(NOTE: The description above will be inverted.)

(Scotts)(R)

Treats and Fertilizes 5,000 sq ft

Western Lawn Insect Control
Plus Fertilizer

Controls major home lawn insect problems and fertilizes you lawn

LEFT COLUMN

Provides even greening -- better than all-soluble fertilizers

Contains diazinon to control white grubs, sod webworms, fleas, ticks, chinch bugs, and and other insects while greening your lawn without rapid, extreme growth.

ACCEPTED
with COMMENTS
in EPA Letter Dated

MAY - 5 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

538-204

This product must not be used on golf courses and sod farms

COVERAGE:

Treats and fertilizes 5,000 square feet

APPLICATION: (See back for details)

Apply in Summer.

25	6	4
NITROGEN	PHOSPHORUS	POTASSIUM
Essential for plant growth; makes grass green.	Stimulates root growth; helps grass multiply.	Makes plant strong; better able to resist drought and extreme heat.

RIGHT COLUMN

See Back for Details
Scott's
No-Quibble Guarantee

CAUTION
KEEP OUT OF REACH OF CHILDREN

See BACK for additional precautionary statements.

ACTIVE INGREDIENT:

Diazinon [0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate].	2.88%
INERT INGREDIENTS:	97.12%
Total	100.00%

EPA Reg No 538-204

EPA Est 538-OH-1

NET WEIGHT 16.0 LBS. (7.25 kg)

XXXXX



RIGHT GUSSET:

Treats and fertilizes 5,000 sq. ft.

(Scotts)_R Western Lawn Insect Control
Plus Fertilizer

Controls major home lawn insect problems
and fertilizes your lawn

UPC

32247 XXXX

LEFT GUSSET:

Treats and fertilizes 5,000 sq. ft.

(Scotts)_R Western Lawn Insect Control
Plus Fertilizer

Controls major home lawn insect problems
and fertilizes your lawn

UPC

32247 XXXX

FRONT:

6 of 12

Scotts

Western Lawn Insect Control
Plus Fertilizer

LEFT COLUMN

RIGHT COLUMN

Formulation and
Ingredient Analysis

25-6-4

KEEP OUT OF REACH OF CHILDREN
CAUTION
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION.
Harmful if swallowed, inhaled, or absorbed through skin.
Avoid breathing dust and contact with eyes, skin, or
clothing. Wash thoroughly after handling and before
smoking or eating. Do not store near food or feed. Do
not contaminate ornamental fish ponds. Do not allow
children or pets onto the treated area until granules
have been watered in and the grass or soil has dried.

Statement of Practical Treatment:

If swallowed: Call a physician or Poison Control
Center immediately. Drink one or two glasses of water
and induce vomiting by touching the back of the throat
with finger. Repeat until vomit fluid is clear. Do not
induce vomiting or give anything by mouth if person is
unconscious or convulsing.

If inhaled: Remove victim to fresh air and apply
artificial respiration if indicated.

If on skin: Remove contaminated clothing and wash
affected areas with soap and water.

If in eyes: Rinse eyes with plenty of water and call a
physician immediately.

Note to Physician: This product contains an
organophosphate insecticide. If symptoms of
cholinesterase inhibition are present, atropine sulfate
by injection is antidotal. 2-PAM is also antidotal and
may be administered, but only in conjunction with
atropine.

Environmental Hazards: This pesticide is highly toxic to birds, fish and other wildlife. Birds, especially waterfowl feeding or drinking on treated areas may be killed. Because of the migratory habits of certain Atlantic Coast waterfowl, do not apply this product to lawns in Nassau County, New York, between November 1 and May 20. Do not exceed maximum permitted label rates. Application rates above those recommended significantly increase potential hazards to birds and waterfowl. Avoid overlapping granules. Where irrigation (watering) is recommended in the directions, or if waterfowl, i.e., ducks or geese, can be expected in the treated area after treatment (except spot treatment), water lawn with at least 1/4 inch of water immediately after applying this product, however, stop watering before puddling occurs. Keep out of lakes, streams, ponds, tidal marshes and estuaries.

Do not apply directly to water. Runoff may be hazardous to aquatic organisms in neighboring areas. Shrimp or crab may be killed at application rates recommended on this label. Do not apply where fish, shrimp, crab and other aquatic life are important resources. Do not contaminate water by cleaning of equipment or disposal of wastes.

EPA Reg No 538-204 EPA Est 538-OH-1 643-XXXX

Western Lawn Insect Control Plus Fertilizer 25-6-4

Guaranteed Analysis

Total nitrogen (N) 25%
 1.3% ammoniacal nitrogen
 XX.X% urea nitrogen
 X.X% water soluble organic nitrogen*
 9.4% water insoluble nitrogen
 Available phosphoric acid (P₂O₅) 6%
 Soluble potash (K₂O) 4%

Derived from: monoammonium phosphate, urea, methylene ureas and potassium sulfate.

Contains XX% slowly available methylenediurea and dimethylenetriurea nitrogen.

Product of USA



BEST AVAILABLE COPY

Grubs and other insects listed will be controlled and prevented and your lawn will be greener in one week.

Western Lawn Insect Control Plus Fertilizer kills these active insects and provides effective control for approximately 6 weeks.

ants	cutworms	leafhoppers
armyworms	earwigs	mole crickets
Bermudagrass mites	European crane	sod webworms
billbugs	fly larvae	(lawn moth larvae)
chiggers	(leatherjackets)	brown dog ticks
chinch bugs	fleas	vegetable weevil
clover mites	flea beetles	(in dichondra)
crickets	(in dichondra)	

EACH WESTERN LAWN INSECT CONTROL PLUS FERTILIZER GRANULE CONTAINS NITROGEN AND INSECT CONTROL. We bond Scotts unique controlled-release nitrogen nutrients and an effective insect control so your lawn receives a

WESTERN LAWN INSECT CONTROL PLUS FERTILIZER WON'T BURN YOUR LAWN. Nitrogen is buffered. This means Western Lawn Insect Control Plus Fertilizer eliminates the danger of burning. Part of the nitrogen in Western Lawn Insect Control Plus Fertilizer is time-released to provide a supply of this essential nutrient to your lawn and green for up to two months.

LEFT COLUMN

Coverage

Treats and fertilizes 5,000 square feet

RIGHT COLUMN

How much is enough?

To determine the square footage of your lawn, walk the length and one average pace equals about 3 feet. Multiply the length of the lawn by the width of the lawn. This equals the area of your lawn. Note: If your lawn has an irregular shape, measure square areas together to reach your total lawn size.

BEST AVAILABLE COPY



BACK CONTINUED:

LEFT COLUMN

How and when to apply

Apply in Summer
or anytime insects
are a problem.

)

)

9/7/12

RIGHT COLUMN

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in
a manner inconsistent with its labeling.

Do apply when insect activity or damage (chewed or
browned leaves) is first observed in the lawn.

NOTE: For Grub Control:

Northern States -- The most likely period for grubs is
late July through September, but in some cases grubs
are active in the Spring. An application for Spring
grub activity requires a repeat Summer-early Fall
application for effective control.

Southern States -- Apply during July-August. A second
application may be needed 6 weeks later. Applications
made later in the year when grubs are more mature are
less effective.

For chinch bugs start treatments when daily high
temperatures are 80°F or above and repeat at 6 week
intervals.

For mole crickets, the best time to apply is in May to
July.

DO apply when lawn is dry. For white grubs and mole
crickets, water thoroughly, let lawn dry and then
apply product.

DO water lawn after application to wash granules from
the lawn foliage. If treating for grubs or mole
crickets, water thoroughly so that active ingredients
will be carried into the root zone.

DO make a repeat application of a Scott insect control
product (with or without fertilizer) if there are
signs of renewed insect activity. Normally,
application gives effective control for approximately
6 weeks.

DON'T treat just the browned areas of your lawn. To
prevent further damage, treat entire lawn.

DON'T use any other lawn control product for at least
one week after application.

BEST AVAILABLE G

SPECIAL PRECAUTIONS TO REDUCE RISKS TO BIRDS

Birds, especially waterfowl (ducks and geese), feeding or drinking on treated areas may be killed. To reduce risks to birds:

- a) Do not treat areas larger than 15,000 sq. ft.
- b) Because of the migratory habits of certain waterfowl, do not apply in Nassau County, New York, between November 1 and May 20.
- c) Do not exceed maximum permitted label rates since rates above those recommended significantly increase potential hazards to birds, especially waterfowl.
- d) Avoid overlapping treated areas.
- e) Follow all watering instructions included within the directions for use, however, stop watering before puddling occurs.
- f) Do not apply this product to sites occupied by waterfowl or to sites within 75 feet of any body of water that may attract waterfowl, such as lakes or ponds.
- g) If necessary to repeat application, wait a minimum of 3 weeks before applications. Make no more than 4 applications per year.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

Spreading Tips

Scotts Drop: Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Operate spreader the longest way of the lawn. Overlap wheels to insure uniform feeding.

For best results, use a Scotts spreader

(ILLUS.)

Scotts EasyGreen Rotary: Slide shut-off lever to the right; application automatically starts and stops when you do. For complete coverage make each pass about 30 inches from the previous one so some overlapping occurs.

(ILLUS.)

Scotts SpeedyGreen Rotary: Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one so some overlapping occurs. Avoid applying this product on flowers, vegetables and shrub plantings.

	Spreader Settings (covers 5,000 sq ft)
Scotts Drop Spreaders	6
Scotts EasyGreen Rotary	26
Scotts SpeedyGreen Rotary	5

Additional spreader settings (Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage).

- Cyclone Rotary 3 1/2
- Central Drop 7
- Sears Drop 5
- Ortho Drop 6
- Greenview Drop 4
- Precision Drop
(Red Devil). 5

BEST AVAILABLE COPY

LEFT COLUMN

RIGHT COLUMN

Questions?

Scotts Policy No-Quibble Guarantee: If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

Call Scotts' toll-free consumer hotline:
1-800-543-TURF

SCOTTS...the lawn people
Marysville, Ohio 43041

Made in USA

UPC

32247 XXXXX

(c) 1993. The O. M. Scott & Sons Company
Marysville, OH 43041
All right reserved.