



FRONT:

Lawn Pro Weed & Feed XXXXX  
(S-1658)  
05/23/85 AR 06/13/85 AR  
06/12/85 AR

XXXXX

(Scotts (R))  
(Lawn Pro )  
(R)

(NOTE: The description above will be inverted.)

Feeds 5,000 sq ft (465 m<sup>2</sup>)

XXXXX

(Scotts (R))  
(Lawn Pro )  
(R)

SCOTTS POLICY  
No-Quibble  
Guarantee  
SEE BACK FOR DETAILS

WEED AND FEED  
weed control plus lawn fertilizer

ACCEPTED  
*with comment*  
JUL 11 1985  
Under the Federal Insect  
Fungicide, and Rodenticide  
Act as amended in the  
registered under  
EPA Reg. No. 538-805

weeds  
(photo)

grass  
(photo)

Controls dandelions and  
over 50 other broadleaf weeds

Thicker, greener turf -  
satisfaction guaranteed

A SCOTTS(R) Lawn Pro(R) PRODUCT

Available only at authorized Lawn Pro stores

FRONT CONTAINER:

Net Weight 14 1/16 lbs (6.38 kg)

32-4-4

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: Harmful if swallowed. Avoid inhalation and contact with skin, eyes, or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Avoid contamination of feed or foodstuffs. Do not contaminate water used for irrigational or domestic purposes.

Environmental Hazards: Do not apply directly to water. Do not apply when weather conditions favor drift from target area. Do not contaminate water used for irrigation or domestic purposes.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

ACTIVE INGREDIENTS:

2,4-Dichlorophenoxyacetic acid. . . . . 1.22%

2-(2-Methyl-4-chlorophenoxy) propionic acid . . . . . 1.22%

INERT INGREDIENTS: . . . . . 97.56%

Total 100.00%

EPA Reg No 538-XX  
Lawn Pro Weed and Feed

32-4-4

EPA Est 538-OH-1

Guaranteed Analysis

Total nitrogen(N) . . . . . 32%

0.8% ammoniacal nitrogen

21.2% urea, methylene ureas nitrogen

10.0% water insoluble nitrogen

Available phosphoric acid (P<sub>2</sub>O<sub>5</sub>) . . . . . 4%

Soluble potash (K<sub>2</sub>O) . . . . . 4%

Derived from: monoammonium phosphate, urea, methylene ureas, and potassium sulfate.

U S Pat Nos. 3,705,794 and 3,989,470

Product USA

The O M Scott & Sons Company  
Marysville, Ohio 43041

**GUSSETS:**

RIGHT GUSSET:

XXXXX	A SCOTTS Lawn Pro PRODUCT	(Scotts) Weed and Feed weed control plus fertilizer	SCOTTS POLICY No-Quibble Guarantee SEE BACK FOR DETAILS
-------	------------------------------------	--	--

LEFT GUSSET:

(Scotts) Weed and Feed weed control plus fertilizer	A SCOTTS Lawn Pro PRODUCT	SCOTTS POLICY No-Quibble Guarantee SEE BACK FOR DETAILS	XXXXX
--	------------------------------------	--	-------

PACK:

PULL TAB  
and remove for  
pour spout  
(ILLUS.)

Easy  
Open FULL HERE

Treats 5,000 sq ft (465 m<sup>2</sup>)

LPWC+LF XXXXX  
SM  
PROOF  
OF  
PURCHASE  
(Scotts)

(Scotts (R))  
(Lawn Pro )  
(R)

Weed  
and  
Feed  
weed control plus fertilizer

### Advantages

- . Lightweight and concentrated--made by Scotts patented Polyform process
- . Safe <sup>feeding</sup> won't burn when applied as directed
- . Quick-greening--usually in 3 to 5 days
- . Long-lasting--feeds up to 2 months
- . Dependable--traditional Scotts quality
- . Controls more than 50 weeds...

536-28

aster	English daisy	pigweed
bittercress	eveningprimrose	plantain
black medic	filaree	prickly lettuce
bristly oxtongue	fleabane	puncturevine
buckhorn	ground ivy	purslane
bull thistle	healall	pusley, Florida
burclover	henbit	ragweed
buttonweed	horseweed	scarlet
carpetweed	knotweed	pimpernel
centella	(seedling)	shadflower
chicory	lambquarter	shepherdspurse
chickweed	lippia	smartweed
cinquefoil	mallow	sowthistle
cudweed	moneywort	stitchwort
curly dock	morningglory	thymeleaf
dandelion	mustard	sandwort
dichondra	pennywort	vetch
dollarweed	pepperweed	white clover
		yellow rocket

### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

### APPLICATION

- . Apply any time weeds are actively growing (when daytime temperatures are consistently above 50°F).
- . Apply on a calm day.

**BACK CONTINUED:**

- Apply to moist grass. To help particles stick to weed leaves the grass should be thoroughly watered or wet from dew before applying Lawn Pro Weed and Feed.
- Do not use this product on flowers, shrubs, fruit or vegetable plants or on creeping bentgrass, St. Augustine, lippia and dichondra lawns. On bermudagrass lawns, under certain conditions, some temporary discoloration may result.

**WATERING OR RAIN**

Do not water your lawn for 24 hours after application. Water will wash the weed control off the weed's leaves and reduce the effectiveness of this product.

This product should not be applied if rain is expected within the next 24 hours.

**SPREADER**

Be careful when applying this product near shrubs, flower beds or vegetable gardens as contact with weed control may damage these desirable plants. The Scotts PF Drop Spreaders provide excellent controlled application to protect these areas. When using the EasyGreen™ Rotary Spreader take special care near desirable plants.

**Spreader Settings**

Scotts  
Drop  
Spreaders

Scotts  
EasyGreen™  
Rotary

(treats 5,000 sq ft)

XXXX

XXXX

**IMPORTANT**

**WHAT TO EXPECT**

Weed stems and leaves will begin to twist and curl in a few days, but a month or more may be required for complete control

This product will not prevent weed seeds from producing new plants.

**EXTREME TEMPERATURES**

Avoid applying when temperatures are consistently above 90 degrees.

**SEEDING/SODDING**

Wait until the new grass has been mowed at least four times before applying Lawn Pro Weed and Feed weed control.

If you are planning to seed, you should wait at least one month after you have applied Lawn Pro Weed and Feed.

TIPS ON SPREADING WITH SCOTTS SPREADERS

Scotts Drop:

- First apply 2 header strips
- Operate spreader the longest way of the lawn (ILLUS.)
- Overlap wheels to insure uniform feeding
- Shut off spreader when you have reached the header strips or stopped (ILLUS.)
- Mow lawn first if grass is tall enough to touch the bottom of spreader

EasyGreen™ Rotary:

- Slide shut-off lever to the right. Application automatically starts and stops when you do
- Avoid misses by making each pass about 30 inches from the previous one so some overlapping occurs

A SCOTTS(R) Lawn Pro(R) PRODUCT

Available only at authorized Lawn Pro stores

Your Do-It-Yourself Lawn Care Headquarters

Scotts Lawn Pro products can provide you with the do-it-yourself expertise and products to have a beautiful Scotts lawn simply and easily...for less money than hiring a lawn service. That's why we call them Lawn Pros!

XXXXX

Scotts Policy  
No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

Scotts...the lawn people  
Marysville, Ohio 43041

0 (UPC)

32247 XXXXX

(c) 1986. The O M Scott & Sons Company. All rights reserved.