5-28-206 PM23 FERT(.ZER Plus Weed Control

02/28/86 VS 03/07/86 VS 06/12/86 VS

(Scotts (R)) step 2 (Lawn Pro) (R) (Above copy to be inverted.) (placed vertically)

Treats X,XXX sq ft (XXX m²)

(Scotts (R)) (Lawn Pro) (R)

Annual Program

SCOTTS POLICY No-Quibble Guarantee SEE BACK FOR DETAILS

step 2

of 4 easy steps to a better lawn

Fertilizer Plus Weed Control

28 0.68-1-2200 90 2,4-D 0.09 TLLUS.) dicomba 0.09 TLLUS.)

NET WEIGHT XX Lbs (XX.XX kg)

XX-X-X

 $C_{1,2}$

KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION. Causes eye injury. Avoid contact with eyes, skin or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. May be harmful if swallowed . Avoid inhalation. Do not contaminate feed or foodstuffs.

<u>Environmental Hazards</u>: Do not apply directly to lakes, streams or ponds. not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE: Store in a clean, dry place. Reseal opened bag"by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

FRONT CONTINUED:

ACTIVE INGREDIENTS: 2,4-D, 2,4-Dichlorophenoxyacetic acid	
EPA Reg No 538-; XX EPA Est 538-0H-1 Fertilizer Plus Weed Control	XX-X-X
GUARANTEED ANALYSIS	
Total nitrogen (N)	
Derived from mono&mmonium phosphate, urea, methylene ureas, potassium sulfate and ferrous sulfate.	
U S Pat No 3,705,794; 3,989,470 (c) 1986. The O M Scott & Sons Company, Marysville	Product of USA e, Ohio 4304l

GUSSETS:

RIGHT GUSSET

(Scotts (R))
(Lawn Pro)
(R)

Annual Program

:#

step 2

SCOTTS POLICY
No-Quibble
Guarantee
SEE BACK FOR DETAILS

3%%

LEFT GUSSET

(Scotts (R)) (Lawn Pro) (R)

Annual Program

step 2

SCOTTS POLICY
No-Quibble
Guarantee
SEE BACK FOR DETAILS

ar in Tribe

BACK:

PULL TAB
and remove for
pour spout
(ILLUS.)

Open PULL HERE

Treats X,XXX sq ft (XXX m²)

STP2

PROOF OF PURCHASE (Scotts)

(Scotts (R)) (Lawn Pro) (R)

Annual Program

Now it's easy for you to have a better lawn

Save money

Start anytime

Why even consider a lawn care service? Scotts Annual Program will give you a beautiful lawn for less money.

You can start into the Annual Program anytime of the year. Just check the month and select the appropriate Step listed below.

Simple and easy

Guaranteed results

No more guesswork. You simply apply the right product - one Step at a time.

Each Step is designed to the specific season to help give you a healthier, greener lawn.

(ILLUS.)

(The 4 Steps listed below will be placed horizontally in one row.)

step 1. Early Spring February-April

Crabgrass Preventer plus Fertilizer - prevents crabgrass, foxtail, spurge, oxalis, chickweed and other annual weeds while providing deep, thick greening for 2 months.

step 2. Late Spring April-June

Fertilizer Plus Weed Control - controls dandelions, clover, plantain and other broadleaf weeds while greening your lawn for 2 more months.

step 3. Summer June-August

Insect Control plus Fertilizer - controls white grubs, chinch bugs, sod webworms and other lawn insects plus keeps your lawn green through the Summer.

step 4. Fall August-November

Lawn Fertilizer - specially formulated for the Fall - the best time to develop a stronger root system for a healthier, thicker lawn. Helps your lawn green up even quicker next Spring.

BACK CONTINUED:

(

step2 DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

LEFT COLUMN

Application

- . Apply to moist foliage when weeds are actively growing, but not before yellow dandelion blooms have appeared.
- . Be careful when applying this product near shrubs, flower beds or vegetable gardens as weed control may damage these desirable plants.
- . Do not apply on the rootzone areas of shrubs or under the branch spread of trees.
- . Don't use on creeping bentgrass lawns or on newly seeded and sodded lawns until after the fourth mowing. Don't plant grass for one month after using this product and don't apply when daytime temperatures are consistently 90 degrees or above.
- . Allow at least 4-6 weeks between program applications.

Watering or Rain

. Do not water your lawn for 24 hours after application. Water will wash the weed control off the weed's leaves and reduce the effectiveness of this product.

This product should not be applied if rain is expected within the next 24 hours.

RIGHT COLUMN

Tips on Spreading

Scotts Drop:

- Do not apply during windy days.
- . First apply 2 header strips.

 Overlap spreader application area to avoid strips of untreated lawn.

. Shut off spreader when you reach the header strip or any time you stop.

(ILLUS.) (ILLUS.)

CK CONTINUED:

EasyGreenTH Rotary:

- Slide shut-off lever to the right, application automatically starts and stops when you do
- Avoid misses by making each pass about 30 inches from the previous one so some overlapping occurs

Scotts Spreader Settings

Scotts Drop Spreaders Scotts EasyGreen_{TM} Rotary

If you have questions

We designed this Program to make having a better lawn as simple and easy as possible. But you may still have some questions about your lawn during the year. If so, you can contact the Scotts Lawn Pro retailer where you bought this Program. They are ready to answer your questions and provide any help or information that you may need. -0R-You can get the answers by talking directly with one of Scotts lawn counselors. Simply dial this toll-free number 1-800-543-TURF (in Ohio 1-800-762-4010).

Scotts Policy No-Quibble Guarantee

If for any reason you are not satisfied with results after using any Scotts product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

(UPC)

60

XXXXX XXXXX

SCOTTS...the lawn people MARYSVILLE. OHIO 43041

(c) 1986, The O M Scott & Sons Company. All rights reserved.

(Description below will be inverted.)

(Scotts (R)) (Lawn Pro) (R)

step 2