

23 APR 1992

Vincent Snyder, Jr.  
The O. M. Scott & Sons Company  
14111 Scottslawn Road  
Marysville, OH 43041

Dear Mr. Snyder:

Subject: Revised Label Text - Addition of Weeds Controlled and  
Spreader Setting  
Lawn Pro Broadleaf Weed and Feed/Weed Control Plus Lawn  
Fertilizer  
EPA Registration No. 538-211  
Your Submission Dated February 18, 1992

The labeling referred to above, submitted in connection with  
registration under the Federal Insecticide, Fungicide, and  
Rodenticide Act, as amended, is acceptable with the following  
provision:

Due to new EPA policy, part of the Environmental Hazards  
section has been changed. To comply, change the sentence "Do  
not apply to water or wetlands (swamps, bogs, marshes and  
potholes)" to read "Do not apply directly to water, to areas  
where surface water is present or to intertidal areas below  
the mean high water mark."

A stamped copy is enclosed for your records. Please submit five  
(5) final printed copies for the referenced label, incorporating  
the above change.

Sincerely yours,

Joanne I. Miller  
Product Manager (23)  
Fungicide-Herbicide Branch  
Registration Division (H7505C)

Enclosure

CONCURRENCES

SYMBOL	H7505C						
SURNAME	D. KENNY						
DATE	4/23/92						

FRONT:

Lawn Pro  
Broadleaf Weed and Feed  
Weed Control Plus Lawn Fertiizer

02/04/92 VS/cr

XXXXX

(Scotts (R))  
(Lawn Pro(R))

(NOTE: The description above will be inverted.)

Treats 5,000 sq ft (465 m<sup>2</sup>)

XXXXX

(Scotts (R))  
(Lawn Pro  
(R))

SCOTTS POLICY  
No-Quibble  
Guarantee  
SEE BACK FOR DETAILS

Broadleaf Weed and Feed  
Weed Control Plus Lawn Fertilizer



Controls dandelions  
and over 50 other broadleaf weeds

Thicker, greener turf  
--satisfaction guaranteed

SCOTTS(R) Lawn Pro(R) PRODUCT

Available only at authorized Lawn Pro stores

Net Weight XX.XX lbs

REGISTERED  
With COMMENTS  
23 APR 1992

XX-X-X

**BEST AVAILABLE COPY**

KEEP OUT OF REACH OF CHILDREN  
CAUTION  
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: **CAUTION** Causes eye injury. Avoid contact with eyes, skin, or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. May be harmful if swallowed. Avoid inhalation. Do not contaminate feed or foodstuffs.

Environmental Hazards: Do not apply directly to lakes, streams, or ponds. Drift or runoff may adversely affect non-target plants. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters.

FRONT CONTINUED:

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

ACTIVE INGREDIENTS:

2,4-Dichlorophenoxyacetic acid. . . . .	0.680 to	1.220%
Dicamba: 3,6-dichloro-o-anisic acid. . . . .	0.027 to	0.081%
INERT INGREDIENTS: . . . . .	99.293 to	98.699%
	Total	100.000%

EPA Reg No 538-211

XXX-XXXX

EPA Est 538-OH-1

Lawn Pro Broadleaf Weed and Feed  
Weed Control Plus Lawn Fertilizer

XX-X-X

Guaranteed Analysis

Total nitrogen(N). . . . .	XX%
X.X% ammoniacal nitrogen	
XX.X% urea, methylene ureas nitrogen*	
X.X% water insoluble nitrogen	
Available phosphoric acid (P <sub>2</sub> O <sub>5</sub> ) . . . . .	X%
Soluble potash (K <sub>2</sub> O) . . . . .	X%

Derived from: monoammonium phosphate, urea, methylene ureas, and muriate of potash.

Chlorine, not more than . . . . . X%

\* Contains X.X% slowly available methylenediurea and dimethylenetriurea nitrogen.

U S Pat No 4,378,238

Product of USA

The O M Scott & Sons Company  
Marysville, Ohio 43041

GUSSETS:

RIGHT GUSSET:

XXXXX	A SCOTTS Lawn Pro PRODUCT	(Scotts (R)) (Lawn Pro ) (R)	Broadleaf Weed and Feed Weed Control Plus Lawn Fertilizer	SCOTTS POLICY No-Quibble Guarantee SEE BACK FOR DETAILS
-------	------------------------------------	------------------------------------	---	--

LEFT GUSSET:

(Scotts (R)) (Lawn Pro ) (R)	Broadleaf Weed and Feed Weed Control Plus Lawn Fertilizer	SCOTTS POLICY No-Quibble Guarantee SEE BACK FOR DETAILS	A SCOTTS Lawn Pro PRODUCT	XXXXX
------------------------------------	---	--	------------------------------------	-------

BACK:

PULL TAB  
and remove for  
pour spout  
(ILLUS.)

Easy  
Open PULL HERE

Treats 5,000 sq ft (465 m<sup>2</sup>)

XXXXX  
5M  
PROOF  
OF  
PURCHASE  
(Scotts)

(Scotts (R))  
(Lawn Pro )  
(R)

Broadleaf  
Weed and Feed  
Weed Control  
Plus  
Lawn Fertilizer

### Advantages

- . Lightweight and concentrated--made by Scotts patented Polyform process
- . Safe feeding--won't burn when applied as directed
- . Quick-greening--usually in 3 to 5 days
- . Long-lasting--feeds up to 2 months
- . Dependable--traditional Scotts quality
- . Controls more than 50 weeds...

aster  
bittercress  
black medic  
bristly oxtongue  
buckhorn  
bull thistle  
burclover  
buttonweed  
carpetweed  
centella  
chicory  
chickweed  
cinquefoil  
cudweed  
curly dock  
dandelion  
dichondra  
dollarweed

English daisy  
eveningprimrose  
filaree  
fleabane  
ground ivy  
healall  
henbit  
horseweed  
knotweed  
(seedling)  
lambquarter  
lippia  
mallow  
moneywort  
morningglory  
mustard  
pennywort  
pepperweed

pigweed  
plantain  
prickly lettuce  
puncturevine  
purslane  
pusley, Florida  
ragweed  
scarlet  
pimpernel  
shadflower  
shepherdspurse  
smartweed  
sowthistle  
stitchwort  
thymeleaf  
sandwort  
vetch  
white clover  
yellow rocket

### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**BEST AVAILABLE COPY**

BACK CONTINUED:

### APPLICATION

- . Apply any time weeds are actively growing (when daytime temperatures are consistently above 60°F).
- . Apply on a calm day.
- . Apply to moist grass. To help particles stick to weed leaves the grass should be thoroughly watered or wet from dew before applying Lawn Pro Broadleaf Weed and Feed Weed Control Plus Lawn Fertilizer.
- . Do not apply to the rootzone areas of shrubs or under the branch spread of trees.
- . Do not use this product on flowers, shrubs, fruit or vegetable plants or on creeping bentgrass, St. Augustine, lippia and dichondra lawns. On bermudagrass lawns, under certain conditions, some temporary discoloration may result.

### WATERING OR RAIN

Do not water your lawn for 24 hours after application. Water will wash the weed control off the weed's leaves and reduce the effectiveness of this product.

This product should not be applied if rain is expected within the next 24 hours.

### SPREADER

Be careful when applying this product near shrubs, flower beds or vegetable gardens as contact with weed control may damage these desirable plants. The Scotts PF Drop Spreaders provide excellent controlled application to protect these areas. When using the EasyGreen™ Rotary Spreader take special care near desirable plants.

### Spreader Settings

	Scotts Drop Spreaders	Scotts EasyGreen™ Rotary	Scotts Speedy Green™
(treats 5,000 sq ft)	X	X	X

### RIGHT COLUMN

### IMPORTANT

### WHAT TO EXPECT

Weed stems and leaves will begin to twist and curl in a few days, but a month or more may be required for complete control.

This product will not prevent weed seeds from producing new plants.

### EXTREME TEMPERATURES

Avoid applying when temperatures are consistently above 90 degrees.

**BEST AVAILABLE COPY:**

. . .BACK CONTINUED:

### SEEDING/SODDING

Wait until the new grass has been mowed at least four times before applying Lawn Pro Weed and Feed weed control.

If you are planning to seed, you should wait at least one month after you have applied Lawn Pro Weed and Feed.

### TIPS ON SPREADING WITH SCOTTS SPREADERS

#### Scotts Drop:

- First apply 2 header strips
- Operate spreader the longest way of the lawn (ILLUS.)
- Overlap wheels to insure uniform feeding
- Shut off spreader when you have reached the header strips or stopped (ILLUS.)
- Mow lawn first if grass is tall enough to touch the bottom of spreader

#### EasyGreen™ Rotary:

- Slide shut-off lever to the right. Application automatically starts and stops when you do
- Avoid misses by making each pass about 30 inches from the previous one so some overlapping occurs

#### Speedy Green™ Rotary:

- Shut off spreader anytime you stop
- Avoid misses by making each pass about 5 feet from the previous one so some overlapping occurs

Additional Spreader Settings (Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

Cyclone Rotary (Model B) . . .	X
Central Drop (#205) . . . . .	X
Sears Drop (#19810) . . . . .	X
Ortho Drop (#5000) . . . . .	X
Greenview Drop (#105) . . . . .	X
Precision Drop . . . . .	X
(Red Devil)	

### Your Do-It-Yourself Lawn Care Headquarters

Scotts Lawn Pro retailers can provide you with the do-it-yourself expertise and products to have a beautiful Scotts lawn simply and easily...for less money than hiring a lawn service. That's why we call them Lawn Pros!

XXXXX

BACK CONTINUED:

**Scotts Policy  
No-Quibble Guarantee**

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.  
Scotts...the lawn people  
Marysville, Ohio 43041

0 (UPC) 0

32247 XXXXX

(c) 1992. The O M Scott & Sons Company. All rights reserved.

(NOTE: The description below will be inverted.)

XXXXX

(Scotts (R))  
(Lawn Pro )  
(R)

Broadleaf  
Weed and Feed  
Weed Control  
Plus  
Lawn Fertilizer

1763R/1-7