

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-95

<p>United States Environmental Protection Agency Washington, DC 20460</p>	<table border="1" style="width:100%; border-collapse: collapse;"> <tr><td style="text-align: center;">Registration</td></tr> <tr><td style="text-align: center;">Amendment</td></tr> <tr><td style="text-align: center;"><input checked="" type="checkbox"/> Other</td></tr> </table>	Registration	Amendment	<input checked="" type="checkbox"/> Other	OPP Identifier Number <h1 style="text-align: center;">222947</h1>
Registration					
Amendment					
<input checked="" type="checkbox"/> Other					

Application for Pesticide - Section I

1. Company/Product Number <p style="text-align: center;">538-213</p>	2. EPA Product Manager <p style="text-align: center;">Robert J. Taylor</p>	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Turf Fertilizer Plus Preemergent Weedgrass <u>Control</u>	PM# <p style="text-align: center;">25</p>	
5. Name and Address of Applicant (Include ZIP Code) The Scotts Company 14111 Scottslawn Road Marysville, Ohio 43041 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input checked="" type="checkbox"/> Final printed labels in response to Agency letter dated <u>4/13/94</u>
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION: We have changed the name in the Disclaimer and Limitation of Liability from "The O.M. Scott & Sons Company or any other seller" to "The Scotts Company or its affiliates".

Section - III

1. Material This Product Will Be Packaged In:					
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container		
* Certification must be submitted			<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
			If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt No. per container	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product			<input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Vincent Snyder, Jr.	Title Senior Technical Associate	Telephone Nos (Include Area Code) (513) 644-0011
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature THE SCOTTS COMPANY By: <i>Vincent Snyder, Jr.</i>		
3. Title Senior Technical Associate		
4. Typed Name Vincent Snyder, Jr.		
5. Date November 1, 1995		

296



POLY-S* TECHNOLOGY

POLY-S* TECHNOLOGY



22-0-6 Turf Fertilizer Plus Preemergent Weed Control

22-0-6
Turf Fertilizer
Plus
Preemergent
Weed Control



Provides excellent control of crabgrass, goosegrass, foxtail, shikoyeed, foxtails, spurge, knotweed and Poa annua.
Controls pre-emergence Poly-S* turfgrasses provides uniform growth with extended feeding spots slow release polymer coated water soluble fertilizer.

Net Weight 50 lbs. (22.68 kg)

KEEP OUT OF REACH OF CHILDREN
CAUTION
PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals: CAUTION, causes eye irritation. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. May be harmful if swallowed. Avoid inhalation. Do not contaminate feed or foodstuffs. Do not graze treated areas. Do not feed clippings to livestock.

Personal Protective Equipment:
Applicators and other handlers must wear: Long-sleeved shirt and long pants, waterproof gloves, shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining personal protective equipment (PPE). If no such instructions for washables, use detergent and hot water. Keep and wash personal protective equipment separately from other laundry.

User Safety Recommendations:

- Users should:
- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
 - Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
 - Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards: This pesticide is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. In case of spills, either collect for use or dispose of properly.

ACTIVE INGREDIENT:
Pendimethalin, N-(1-Ethylpropyl)-3, 4-dimethyl-2,6-dinitrobenzenamine* 0.75%
INERT INGREDIENTS: 99.25%
Total 100.00%

EPA Reg. No. 538-213 EPA Est. No. 8378-IN-1 (K)
538-OH-1 (9)

Subscript used is first letter of run code on end of container.

Turf Fertilizer Plus 22-0-6 643
Preemergent Weed Control

Guaranteed Analysis

Total nitrogen (N)	22%
22.0% urea nitrogen**	
Soluble potash (K ₂ O)	0%
Sulfur (S) (free)	7.1%
Derived from potassium chloride and polymer-encapsulated sulfur-coated urea	
Chlorine, not more than	6%
*Licensed under one or more of the following U.S. Patents: 3,920,742; 4,066,441	
** All of the urea has been coated to provide 13.2% coated slow-release nitrogen.	
Product of U.S.A.	

U.S. Pat. No. 5,214,465

Distributed by:
Professional Business Group, The Scotts Company
14111 Scottslawn Rd.
Marysville OH 43041
© 1995, The Scotts Company. World rights reserved.

8605

Recommended For Use By Professional Turfgrass Managers

Directions for use

3 7 6

It is a violation of federal law to use this product in a manner inconsistent with the labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

For use on established turfgrasses including Kentucky bluegrass, perennial ryegrass, fine fescue, tall fescue, bentgrass and *Poa annua* (except putting greens and tees), bermudagrass, St. Augustinegrass, bahiagrass, zoysiagrass, centipedegrass and blends of these grasses. See "Bermudagrass, Bentgrass and *Poa annua* Precautions" and "Limitation of Liability" statements.

Not for use on bentgrass, *Poa annua* and bermudagrass putting greens and tees, or on dichondra. Where bentgrass, bentgrass-containing turf and *Poa annua* are the desired species, a light rate application only is recommended.

Prevents sprouting of the following grassy and dicot weeds and provides a controlled-release nitrogen feeding:

GRASSY WEEDS	DICOT WEEDS	
crabgrass	chickweed	hop clover
foxtail	oxalis	herbbit
goosegrass	knotted	eveningprimrose
<i>Poa annua</i>	prostrate spurge	
barnyardgrass	purslane	
fall panicum	cudweed	

To prevent *Poa annua* and fall germinating chickweed, apply product to dry foliage in late summer/early fall (before germination). Repeat application yearly for continued control. A repeat application made after *Poa annua* treatment should not be sooner than 4 months.

Where lower infestations are expected, the lighter rates may be used. Apply product uniformly to dry foliage at the suggested rate with a properly calibrated spreader. For best results, water after application (1/4 inch) to remove granules from the foliage and to move the product to the soil surface for an effective chemical barrier. Do not destroy the chemical barrier created at the soil surface by raking or aerifying as a segment to application. Allow at least a four month span between the applications except when repeat applications are necessary after 5-8 weeks.

Do not mow treated area until product has been watered in and turf foliage has dried.

Precautions

Do not use on bentgrass, *Poa annua* and bermudagrass putting greens and tees, or on dichondra. Where bentgrass and bentgrass-containing turf and *Poa annua* are the desired species, a light rate application only is recommended.

On cool season turfgrasses avoid applications when temperatures are regularly in the 80's.

This product may cause discoloration and thinning where overapplications have been made if the turfgrass is under severe stress conditions (disease, drought, low temperature - below 40°F, scalping, and excessive soil moisture).

Bermudagrass, Bentgrass, and *Poa annua* Precautions

Do not apply to dormant bermudagrass or *Poa annua* (turf that is not actively growing or has experienced frost). However, for dormant bermudagrass, an application can be made if it is maintained at a high cut (1/2 inch or more) on medium-fine textured soils such as clays and clay loams.

Where turf thinning or damage has occurred due to winter injury of bermudagrass, wait until green-up, fill-in and good rooting before making an application.

Applications of this product to bermudagrass overseeded with cool season turfgrass species may injure and thin the overseeding.

Do not apply to bentgrass or *Poa annua* after late summer.

Other Precautions

Delay seeding by 4 months and sprigging by 5 months after application. Prior to planting, for best results, the soil surface should be disturbed or worked to dilute any remaining chemical residue.

On newly planted areas, wait until the grass has been mowed at least 4 times and has filled in before making an application.

Annually, do not apply more than a cumulative total of 526 lbs. of product A (4 lbs. a/A) on cool season turfgrasses and 792 lbs. of product A (6 lbs. a/A) on warm season grasses.

Avoid application to cement, stone, clothing, or shoes. If contact occurs, brush off particles to prevent staining. If necessary, rinse with water. If metallic surfaces (golf course equipment, automobiles, etc.) are present at the application site, do not use this product under windy conditions (5-10 MPH) due to its staining potential.

TURFGRASS SPECIES	WEEDS	RATE OF TREATMENT PER ACRE (lb./acre)	COMMENTS
Cool Season Grasses Kentucky bluegrass Perennial ryegrass Fine fescue Tall fescue	crabgrass foxtail <i>Poa annua</i> barnyardgrass fall panicum oxalis prostrate spurge purslane knottedweed chickweed	198-222 lb./acre as the initial application prior to weed germination.	Apply a repeat application of 164-198 lb./acre after 5-8 weeks for extended control or where heavy weed infestations are expected.
	goosegrass	198-222 lb./acre in the spring prior to weed germination. Apply a repeat application after 5-8 weeks at 198-222 lb./acre.	
Bentgrass and established <i>Poa annua</i> (1/4 inch height or taller. Not for use on greens and tees).	crabgrass foxtail <i>Poa annua</i> barnyardgrass fall panicum oxalis prostrate spurge purslane knottedweed chickweed	198 lb./acre in the spring prior to weed germination. Apply a repeat application of 198 lb./acre after 5-8 weeks.	Apply a repeat application of 164-198 lb./acre after 5-8 weeks where heavy weed infestations are expected.
	goosegrass	198 lb./acre in the spring prior to weed germination with a repeat application of 198 lb./acre after 5-8 weeks.	
Warm Season Grasses Bermudagrass St. Augustinegrass Bahiagrass Zoysiagrass Centipedegrass Tall fescue (Not for use on greens and tees)	crabgrass foxtail <i>Poa annua</i> barnyardgrass oxalis prostrate spurge purslane knottedweed chickweed	198-264 lb./acre prior to weed germination.	Apply a repeat application of 164-198 lb./acre after 5-8 weeks for extended control or where heavy weed infestations are expected.
	goosegrass cudweed hop clover eveningprimrose herbbit	198-222 lb./acre prior to weed germination with a repeat application of 198-222 lb./acre after 5-8 weeks.	

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a clean, dry place. Receal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

LIMITATION OF LIABILITY

It must be understood that this product has not been evaluated on all bentgrass varieties and *Poa annua* under all possible growing conditions. The user should exercise judgement and caution when using this product on a given variety until familiar with the performance under his growing conditions. **NO WARRANTY OR REPRESENTATION IS MADE, EXPRESS OR IMPLIED, CONCERNING THE RESULTS OBTAINED FROM THE USE OF THIS PRODUCT ON BENTGRASS AND *POA ANNUA* IF NOT USED IN ACCORDANCE WITH DIRECTIONS AND ESTABLISHED SAFE PRACTICES.** The exclusive remedy of the user or Buyer, and the limit of liability of The Scotts Company or its affiliates, for any and all losses, injuries or damages resulting from the use or handling of this product shall be the purchase price paid by the user or Buyer for the quantity of this product involved. The Buyer and all users are deemed to have accepted the terms of this Notice, which may be varied only by agreement in writing signed by a duly authorized representative of The Scotts Company.

Distributed by:
Professional Business Group
The Scotts Company
14111 Scottslawn Rd.
Marysville, OH 43041

Suggested Spreader Settings

To provide proper distribution calibrate spreader before application. Do not adjust rates in order to meet fertilizer requirements of your soil. 50 lbs. treats 11,000 sq. ft. (1/4 acre) at the 198 lbs. product/acre rate (4.54 lbs. product/1000 sq. ft.) (equivalent to 1.5 lbs. active ingredient/acre and 1.0 lb. N/1000 sq. ft.)

SPREADER	GROUND SPEED	WIDTH OF COVERAGE	RECOMMENDED RATE RANGE			
			3.8 lbs. product / 1000 sq. ft.	4.54 lbs. product / 1000 sq. ft.	6.3 lbs. product / 1000 sq. ft.	6.1 lbs. product / 1000 sq. ft.
Gandy	3 mph	overlap wheels	27	28	29	31
Scott's Drop	3 mph	overlap wheels	6	6 1/4	6 1/2	6 3/4
Scott's Rotaries*						
R-7*, R-7X*	3 mph	14 feet	H	I	J	K
R-8, R-8A (cone 4)	3 mph	14 feet				
Lely Models (See below)	4.5 mph	40 feet	L 1/2	M 1/2	N 1/2	O
			5 1/2 III	5 3/4 III	6 1/4 III	6 3/4 III
Vlcon - Model 02	4.5 mph	42 feet	28	32	35	38
Vlcon - Model 03	4.5 mph	33 feet	24	27	30	32

*1/2 slide.

Lely models VTR, WFR, HR and 1250, PTO at 450 rpm.

Metric coverage: 22,58 kg treats 1022 m² at the 4.54 lb. product/1,000 sq. ft. rate

Refer to actual product bag for most accurate spreader settings.

ProTurf.



1



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

222946

Application for Pesticide - Section I

1. Company/Product Number 538-213	2. EPA Product Manager Robert J. Taylor	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Fertilizer Plus Preemergent Weedgrass Control/NPK Fertilizer Plus Preemergent		PM# 25
5. Name and Address of Applicant (Include ZIP Code) The Scotts Company 14111 Scottslawn Road Marysville, Ohio 43041 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input checked="" type="checkbox"/> Final printed labels in response to Agency letter dated 4/13/94
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)


NOTIFICATION: We have changed the name in the Disclaimer and Limitation of Liability from "The O.M. Scott & Sons Company or any other seller" to "The Scotts Company or its affiliates".

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	If "Yes" Unit Packaging wgt. No. per container		Metal Plastic Glass Paper Other (Specify) _____
* Certification must be submitted		If "Yes" Package wgt. No. per container			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Vincent Snyder, Jr.	Title Senior Technical Associate	Telephone No. (Include Area Code) (513) 644-0011
2. Signature THE SCOTTS COMPANY By: <i>Vincent Snyder, Jr.</i>		6. Date Application Received (Stamped)
3. Title Senior Technical Associate		
4. Typed Name Vincent Snyder, Jr.	5. Date November 1, 1995	



13-3-7 NPK Fertilizer Plus Preemergent Weed Control

13-3-7
NPK
Fertilizer Plus
Preemergent
Weed Control



preemergent control of crabgrass, goosegrass, foxtail, chickweed, dallis spurge, knotweed and Poa annua
provides quick green-up
controlled release Poly-S nitrogen provides uniform growth with extended feeding
Scott's slow-release polymer encapsulated fertilizer

Net Weight 50 lbs. (22.68 kg)

KEEP OUT OF REACH OF CHILDREN
CAUTION
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Avoid contact with eyes, skin, or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. May be harmful if swallowed. Avoid inhalation. Do not contaminate feed or foodstuffs. Do not graze treated areas. Do not feed clippings to livestock.
Personal Protective Equipment (PPE):
Applicators and other handlers must wear: Long-sleeved shirt and long pants, waterproof gloves, shoes plus socks.
Follow manufacturer's instructions for cleaning/maintaining personal protective equipment (PPE). If no such instructions for washables, use detergent and hot water. Keep and wash personal protective equipment separately from other laundry.

User Safety Recommendations:
Users should:
• Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
• Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
• Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards: This pesticide is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters. In case of spills, either collect for use or dispose of properly.

ACTIVE INGREDIENT:
Pendimethalin, N-(1-Ethylpropyl)-3,4-dimethyl-2,6-dinitrobenzenamine 0.86%
INERT INGREDIENTS: 99.14%
Total 100.00%
EPA Reg. No. 538-213 EPA Est. No. 8378-IN-1 (K)
538-OH-1 (S)
Subscript used is first letter of run code on end of containers.
NPK Fertilizer Plus Preemergent Weed Control 13-3-7 643
Guaranteed Analysis
Total nitrogen (N) 13%
0.6% ammoniacal nitrogen
12.4% urea nitrogen**
Available phosphate (P₂O₅) 3%
Soluble potash (K₂O) 7%
Sulfur (S) (free) 1.7%
Derived from: urea, monoammonium phosphate, potassium chloride and polymer-encapsulated sulfur-coated urea.
Chlorine, not more than, 7%
* Licensed under one or more of the following U.S. Patents:
3,820,742; 4,066,441
** A portion of the urea has been coated to provide 2.9% coated slow-release nitrogen.
U.S. Pat. No. 5,219,465
Product of USA

Distributed by:
Professional Business Group
The Scotts Company
14111 Scottslawn Rd.
Marysville, OH 43041
©1995, The Scotts Company. World rights reserved.

8613

1

Recommended For Use By Professional Turfgrass Managers

Directions for use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirement specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

For use on established turfgrasses including Kentucky bluegrass, perennial ryegrass, fine fescue, tall fescue, bentgrass and *Poa annua* (except putting greens and tees), bermudagrass, St. Augustinegrass, bahiagrass, zoysiagrass, centipedegrass and blends of these grasses. See "Bermudagrass, bentgrass and *Poa annua* precautions" and "Limitation of Liability" statements.

Not for use on bentgrass, *Poa annua* and bermudagrass putting greens and tees, or on dichondra. Where bentgrass, bentgrass containing turf and *Poa annua* are the desired species, a light rate application only is recommended.

Prevents sprouting of the following grassy and dicot weeds and provides a controlled-release nitrogen feeding:

GRASSY WEEDS	DICOT WEEDS
crabgrass	chickweed
foxtail	oxalis
goosegrass	knawelweed
<i>Poa annua</i>	prostrate spurge
barrengrass	purslane
fall panicum	cutweed

To prevent *Poa annua* and fall germinating chickweed, apply product to dry foliage in late summer/early fall (before germination). Repeat application yearly for continued control. A repeat application made after *Poa annua* treatment should not be sooner than 4 months.

Where lower infestations are expected, the lighter rate may be used. Apply product uniformly to dry foliage at the suggested rate with a properly calibrated spreader. For best results, water after application (1/4-1/2 inch) to remove granules from the foliage and to move the product to the soil surface for an effective chemical barrier. Do not destroy the chemical barrier created at the soil surface by raking or aerifying as a segment to application. Allow at least a four-month gap between the applications except when repeat applications are necessary after 6-8 weeks.

Do not mow treated area until product has been watered in and turf foliage has dried.

Precautions
Do not use on bentgrass, *Poa annua* and bermudagrass putting greens and tees, or on dichondra. Where bentgrass and bentgrass-containing turf and *Poa annua* are the desired species, a light rate application only is recommended.
On cool season turfgrasses avoid applications when temperatures are regularly in the 80's.
This product may cause discoloration and thinning where overapplications have been made if the turfgrass is under severe stress conditions (disease, drought, low temperature - below 40°F, scalping, and excessive soil moisture).

Bermudagrass, bentgrass, and *Poa annua* precautions
Do not apply to dormant bentgrass or *Poa annua* (turf that is not actively growing or has experienced frost). However, for dormant bermudagrass, an application can be made if it is maintained at a high cut (1/2 inch or more) on medium-fine textured soils such as clays and clay loams.
Where turf thinning or damage has occurred due to winter injury of bermudagrass, wait until greenup, fill-in and good rooting before making an application.
Applications of this product to bermudagrass overseeded with cool season turfgrass species may injure and thin the overseeding.
Do not apply to bentgrass or *Poa annua* after late summer.

Other precautions
Delay seeding by 4 months and springing by 5 months after application. Prior to planting, for best results, the soil surface should be disturbed or worked to dilute any remaining chemical residue.
On newly planted areas, wait until the grass has been mowed at least 4 times and has filled in before making an application.
Annually, do not apply more than a cumulative total of 465 lbs. of product A (4 lbs. a/A) on cool season turfgrasses and 668 lbs. of product A (8 lbs. a/A) on warm season grasses.

Avoid application to cement, stone, clothing, or shoes. If contact occurs, brush off particles to prevent staining. If necessary, rinse with water. If metallic surfaces (golf course equipment, automobiles, etc.) are present at the application site, do not use this product under windy conditions (5-10 MPH) due to its staining potential.

Establishment	Use	Rate	Comments
Cool Season Grasses Kentucky Bluegrass Perennial Ryegrass Fine Fescue Tall Fescue	prostrate spurge fall panicum barrengrass goosegrass prostrate spurge purslane knawelweed chickweed	1.75-2.00 lbs./acre or the label application prior to weed germination.	Apply a repeat application of 1.5-1.75 lbs./acre after 6-8 weeks for extended control or where heavy weed infestations are expected.
Bentgrass and containing <i>Poa annua</i> (1/2 inch height or taller. Not for use on greens and tees.)	crabgrass foxtail <i>Poa annua</i> barrengrass goosegrass prostrate spurge purslane knawelweed chickweed	1.75 lbs./acre in the spring prior to weed germination.	Apply a repeat application of 1.5-1.75 lbs./acre after 6-8 weeks for extended control or where heavy weed infestations are expected.
Warm Season Grasses Bermudagrass St. Augustinegrass Bahiagrass Zoysiagrass Centipedegrass (2/3 lbs./acre rate or less) Tall Fescue (Not for use on greens and tees.)	crabgrass foxtail <i>Poa annua</i> barrengrass goosegrass prostrate spurge purslane knawelweed chickweed	1.75-2.00 lbs./acre prior to weed germination.	Apply a repeat application of 1.5-1.75 lbs./acre after 6-8 weeks for extended control or where heavy weed infestations are expected.
	goosegrass barnyard hop clover eveningprimrose henbit	1.75-2.00 lbs./acre prior to weed germination with a repeat application of 1.75-2.00 lbs./acre after 6-8 weeks if the lower rate was used initially.	

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Store in a clean, dry place. Re-seal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

LIMITATION OF LIABILITY
It must be understood that this product has not been evaluated on all bentgrass varieties and *Poa annua* under all possible growing conditions. The user should exercise judgment and caution when using this product on a given variety until familiar with the performance under his growing conditions. NO WARRANTY OR REPRESENTATION IS MADE, EXPRESS OR IMPLIED, CONCERNING THE RESULTS OBTAINED FROM THE USE OF THIS PRODUCT ON BENTGRASS AND *POA ANNUA* IF NOT USED IN ACCORDANCE WITH DIRECTIONS AND ESTABLISHED SAFE PRACTICES. The exclusive remedy of the user or Buyer, and the limit of liability of The Scotts Company or its affiliates, for any and all losses, injuries or damages resulting from the use or handling of this product shall be the purchase price paid by the user or Buyer for the quantity of the product involved. The Buyer and all users are deemed to have accepted the terms of this Notice, which may be varied only by agreement in writing signed by a duly authorized representative of The Scotts Company.

Professional Business Group
The Scotts Company
14111 Scott Haven Rd.
Marysville, OH 43041

Suggested Spreader Settings

To provide proper distribution calibrate spreader before application. Do not adjust rates in order to meet fertilizer requirements of your soil. 50 lbs. treats 12,500 sq. ft. (1161m²) at the 4.0 lbs. product/1,000 sq. ft. rate (equivalent to 1.5 lbs. active ingredient/acre and 0.52 lb. N/1,000 sq. ft.)

SPREADER	GROUND SPEED	WIDTH OF COVERAGE	RECOMMENDED RATE RANGE			
			3.34 lbs. product/1000 sq. ft.	4.0 lbs. product/1000 sq. ft.	4.67 lbs. product/1000 sq. ft.	5.34 lbs. product/1000 sq. ft.
Scotts Drop	3 mph	overlap wheels	5 1/2	8	8 1/2	6 1/2
Gandy	3 mph	overlap wheels	20	21	23	24
Vicon	4.5 mph	50 feet	30	34	37	40
		36 feet	26	28	31	33
Scotts Rotaries*						
R-7, R-7X	3 mph	12 feet	G	H	H 1/2	1 1/2
R-8, R-8A (cone 4)	3 mph	13 feet	K 1/2	L 1/2	M	N
Lely Models (See below)	4.5 mph	40 feet	4 1/2	5 1/2	5 1/2	6 1/2

* 1/2" side.
Lely models WTR, WFR, HR and 1250. PTO at 450 rpm.

