

1054
PM 2.1
538-216

FRONT:

FLUID FUNGICIDE III 85431S
03/25/86 JF 07/28/86 JF
04/11/86 JF 08/06/86 JF
06/10/86 JF 08/26/86 JF
05/01/87 SM

(Scotts(R))
ProTurf(R)
BRAND

85431S

Fluid Fungicide III

prevents and controls turf diseases on tees, greens, fairways and other turf areas

Net Contents 1 Gallon (3.78 liters)

KEEP OUT OF THE REACH OF CHILDREN
CAUTION
PRECAUTIONARY STATEMENTS

ACCEPTED
JUN - 4 1987
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 538-216

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. If in eyes: flush with plenty of water. Get medical attention if irritation persists. Harmful if swallowed. If swallowed, drink 1 or 2 glasses of water and induce vomiting by placing finger in back of throat. Consumption of alcoholic beverages increase the toxic effect of thiram.

Environmental Hazards: Do not apply within twenty-five (25) feet of any water body where fish are taken for human consumption. This pesticide product is toxic to fish and wildlife. Do not contaminate water by cleaning of equipment or disposal of wastes. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water or wetlands.

ACTIVE INGREDIENTS:

Triadimefon, 1-(4-Chlorophenoxy)-3,3-dimethyl-1-(1H-1,2,4-triazol-1-yl)-2-butanone	1.59%
Thiram, Tetramethylthiuram disulfide	40.76%
INERT INGREDIENTS:	57.65%
Total	100.00%

EPA Reg No 538-216

EPA Est 37429-GA-01

Product of USA

Sold by: ProTurf Division, The O M Scott & Sons Company
Marysville, Ohio 43041

(c)1987. The O M Scott & Sons Company. All rights reserved.

Recommended for Use by Professional Turfgrass Managers

85431S

BACK:

Directions for use

Read entire label and use only as directed

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Prevents and controls the following diseases on the turfs where they occur:

- leaf spot/melting out (Helminthosporium spp./Drechslera spp.)
- dollar spot (including benzimidazole tolerant strains)
- brown patch
- pink snow mold (Washington, Oregon, California only)
- (Gerlachia patch, Fusarium patch)
- anthracnose (on Poa annua)
- rust

MIXING INSTRUCTIONS

Shake product container well before pouring into spray tank.

Add ProTurf Fluid Fungicide III into the spray tank during filling, while maintaining agitation.

Use with 4-7 gallons of water per 1000 ft² for tees and greens. When temperatures are above 90°F and humidity is above 70%, apply 7 gallons per 1,000 sq ft. On fairways and other turf areas, use the 4 gallon or higher rate of water.

Thoroughly rinse container when empty and pour remaining contents into spray tank.

Do not combine ProTurf Fluid Fungicide III in the spray tank with surfactants or other adjuvants.


APPLICATION DIRECTIONS

Apply with standard pressurized spray equipment.

To Prevent Disease - Treat turf at the normal rate when weather conditions are favorable for the development of disease. Repeat on a 10-21 day schedule.

To Control Mild Disease Infestations - Use the normal rate. Repeat the normal rate on a 10-14 day schedule until the disease is brought under control, then continue at the normal rate on a preventive schedule.

To Control Moderate to Severe Disease Infestations - Use the heavy rate. Repeat on a 10-14 day schedule until disease is brought under control, then treat at the normal rate on a preventive schedule.



BACK CONTINUED:

Coverage Chart for the Two Recommended Rates
of ProTurf Fluid Fungicide III

Rate (fl. oz./M)	1 Quart (32 fl. oz.) Will Cover	1/2 Gallon (64 fl. oz.) Will Cover	1 Gallon (128 fl. oz.) Will Cover
Normal (6 fl. oz./M)	5,500 ft ²	11,000 ft ²	22,000 ft ²
Heavy (9 fl. oz./M)	4,125 ft ²	8,250 ft ²	16,500 ft ²

Use with 4-7 gallons of water per 1000 ft² for tees and greens.

Limitations: Not a control for Pythium, stripe smut, spring dead spot, gray snow mold or Fusarium blight.

Note to User

Do not allow spray mixture to stand in the tank for longer than 12 hours.

Spray mixture should be agitated continuously during application.

Use a properly calibrated sprayer.


For best results do not water or mow treated areas within 24 hours of application.

Except in cases of severe infestation, allow one week between applications of this and other control products.

Under some environmental conditions, slight leaf tip bleaching will occur from use of this product.

Do not reenter treated areas within 24 hours following application unless protective clothing is worn.

Do not apply this product through any type of irrigation system.



BACK CONTINUED:

Storage and disposal

STORAGE: Store in a cool, clean, dry place. Do not store at temperatures exceeding 120°F nor at temperatures below 32°F.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Do not reuse empty container.

ProTurf Division
The O M Scott & Sons Company
Marysville, Ohio 43041

85431S

IMPORTANT NOTICE: DISCLAIMER AND LIMITATION OF LIABILITY

This product has been researched to provide the necessary data to support its use as described on the label. However, the user should understand that tests have not been carried out under all possible use conditions, and that Scotts cannot and does not warrant that the product is compatible with all other chemicals. User should conduct its own compatibility testing and should test its mixes and equipment thoroughly before using the product on customers' property. ACCORDINGLY, SCOTTS MAKES NO WARRANTY, EXPRESS, OR IMPLIED, CONCERNING THE RESULTS TO BE OBTAINED FROM THE USE OF THIS PRODUCT IF NOT USED IN ACCORDANCE WITH THESE DIRECTIONS AND THE DIRECTIONS ON THE LABEL. The exclusive remedy of the user and buyer and limit of liability of The O M Scott & Sons Company, or any other seller, for any and all losses, damages, and injuries resulting from the use or handling of this product shall be the purchase price paid by the user or buyer for the quantity of this product involved. The buyer and all users are deemed to have accepted the terms of this Notice, which may be varied only by agreement in writing, signed by an officer of The O M Scott & Sons Company.

