



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

APR 13 1994

✓

Vincent Snyder, Jr.  
O. M. SCOTT & SONS CO.  
14111 Scottslawn Road  
Marysville, OH 430416

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

SUBJECT: Label Amendment Submissions of 07/08/93 in Response to PR Notice 93-7  
EPA Reg. No.: SEE ATTACHED 538-216


Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully **REMOVES THE PRODUCT FROM THE SCOPE** of PR Notice 93-7 one the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements), the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,

  
James Tompkins, Deputy Chief  
Registration Support Branch  
Registration Division (7505W)

Enclosures



Recycled/Recyclable  
Printed with Soy/Canola ink on paper that  
contains at least 50% recycled fiber

10/7

O. M. SCOTT & SONS CO.  
538 07/08/93

Original Submissions

- PROFURF INSECTICIDE III - 538-111
- SCOTTS PROFURF NEW K-O-G WEED CONTROL - 538-112
- PROFURF FUNGICIDE VI - 538-159
- PROFURF FERTILIZER PLUS TURF WEEDGRASS CONTROL - 538-196
- PROFURF FLUID FUNGICIDE II - 538-203
- PROFURF FLUID FUNGICIDE III - 538-216
- FERTILIZER PLUS INSECTICIDE/PREEMERGENT WEED CONTROL - 538-226

FRONT:

FLUID FUNGICIDE III 85431S  
 03/25/86 JF 07/28/86 JF  
 04/11/86 JF 08/06/86 JF  
 06/10/86 JF 08/26/86 JF  
 05/01/87 SM 06/25/93 VS/cr  
 01/28/94 VS/cr

3517

(Scotts<sub>(R)</sub>)  
 (ProTurf<sub>(R)</sub>)  
 BRAND

85431S

Fluid Fungicide III

o prevents and controls turf diseases on tees, greens, fairways and other turf areas

ACCEPTED  
 with COMMENTS  
 In EPA Letter Dated

Net Contents 1 Gallon (3.78 liters)

APR 13 1994

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act  
 as amended, for the pesticide  
 registered under EPA Reg. No.

538-216

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Avoid contact with skin, eyes, or on clothing. Wash thoroughly with soap and water after handling. If in eyes: flush with plenty of water. Get medical attention if irritation persists. Harmful if swallowed. If swallowed, drink 1 or 2 glasses of water and induce vomiting by placing finger in back of throat. Consumption of alcoholic beverages increases the toxic effect of thiram.

Environmental Hazards: Do not apply within twenty-five (25) feet of any body of water where fish are taken for human consumption. This pesticide product is toxic to fish and wildlife. Do not contaminate water when disposing of equipment washwaters. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark.

ACTIVE INGREDIENTS:

Triadimefon, 1-(4-Chlorophenoxy)-3,3-dimethyl-1-	
(1H-1,2,4-triazol-1-yl)-2-butanone . . . . .	1.59%
Thiram, Tetramethylthiuram disulfate . . . . .	40.76%
INERT INGREDIENTS: . . . . .	57.65%
	Total 100.00%

EPA Reg No 538-216

EPA Est 37429-GA-01

Product of U.S.A.

Sold by: ProTurf Division, The O. M. Scott & Sons Company  
 14111 Scottslawn Road  
 Marysville, Ohio 43041

(c) 1993. The O.M. Scott & Sons Company. All Rights Reserved.

Recommended for Use by Professional Turfgrass Managers

Directions for use

---

Read entire label and use only as directed.

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for reasearch purposes.

Prevents and controls the following diseases on the turfs where they occur:

leaf spot/melting out	( <u>Helminthosporium</u> spp./ <u>Drechslera</u> spp.)
dollar spot	(including benzimidazole tolerant strains)
brown patch	
pink snow mold	(Washington, Oregon, California only)
(Gerlachia patch, Fusarium patch)	
anthracnose	(on <u>Poa annua</u> )
rust	

**MIXING INSTRUCTIONS**

Shake product container well before pouring into spray tank.

Add ProTurf Fluid Fungicide III into the spray tank during filling, while maintaining agitation.

Use with 4-7 gallons of water per 1,000 ft<sup>2</sup> for tees and greens. When temperatures are above 90°F and humidity is above 70%, apply 7 gallons per 1,000 sq. ft. On fairways and other turf areas, use 4 gallon or higher rate of water.

Thoroughly rinse container when empty and pour remaining contents into spray tank.

Do not combine ProTurf Fluid Fungicide III in the spray tank with surfactants or other adjuvants.

**APPLICATION DIRECTIONS**

Apply with standard pressurized spray equipment.

To Prevent Diseases -- Treat turf at the NORMAL RATE when weather conditions are favorable for the development of disease. Repeat on a 10-21 day schedule.

To Control Mild Disease Infestations -- Use the NORMAL RATE. Repeat the NORMAL RATE on a 10-14 day schedule until the disease is brought under control, then continue at the NORMAL RATE on a preventive schedule.

To Control Moderate to Severe Disease Infestations -- Use the HEAVY RATE. Repeat on a 10-14 day schedule until disease is brought under control, then treat at the NORMAL RATE on a preventive schedule.

Coverage Chart for the Two Recommended Rates of ProTurf Fluid Fungicide III

Rate (fl. oz./M)	1 Quart (32 fl. oz.) <u>Will Cover</u>	1/2 Gallon (64 fl. oz.) <u>Will Cover</u>	1 Gallon (128 fl. oz.) <u>Will Cover</u>
Normal (6 fl. oz./M)	5,500 ft <sup>2</sup>	11,000 ft <sup>2</sup>	22,000 ft <sup>2</sup>
Heavy (9 fl. oz./M)	4,125 ft <sup>2</sup>	8,250 ft <sup>2</sup>	16,500 ft <sup>2</sup>

Use with 4-7 gallons of water per 1,000 ft<sup>2</sup> for tees and greens.

Limitations: Not a control for Pythium, stripe smut, spring dead spot, gray snow mold or Fusarium blight.

**Note to User**

Do not allow spray mixture to stand in the tank for longer than 24 hours. Spray mixture should be agitated continuously during application. Use a properly calibrated sprayer.

For best results do not water or mow treated areas within 24 hours of application.

Except in cases of severe infestation, allow one week between applications of this and other control products.

Under some environmental conditions, slight leaf tip bleaching may occur with use of this product.

Do not apply this product through any type of irrigation system.

**Storage and disposal**

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store in a cool, clean, dry place. Do not store at temperatures exceeding 120°F nor at temperatures below 32°F.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of pesticide, spray mixture or rinsate is a violation of federal law. Pesticide wastes cannot be disposed of by use according to label instructions. Contact your State Pesticide or Environmental Control Agency, or the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then recycle, reuse, or reconditioning, or puncture and dispose of in a sanitary landfill, incineration, or, if allowed by state and local authorities, burn. Do not reuse empty container.

ProTurf Division  
The O.M. Scott & Sons Company  
Marysville, Ohio 43041

85431S

---

BACK CONTINUED:

IMPORTANT NOTICE: DISCLAIMER AND LIMITATION OF LIABILITY

This product has been researched to provide the necessary data use as described on the label. However, the user should understand that tests have not been carried out under all possible use conditions, and we cannot and do not warrant that the product is compatible with other chemicals. User should conduct its own compatibility testing with its mixes and equipment thoroughly before using the product on any property. ACCORDINGLY, SCOTTS MAKES NO WARRANTY, EXPRESS, OR IMPLIED, CONCERNING THE RESULTS TO BE OBTAINED FROM THE USE OF THIS PRODUCT IN ACCORDANCE WITH THESE DIRECTIONS AND THE DIRECTIONS ON THE LABEL. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE LIMIT OF LIABILITY OF SCOTT & SONS COMPANY OR ANY OTHER SELLER, FOR ANY AND ALL LOSS OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF PRODUCT INVOLVED. THE BUYER AND USERS ARE DEEMED TO HAVE ACCEPTED THIS NOTICE, WHICH MAY BE VARIED ONLY BY AGREEMENT IN WRITING, SIGNED BY AN AUTHORIZED REPRESENTATIVE OF THE O.M. SCOTT & SONS COMPANY.

1977R/7-11