

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460  <b>NOTICE OF PESTICIDE:</b> <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION <i>(Under the Federal Insecticide, Fungicide,          and Rodenticide Act, as amended)</i>	EPA REGISTRATION NUMBER 538-218	DATE OF ISSUANCE APR 3 1987
	TERM OF ISSUANCE Conditional	
	NAME OF PESTICIDE PRODUCT Scotts Lawn Pro Lawn Weed Control Plus Fertilizer	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

O.M. Scott & Sons Company  
 14310 Scottslawn Road  
 Marysville, OH 43041

**NOTE:** Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
  - a. Add the phrase "EPA Registration No. 538-218."
  - b. In the ingredient statement, delete "NCPA:" and "NCPB:". These are not common chemical names accepted for the purposes.
  - c. Rectify "Keep out of lakes, stream, or ponds" to read:  
  
Do not apply directly to any body of water.
3. Submit one (1) copy of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

**BEST AVAILABLE COPY**

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL \_\_\_\_\_ DATE APR 3 1987

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Richard F. Mountfort *RFM*  
Product Manager (23)  
Fungicide-Herbicide Branch  
Registration Division (TS-767C)

Enclosures

FRONT:

Lawn Weed Control Plus  
Fertilizer XXXXX  
(F-9348)  
12/22/86 CR  
01/05/87 CR 03/02/87 CR

2014

(Scotts (R)) ✓  
(Lawn Pro )  
(R) Step 2

XXXXX (placed vertically) (Above copy to be inverted.)

Treats 5,000 sq ft (465 m<sup>2</sup>) ✓

(Scotts (R))  
(Lawn Pro ) ✓  
(R)

SCOTTS POLICY  
No-Quibble  
Guarantee  
SEE BACK FOR DETAILS ✓

step 2

of 4 easy steps to  
a better lawn

ACCEPTED  
with comments  
APR 2 1987  
538-218  
name 0.66-1.37% (ILLUS.)  
each ai

Lawn Weed Control  
plus Fertilizer

NET WEIGHT 26 lbs (11.79 kg) ✓

24-3-3 ✓

KEEP OUT OF REACH OF CHILDREN.  
WARNING:  
PRECAUTIONARY STATEMENTS:

Hazards to Humans and Domestic Animals: Causes eye irritation. Do not get in eyes, on skin or on clothing. In case of contact immediately wash eyes or skin with plenty of water. Get medical attention if irritation persists. Harmful if swallowed. Do not contaminate feed or foodstuffs. ✓

Environmental Hazards: Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from target area. *Handwritten: Mod...*

**STORAGE:** Store in a clean, dry place. Reseal opened bag by folding top down and securing.

**PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

FRONT CONTINUED:

ACTIVE INGREDIENTS:

MCPA: 2-Methyl-4-chlorophenoxyacetic acid. . . . .	0.66%	✓
MCPP: 2-(2-Methyl-4-chlorophenoxy) propionic acid. . . . .	0.66%	✓
INERT INGREDIENTS: . . . . .	96.68%	
Total	100.00%	

EPA Reg No 538-XXX EPA Est 538-OH-1 ✓

Lawn Weed Control plus Fertilizer ✓ 24-3-3

Guaranteed Analysis

Total nitrogen (N). . . . .	24%
0.6% ammoniacal nitrogen	
15.7% urea, methylene ureas nitrogen	✓
7.7% water insoluble nitrogen	
Available phosphoric acid (P <sub>2</sub> O <sub>5</sub> ). . . . .	3%
Soluble potash (K <sub>2</sub> O). . . . .	3%
Chlorine, not more than . . . . .	2.59%

Derived from: monoammonium phosphate, urea, methylene ureas and muriate of potash.

Product of USA ✓

The O M Scott & Sons Company, Marysville, Ohio 43041 ✓

GUSSETS:

RIGHT GUSSET

XXXXX (Scotts (R))  
(Lawn Pro )  
(R)

Annual  
Program

step 2

SCOTTS POLICY  
No-Quibble  
Guarantee  
SEE BACK FOR DETAILS

LEFT GUSSET

(Scotts (R))  
(Lawn Pro )  
(R)

Annual  
Program

step 2

SCOTTS POLICY  
No-Quibble  
Guarantee  
SEE BACK FOR DETAILS

XXXXX

**BACK:**

PULL TAB  
and remove for  
pour spout  
(ILLUS.)  
Easy  
Open PULL HERE

Treats 5,000 sq ft (465 m<sup>2</sup>)

STP2 XXXXX  
5M  
PROOF  
OF  
PURCHASE  
(Scotts)

(Scotts (R))  
(Lawn Pro )  
(R)

Annual  
Program

Now it's easy for you to have a better lawn

**Save money**

**Start anytime**

Why even consider a lawn care service? Scotts Annual Program will give you a beautiful lawn for less money.

You can start into the Annual Program anytime of the year. Just check the month and select the appropriate Step listed below.

**Simple and easy**

**Guaranteed results**

No more guesswork. You simply apply the right product - one Step at a time.

Each Step is designed to the specific season to help give you a healthier, greener lawn.

(ILLUS.)

(The 4 Steps listed below will be placed horizontally in one row.)

**step 1. Early Spring February-April**

Crabgrass Preventer plus Fertilizer - prevents crabgrass, foxtail, spurge, oxalis, chickweed and other annual weeds while providing deep, thick greening for 2 months.

**step 2. Late Spring April-June**

Lawn Weed Control plus Fertilizer - controls dandelions, clover, chickweed and other broadleaf weeds while greening your lawn for 2 more months.

**step 3. Summer June-August**

Insect Control plus Fertilizer - controls white grubs, chinch bugs, sod webworms and other lawn insects plus keeps your lawn green through the Summer.

**step 4. Fall August-November**

Lawn Fertilizer - specially formulated for the Fall - the best time to develop a stronger root system for a healthier, thicker lawn. Helps your lawn green up even quicker next Spring.

7 of 14

BACK CONTINUED:

step 2

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

LEFT COLUMN

Application

- . Apply when weeds are actively growing, but not before yellow dandelion blooms have appeared.
- . Apply to moist or dry foliage, however, for best results, apply to moist foliage.
- . Be careful when applying this product near shrubs, flower beds or vegetable gardens as weed control may damage these desirable plants.
- . Don't use on creeping bentgrass lawns or on newly seeded and sodded lawns until after the fourth mowing. Don't plant grass for one month after using this product and don't apply when daytime temperatures are consistently 90 degrees or above.
- . Allow at least 4-6 weeks between program applications.

Watering or Rain

- . Do not water your lawn for 24 hours after application. Water will wash the weed control off the weed's leaves and reduce the effectiveness of this product.
- . This product should not be applied if rain is expected within the next 24 hours.

RIGHT COLUMN

Tips on Spreading

Scotts Drop:

- . Do not apply during windy days.
- . First apply 2 header strips.
- . Overlap spreader application area to avoid strips of untreated lawn.
- . Shut off spreader when you reach the header strip or any time you stop.

(ILLUS.)

(ILLUS.)

BACK CONTINUED:

EasyGreen™ Rotary:

- Slide shut-off lever to the right, application automatically starts and stops when you do
- Avoid misses by making each pass about 30 inches from the previous one so some overlapping occurs

Scotts Spreader Settings

Scotts Drop Spreader	XX	Scotts EasyGreen™ Rotary	XX
----------------------------	----	--------------------------------	----

If you have questions

We designed this Program to make having a better lawn as simple and easy as possible. But you may still have some questions about your lawn during the year. If so, you can contact the Scotts Lawn Pro retailer where you bought this Program. They are ready to answer your questions and provide any help or information that you may need. -OR- You can get the answers by talking directly with one of Scotts lawn counselors. Simply dial this toll-free number 1-800-543-TURF (in Ohio 1-800-762-4010).

XXXXX

Scotts Policy  
No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

0 (UPC) 0

XXXXX XXXXX

SCOTTIS...the lawn people  
MARYSVILLE, OHIO 43041

(c) 1987, The O M Scott & Sons Company. All rights reserved.

(Description below will be inverted.)

(Scotts (R))  
(Lawn Pro ) step 2  
(R)

XXXXX (placed vertically)

0459o/0933R



FRONT:

Lawn Weed Control Plus  
Fertilizer XXXXX

901

12/22/86 CR  
01/05/87 CR

(Scotts (R))  
(Lawn Pro )  
(R)

step 2

XXXXX (placed vertically) (Above copy to be inverted.)

Treats 10,000 sq ft (929m<sup>2</sup>)

(Scotts (R))  
(Lawn Pro )  
(R)

Annual Program

SCOTTS POLICY  
No-Quibble  
Guarantee  
SEE BACK FOR DETAILS

*A CCEP with comment,  
APR 3 1987*

step 2

of 4 easy steps to  
a better lawn

*538-218  
range 0.66-1.37%  
each ai (ILLUS.)*

Lawn Weed Control  
plus Fertilizer

NET WEIGHT 25 lb (3.4 kg)

36-0-0

KEEP OUT OF REACH OF CHILDREN  
WARNING  
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: Causes eye irritation. Do not get in eyes, on skin or on clothing. In case of contact immediately wash eyes or skin with plenty of water. Get medical attention if irritation persists. Harmful if swallowed. Do not contaminate feed or foodstuffs.

Environmental Hazards: Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from target area.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

FRONT CONTINUED:

ACTIVE INGREDIENTS:

MCPA: 2-Methyl-4-chlorophenoxyacetic acid. . . . .	1.37%
MCPP: 2-(2-Methyl-4-chlorophenoxy) propionic acid. . . . .	1.37%
INERT INGREDIENTS: . . . . .	97.26%
Total	<u>100.00%</u>

EPA Reg No 538-XXX EPA Est 538-OH-1

Lawn Weed Control plus Fertilizer 36-0-0

Guaranteed Analysis

Total nitrogen (N). . . . .	36%
24.0% urea, methylene ureas nitrogen	
12.0% water insoluble nitrogen	
Available phosphoric acid (P <sub>2</sub> O <sub>5</sub> ) . . . . .	0%
Soluble potash (K <sub>2</sub> O) . . . . .	0%

Derived from: urea and methylene ureas.

Product of USA

The O M Scott & Sons Company, Marysville, Ohio 43041

GUSSETS:

RIGHT GUSSET

XXXXX	(Scotts (R)) (Lawn Pro ) (R)	Annual Program	step 2	SCOTTS POLICY No-Quibble Guarantee SEE BACK FOR DETAILS
-------	------------------------------------	-------------------	--------	--

LEFT GUSSET

(Scotts (R)) (Lawn Pro ) (R)	Annual Program	step 2	SCOTTS POLICY No-Quibble Guarantee SEE BACK FOR DETAILS	XXXXX
------------------------------------	-------------------	--------	--	-------

BACK:

PULL TAB  
and remove for  
pour spout  
(ILLUS.)  
Easy  
Open PULL HERE

Treats 10,000 sq ft (929m<sup>2</sup>)

STP2 XXXX  
TOP  
PROOF  
OF  
PURCHASE  
(Scotts)

(Scotts (R))  
(Lawn Pro )  
(R)

Annual  
Program

Now it's easy for you to have a better lawn

Save money

Start anytime

Why even consider a lawn care service? Scotts Annual Program will give you a beautiful lawn for less money.

You can start into the Annual Program anytime of the year. Just check the month and select the appropriate Step listed below.

Simple and easy

Guaranteed results

No more guesswork. You simply apply the right product - one Step at a time.

Each Step is designed to the specific season to help give you a healthier, greener lawn.

(ILLUS.)

(The 4 Steps listed below will be placed horizontally in one row.)

flu

step 1. Early Spring February-April

Crabgrass Preventer plus Fertilizer - prevents crabgrass, foxtail, spurge, oxalis, chickweed and other annual weeds while providing deep, thick greening for 2 months.

step 2. Late Spring April-June

Lawn Weed Control plus Fertilizer - controls dandelions, clover, chickweed and other broadleaf weeds while greening your lawn for 2 more months.

step 3. Summer June-August

Insect Control plus Fertilizer - controls white grubs, chinch bugs, sod webworms and other lawn insects plus keeps your lawn green through the Summer.

step 4. Fall August-November

Lawn Fertilizer - specially formulated for the Fall - the best time to develop a stronger root system for a healthier, thicker lawn. Helps your lawn green up even quicker next Spring.

I  
r

C  
1A

BACK CONTINUED:

step2

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

LEFT COLUMN

Application

- . Apply when weeds are actively growing, but not before yellow dandelion blooms have appeared.
- . Apply to moist or dry foliage, however, for best results, apply to moist foliage.
- . Be careful when applying this product near shrubs, flower beds or vegetable gardens as weed control may damage these desirable plants.
- . Don't use on creeping bentgrass lawns or on newly seeded and sodded lawns until after the fourth mowing. Don't plant grass for one month after using this product and don't apply when daytime temperatures are consistently 90 degrees or above.
- . Allow at least 4-6 weeks between program applications.

Watering or Rain

- . Do not water your lawn for 24 hours after application. Water will wash the weed control off the weed's leaves and reduce the effectiveness of this product.
- . This product should not be applied if rain is expected within the next 24 hours.

RIGHT COLUMN

Tips on Spreading

Scotts Drop:

- . Do not apply during windy days.
- . First apply 2 header strips.
- . Overlap spreader application area to avoid strips of untreated lawn.
- . Shut off spreader when you reach the header strip or any time you stop.

(ILLUS.)

(ILLUS.)

BALK CONTINUED:

14.1.14

EasyGreen™ Rotary:

- Slide shut-off lever to the right, application automatically starts and stops when you do
- Avoid misses by making each pass about 30 inches from the previous one so some overlapping occurs

Scotts Spreader Settings

Scotts Drop Spreaders	XX	Scotts EasyGreen™ Rotary	XX
-----------------------------	----	--------------------------------	----

If you have questions

We designed this Program to make having a better lawn as simple and easy as possible. But you may still have some questions about your lawn during the year. If so, you can contact the Scotts Lawn Pro retailer where you bought this Program. They are ready to answer your questions and provide any help or information that you may need. -OR- You can get the answers by talking directly with one of Scotts lawn counselors. Simply dial this toll-free number 1-800-543-TURF (in Ohio 1-800-762-4010).

XXXXX

plus

Scotts Policy  
No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

0 (UPC) 0

XXXXX XXXXX

SCOTTS...the lawn people  
MARYSVILLE, OHIO 43041

(c) 1987. The O M Scott & Sons Company. All rights reserved.

(Description below will be inverted.)

(Scotts (R))  
(Lawn Pro )  
(R)

step 2

XXXXX (placed vertically)

04590/0933R

INEI

**BEST AVAILABLE COPY**