

PRIVATE LABEL  
CRABGRASS PREVENTER PLUS LAWN FOOD

\*Package Copy for (S-1205T)

04/06/87 CR

10612  
PM 25

538-219

(Note: The above description will be inverted.)

FRONT:

TREATS 5,000 sq ft (465 m<sup>2</sup>)

PRIVATE LABEL  
CRABGRASS PREVENTER PLUS LAWN FOOD

crabgrass preventer plus fertilizer  
for established lawns

(ILLUS. CRABGRASS)

Prevents crabgrass  
also foxtail, oxalis, spurge,  
(and other problem weeds - see back)

plus fertilizes  
with a full feeding of Turf Builder<sup>(R)</sup>

Patented TRIONIZED<sup>(R)</sup> II formula  
gives quick, deep greening.

NET WEIGHT 9 5/8 LBS (4.36 kg)

26-3-3

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS


Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Do not get in eyes. If in eyes, flush with plenty of water and get medical attention if irritation persists. Wash after handling. May be harmful if swallowed. Do not contaminate feed or foodstuffs. Do not graze treated areas. Do not feed clippings to livestock.

Environmental Hazards: This pesticide is toxic to fish. Do not apply directly to water. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. In case of spills, either collect for use or dispose of properly.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.



FRONT CONTINUED:

ACTIVE INGREDIENT:

Pendimethalin, N-(1-Ethylpropyl)-3,4-dimethyl-  
2,6-dinitrobenzenamine\*

Pendimethalin, N-(1-Ethylpropyl)-3,4-dimethyl- 2,6-dinitrobenzenamine* . . . . .	1.79%
INERT INGREDIENTS: . . . . .	98.21%
Total	100.00%

RIGHT COLUMN

EPA Reg No 538-XXX      EPA Est 538-OH-1  
Private Label Crabgrass Preventer Plus Lawn Food      26-3-3

Guaranteed Analysis

Total nitrogen (N) . . . . .	26%
0.7% ammoniacal nitrogen	
8.0% methylenediurea and dimethylenetriurea nitrogen	
16.0% urea, other methylene ureas nitrogen	
1.3% water insoluble nitrogen	
Available phosphoric acid (P <sub>2</sub> O <sub>5</sub> ) . . . . .	3%
Soluble potash (K <sub>2</sub> O) . . . . .	3%
Derived from: monoammonium phosphate, urea, methylene ureas, muriate of potash.	
Chlorine, not more than . . . . .	2.39%

U.S. Pat. No 4,378,238      Product of USA  
\*Licensed under one or more of the following U.S. patents: 3,920,742;  
4,066,441.

Distributed by:  
XXXXXXXXXX, XXXX 43041

BACK:

Private Label- XXXXX  
Crabgrass Preventer  
Plus Lawn Food

PULL TAB  
and remove for  
pour spout

5M  
PROCF  
OF  
PURCHASE

(ILLUS.)

TREATS 5,000 sq ft (465 m<sup>2</sup>)

Easy  
Open PULL HERE

PRIVATE LABEL  
CRABGRASS PREVENTER  
PLUS LAWN FOOD  
crabgrass preventer plus fertilizer

Advantages of Private Label Crabgrass Preventer Plus Lawn Food

LEFT COLUMN

SUPERIOR QUALITY

PRIVATE LABEL CRABGRASS PREVENTER PLUS LAWN FOOD - NO ONE ELSE HAS A TOUGHER CRABGRASS, FOXTAIL AND SPURGE PREVENTER. And our small, uniform granules cover your lawn completely to stop these weeds before they start. All this means that Private Label Crabgrass Preventer Plus Lawn Food gives your lawn the best seasonlong crabgrass, foxtail and spurge prevention available.

TRIONIZED<sup>(R)</sup> II FORMULA PROVIDES A MORE EFFICIENT NITROGEN. This means Private Label Crabgrass Preventer Plus Lawn Food now gives quick, deep greening while feeding your lawn as it needs to be fed.

PRIVATE LABEL CRABGRASS PREVENTER PLUS LAWN FOOD WON'T BURN YOUR LAWN. The nitrogen in the Trionized<sup>(R)</sup> II formula is buffered. This means Private Label Crabgrass Preventer Plus Lawn Food greens your lawn quickly without the danger of burning.

PRIVATE LABEL CRABGRASS PREVENTER PLUS LAWN FOOD PROVIDES TWO FULL MONTHS OF GREENING. The nitrogen in Private Label Crabgrass Preventer Plus Lawn Food is time-released to help keep a supply of this essential nutrient available to your lawn. This means that your lawn will stay thick and green for two full months.

EACH PRIVATE LABEL CRABGRASS PREVENTER PLUS LAWN FOOD GRANULE CONTAINS NPK AND CRABGRASS PREVENTER. We bond our controlled-release nitrogen (N) with phosphorus (P) and potassium (K) and a unique crabgrass preventer so your lawn receives a safe even feeding and the most effective seasonlong crabgrass, foxtail and spurge prevention available.

(ILLUS.)

Private Label  
Crabgrass Preventer Plus Lawn Food  
EVERY GRANULE CONTAINS NPK  
AND CRABGRASS PREVENTER.

Provides safe, even greening with  
with uniform crabgrass prevention.

(ILLUS.)

Competitive Simple Mixture  
EACH GRANULE IS A  
SEPARATE CHEMICAL.

May cause surge growth, burning, uneven  
greening and spotty crabgrass prevention.

RIGHT COLUMN

OTHER GREAT PRIVATE LABEL PRODUCTS FOR YOUR LAWN.

If weeds are a problem, use Private Label Weed and Feed. This product clears out dandelions and over 50 other broadleaf weeds while providing your lawn with a safe even feeding of fertilizer.

If you don't have weed problems, use Private Label Lawn Fertilizer. Private Label Lawn Fertilizer gives quick, deep greening without the danger of burning.

These great Private Label products are developed specifically for the unique needs of your lawn - your satisfaction is unconditionally Guaranteed.

(ILLUS.)

(ILLUS.)

Private Label Weed and Feed

Private Label  
Lawn Fertilizer

LEFT COLUMN

Easy to Apply

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

APPLICATION

- . Private Label Crabgrass Preventer Plus Lawn Food should be applied when your lawn is dry. It is not necessary to water it in after application.
- . Apply in early Spring before the 3rd or 4th mowing or before temperatures are regularly in the 80's to prevent crabgrass, foxtail, barnyardgrass, fall panicum, spurge and oxalis (common yellow woodsorrel). Rain, snow or freezing weather after application will not affect the performance of this product.
- Apply in August or September to prevent germination of Poa annua and chickweed.
- . Do not seed or sod for 4 months after using Private Label Crabgrass Preventer Plus Lawn Food. The crabgrass barrier prevents grass seeds from sprouting.
- . Do not use on bentgrass lawns.
- . Do not apply material to cement, stone, clothing or shoes. If contact occurs brush off particles to prevent staining. If necessary, rinse off with water.

BACK CONTINUED:

XXXXX

Spreader Settings

Drop  
Spreaders

(treats 5,000 sq ft)

XX

RIGHT COLUMN

IMPORTANT

**RAKING.** You may rake your lawn lightly to remove grass clippings or debris. But please avoid breaking the soil surface in your lawn for 4 months after application. Heavy raking will disturb the crabgrass barrier and reduce the effectiveness of this product.

**SEEDING/SODDING.** Please do not apply to newly seeded or sodded areas until after the fourth mowing.

**ACTIVELY GROWING CRABGRASS.** This product does not control actively growing crabgrass and other existing grasses.

TIPS ON SPREADING

Drop Types:

- . First apply 2 header strips
- . Operate spreader the longest way of the lawn
- . Overlap wheels to insure uniform feeding
- . Shut off spreader when you have reached the header strips or stopped
- . Mow lawn first if grass is tall enough to touch the bottom of spreader

(ILLUS.)

PRIVATE LABEL  
CRABGRASS PREVENTER PLUS LAWN FOOD

60612  
Package Copy for (S-1206T)

04/06/87

(Note: The above description will be inverted.)

FRONT:

TREATS 5,000 sq ft (465 m<sup>2</sup>)

PRIVATE LABEL  
CRABGRASS PREVENTER PLUS LAWN FOOD


crabgrass preventer plus fertilizer  
for established lawns

(ILLUS. CRABGRASS)

Prevents crabgrass  
also foxtail, oxalis, spurge,  
(and other problem weeds - see back)

plus fertilizes  
with a full feeding of Turf Builder(R)

Patented TRIONIZED(R) II formula  
gives quick, deep greening.



NET WEIGHT 34 5/8 LBS (15.17 kg)

26-3-3

KEEP OUT OF REACH OF CHILDREN  
CAUTION  
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Do not get in eyes. If in eyes, flush with plenty of water and get medical attention if irritation persists. Wash after handling. May be harmful if swallowed. Do not contaminate feed or foodstuffs. Do not graze treated areas. Do not feed clippings to livestock.

Environmental Hazards: This pesticide is toxic to fish. Do not apply directly to water. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. In case of spills, either collect for use or dispose of properly.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

7610

FRONT CONTINUED:

ACTIVE INGREDIENT:

Pendimethalin, N-(1-Ethylpropyl)-3,4-dimethyl-  
2,6-dinitrobenzenamine\*

Pendimethalin, N-(1-Ethylpropyl)-3,4-dimethyl- 2,6-dinitrobenzenamine* . . . . .	0.50%
INERT INGREDIENTS: . . . . .	99.50%
Total	<u>100.00%</u>

RIGHT COLUMN

EPA Reg No 538-XXX      EPA Est 538-OH-1  
Private Label Crabgrass Preventer Plus Lawn Food      26-3-3

Guaranteed Analysis

Total nitrogen (N) . . . . .	26%
0.7% ammoniacal nitrogen	
8.0% methylenediurea and dimethylenetriurea nitrogen	
16.0% urea, other methylene ureas nitrogen	
1.3% water insoluble nitrogen	
Available phosphoric acid (P <sub>2</sub> O <sub>5</sub> ) . . . . .	3%
Soluble potash (K <sub>2</sub> O) . . . . .	3%
Derived from: monoammonium phosphate, urea, methylene ureas, muriate of potash.	
Chlorine, not more than . . . . .	2.39%

U.S. Pat. No 4,378,238      Product of USA  
\*Licensed under one or more of the following U.S. patents: 3,920,742;  
4,066,441.

Distributed by:  
XXXXXXXXXX, XXXX 43041

GUSSET:

LEFT GUSSET:

PRIVATE LABEL  
CRABGRASS PREVENTER PLUS LAWN FOOD

RIGHT GUSSET:

PRIVATE LABEL  
CRABGRASS PREVENTER PLUS LAWN FOOD

XXXXX



BACK:

9 of 12

Private Label- XXXXX  
Crabgrass Preventer  
Plus Lawn Food

PULL TAB  
and remove for  
pour spout

5M  
PROOF  
OF  
PURCHASE

(ILLUS.)

TREATS 5,000 sq ft (465 m<sup>2</sup>)

Easy  
Open PULL HERE

PRIVATE LABEL  
CRABGRASS PREVENTER  
PLUS LAWN FOOD

crabgrass preventer plus fertilizer

Advantages of Private Label Crabgrass Preventer Plus Lawn Food

LEFT COLUMN

SUPERIOR QUALITY

PRIVATE LABEL CRABGRASS PREVENTER PLUS LAWN FOOD - NO ONE ELSE HAS A TOUGHER CRABGRASS, FOXTAIL AND SPURGE PREVENTER. And our small, uniform granules cover your lawn completely to stop these weeds before they start. All this means that Private Label Crabgrass Preventer Plus Lawn Food gives your lawn the best seasonlong crabgrass, foxtail and spurge prevention available.

TRIONIZED<sup>(R)</sup> II FORMULA PROVIDES A MORE EFFICIENT NITROGEN. This means Private Label Crabgrass Preventer Plus Lawn Food now gives quick, deep greening while feeding your lawn as it needs to be fed.

PRIVATE LABEL CRABGRASS PREVENTER PLUS LAWN FOOD WON'T BURN YOUR LAWN. The nitrogen in the Trionized<sup>(R)</sup> II formula is buffered. This means Private Label Crabgrass Preventer Plus Lawn Food greens your lawn quickly without the danger of burning.

PRIVATE LABEL CRABGRASS PREVENTER PLUS LAWN FOOD PROVIDES TWO FULL MONTHS OF GREENING. The nitrogen in Private Label Crabgrass Preventer Plus Lawn Food is time-released to help keep a supply of this essential nutrient available to your lawn. This means that your lawn will stay thick and green for two full months.

EACH PRIVATE LABEL CRABGRASS PREVENTER PLUS LAWN FOOD GRANULE CONTAINS NPK AND CRABGRASS PREVENTER. We bond our unique controlled-release nitrogen (N) with phosphorus (P) and potassium (K) and a unique crabgrass preventer so your lawn receives a safe even feeding and the most effective seasonlong crabgrass, foxtail and spurge prevention available.

(ILLUS.)

(ILLUS.)

Private Label  
Crabgrass Preventer Plus Lawn Food  
EVERY GRANULE CONTAINS NPK  
AND CRABGRASS PREVENTER.

Competitive Simple Mixture  
EACH GRANULE IS A  
SEPARATE CHEMICAL.

Provides safe, even greening  
with uniform crabgrass prevention.

May cause surge growth, burning, uneven  
greening and spotty crabgrass prevention.

RIGHT COLUMN

OTHER GREAT PRIVATE LABEL PRODUCTS FOR YOUR LAWN.

If weeds are a problem, use Private Label Weed and Feed. This product clears out dandelions and over 50 other broadleaf weeds while providing your lawn with a safe even feeding of fertilizer.

If you don't have weed problems, use Private Label Lawn Fertilizer. Private Label Lwn Fertilizerr gives quick, deep greening without the danger of burning.

These great Private Label products are developed specifically for the unique needs of your lawn - your satisfaction is unconditionally guaranteed.

(ILLUS.)

Private Label  
Weed and Feed

(ILLUS.)

Private Label  
Lawn Fertilizer

LEFT COLUMN

Easy to Apply

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

APPLICATION

- . Private Label Crabgrass Preventer Plus Lawn Food should be applied when your lawn is dry. It is not necessary to water it in after application.
- . Apply in early Spring before the 3rd or 4th mowing or before temperatures are regularly in the 80's to prevent crabgrass, foxtail, barnyardgrass, fall panicum, spurge and oxalis (common yellow woodsorrel). Rain, snow or freezing weather after application will not affect the performance of this product.
- . Apply in August or September to prevent germination of Poa annua and chickweed.
- . Do not seed or sod for 4 months after using Private Label Crabgrass Preventer Plus Lawn Food. The crabgrass barrier prevents grass seeds from sprouting.
- . Do not use on bentgrass lawns.
- . Do not apply material to cement, stone, clothing or shoes. If contact occurs brush off particles to prevent staining. If necessary, rinse off with water.

BACK CONTINUED:

110112  
XXXXX

Spreader Settings

Drop  
Spreaders

(treats 5,000 sq ft)

XX

RIGHT COLUMN

**IMPORTANT**

**RAKING.** You may rake your lawn lightly to remove grass clippings or debris. But please avoid breaking the soil surface in your lawn for 4 months after application. Heavy raking will disturb the crabgrass barrier and reduce the effectiveness of this product.

**SEEDING/SODDING.** Please do not apply to newly seeded or sodded areas until after the fourth mowing.

**ACTIVELY GROWING CRABGRASS.** This product does not control actively growing crabgrass and other existing grasses.

**TIPS ON SPREADING**

**Drop Types:**

- . First apply 2 header strips
- . Operate spreader the longest way of the lawn
- . Overlap wheels to insure uniform feeding
- . Shut off spreader when you have reached the header strips or stopped
- . Mow lawn first if grass is tall enough to touch the bottom of spreader

(ILLUS.)

BACK CONTINUED:



12/8/68

XXXXX

---

0 (UPC)

---

XXXXX XXXXX

(NOTE: The description below will be inverted.)

PRIVATE LABEL  
Crabgrass Preventer Plus Lawn Food

XXXXX

0996R