

Package Copy for (111-111) PRIVATE LABEL WEED AND FEED XXXXX

04/06/87 CR 01/12/88 CR
06/26/87 CR 06/19/89 VS
10/12/89 VS

Private Label
Weed and Feed

(NOTE: The above description will be inverted.)

Treats up to 5,000 Sq. Ft.

XXXXX

PRIVATE LABEL
Weed and Feed

weed control plus lawn fertilizer

(ILLUS.)

Treated

Untreated

Clears out (controls) dandelions
and over 50 other broadleaf weeds

plus fertilizes
with a feeding of Private Label Fertilizer

for developing thick, green lawns

ACCEPTED
with COMMENTS
in EPA Letter Dated:

MAY 30 1990

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

538-220

FRONT CONTINUED:

Net Weight XX X/X LBS (XX.XX kg) . XX-X-X

LEFT COLUMN

KEEP OUT OF REACH OF CHILDREN
CAUTION
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. If in eyes: Flush with plenty of water. Get medical attention if irritation persists. Harmful if swallowed. Do not contaminate feed or foodstuffs. Do not contaminate water used for irrigation or domestic purposes. Do not graze treated areas. Do not feed clippings to livestock. Wear long pants and a long-sleeved shirt when loading spreader and applying product.

Environmental Hazards: Do not apply when weather conditions favor drift from target areas. Drift or runoff may adversely affect non-target plants. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Do not contaminate washwaters. *under water washing of equipment*

Phenoxy herbicides such as MCPP generally will not reach groundwater from use as specified on product labels. To prevent contamination of water supplies, caution should be exercised when handling MCPP pesticides at mixing, loading, and disposal sites.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

ACTIVE INGREDIENTS:

2,4-Dichlorophenoxyacetic acid	X.XX%
2-(2-Methyl 4-chlorophenoxy) propionic acid.	X.XX%
INERT INGREDIENTS:	XX.XX%
Total	100.00%

RIGHT COLUMN

EPA Reg. No. 538-220
Private Label Weed and Feed XX X-X

EPA Est 538-OH-1

Guaranteed Analysis

Total nitrogen (N)	XX%
X.X% ammoniacal nitrogen	
X.X% methylenediurea and dimethylenetriurea nitrogen	
XX.X% urea, other methylene ureas nitrogen	
X.X% water insoluble nitrogen	
Available phosphoric acid (P ₂ O ₅)	X%
Soluble potash (K ₂ O)	X%

Derived from: monoammonium phosphate, urea, methylene ureas,
 muriate of potash.

U.S. Pat. No. 4,378,238

Product of USA

Distributed by:
XXXXXXX, XXXXXX 43041

GUSSETS:

LEFT GUSSET

PRIVATE LABEL
Weed and Feed

XXXXX

RIGHT GUSSET

PRIVATE LABEL
Weed and Feed

XXXXX

OPEN.

PULL TAB
and remove for
pour spout

(ILLUS.)

Private Label - XXXXX
Weed and Feed XXM
PROOF
OF PURCHASE

TREATS XX,XXX SQ FT (XXX m²)

Easy
Open PULL HERE

PRIVATE LABEL WEED AND FEED

weed control plus lawn fertilizer

Advantages of Private Label Weed and Feed

LEFT COLUMN

SMALL LIGHTWEIGHT GRANULES MEAN BETTER WEED CONTROL. Most lawn weed controls must be absorbed through the weed's leaves to be effective. Private Label Weed and Feed contains small and lightweight granules so they will stay on even the smallest weed leaves.

PRIVATE LABEL WEED AND FEED PROVIDES UP TO TWO MONTHS OF GREENING. The nitrogen in Private Label Weed and Feed is time-released to help keep a supply of this essential nutrient available to your lawn. This means that your lawn can stay thick and green for up to two months.

WEEDS CONTROLLED

aster	English daisy	pigweed
bitter cress	eveningprimrose	plantain
black medic	filaree	prickly lettuce
bristly oxtongue	fleabane	puncturevine
buckhorn	ground ivy	purslane
bull thistle	healall	pusley, Florida
burclover	henbit	ragweed
buttonweed	horseweed	scarlet
carpetweed	knotweed	pimpernel
centella	(seedling)	shadflower
chicory	lambsquarter	shepherdspurse
chickweed	lippia	smartweed
cinquefoil	mallow	sow thistle
cutweed	moneywort	stitchwort
curly dock	morningglory	thymeleaved
dandelion	mustard	sandwort
dichondra	pennywort	vetch
dollarweed	pepperweed	white clover
		yellow rocket

OTHER GREAT PRIVATE LABEL PRODUCTS FOR YOUR LAWN

To prevent crabgrass, use Private Label Crabgrass Preventer Plus Lawn Food. No one else has a tougher crabgrass preventer. This problem solver forms a protective barrier to stop ugly crabgrass before it starts.

If you don't have weed problems, use Private Label Lawn Fertilizer. Private Label Lawn Fertilizer promotes quick, deep greening without the danger of burning.

These great Private Label products are developed specially for the unique needs of your lawn - your satisfaction is unconditionally guaranteed.

(ILLUS.)

Private Label
Crabgrass Preventer Plus Lawn Food

(ILLUS.)

Private Label
Lawn Fertilizer

Easy To Apply

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

APPLICATION

- . Apply anytime weeds are actively growing (when daytime temperatures are consistently above 60°).
- . Apply on a calm day.
- . Apply to moist grass. To help particles stick to weed leaves the grass should be thoroughly watered or wet from dew before applying Private Label Weed and Feed.
- . Do not use this product on flowers, shrubs, fruit or vegetable plants or on creeping bentgrass, St. Augustine and dichondra lawns. On bermudagrass lawns, under certain conditions, some temporary discoloration may result.

WATERING OR RAIN

Do not water your lawn for 24 hours after application. Water will wash the weed control off the weed's leaves and reduce the effectiveness of this product.

This product should not be applied if rain is expected within the next 24 hours.

SPREADER

Be careful when applying this product near shrubs, flower beds or vegetable gardens as contact with weed control may damage these desirable plants. Drop Spreaders provide excellent controlled application to protect these areas.

Spreader Settings

(treats XX,XXX sq ft)

Drop Spreaders

XXX

RIGHT COLUMN

IMPORTANT

WHAT TO EXPECT

Weed stems and leaves will begin to twist and curl in a few days, but a month or more may be required for complete control.

This product will not prevent weed seeds from producing new plants.

EXTREME TEMPERATURES

Avoid applying when temperatures are consistently above 90 degrees.

SEEDING/SODDING

Wait until the new grass has been mowed at least four times before applying Private Label Weed and Feed weed control.

If you are planning to seed, you should wait at least one month after you have applied Private Label Weed and Feed.

TIPS ON SPREADING

Drop Types:

- First apply 2 header strips
- Operate spreader the longest way of the lawn (ILLUS.)
- Overlap wheels to insure uniform feeding
- Shut off spreader when you have reached the header strips or stopped (ILLUS.)
- Mow lawn first if grass is tall enough to touch the bottom of spreader

XXXXX

0 (UPC)

XXXXX XXXXX

(NOTE: The description below will be inverted.)

PRIVATE LABEL
Weed and Feed

XXXXX

0995R/1-8