

538-220

06/05/2007

1/8

<p>Range Master Label Private Label Weed & Feed (Professional Label) EPA 538-220</p>
--

[FRONT Panel]

Optional Information:

[APPLICATION]

How and When to Apply

- Apply Anytime Weeds Are Growing
- Apply in late spring, summer, or fall.
- For use on bahia, bermuda, bluegrass, centipede, fescue, ryegrass, or zoysia lawns.
- DO NOT USE ON ST. AUGUSTINEGRASS, FLORATAM, DICHONDRA, LIPPIA, CARPETGRASS OR BENTGRASS LAWNS.

[CLAIMS...optional front/back]

Claims

- Apply anytime weeds are growing
- Sticks to weed leaves for better control
- Provides post-emergence dicot weed control
- Kills dandelions and other major weeds*
- Clears out dandelions and over/more than 50 (other) broadleaf weeds*
- Kills dandelions, clover and most other broadleaf lawn weeds*
- Controls more than 50 common lawn weeds such as dandelion, clover and chickweed.
- Effective on both large and small weeds* (see list below).
- Kills roots and all.
- Kills dandelions, chickweed, white clover and most other common broadleaf weeds*.
- Prevents/kills grassy weeds* including spurge and foxtail
- Provides controlled release nitrogen feeding

*As listed [Note to PM: Applies to weeds noted under claims]

[Note to PM: End of CLAIMS...optional for front/back]

ACCEPTED
JUN 5 2007
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

538-220

**[FRONT]
[INGREDIENTS]**

ACTIVE INGREDIENTS:

2,4-D†.....	0.990 to 1.490%
Mecoprop-p††	0.495 to 0.745%
INERT INGREDIENTS	<u>98.515 to 97.765%</u>
Total	100.00%

EPA Reg. No. 538-220
†CAS # 94-75-7
††CAS #16484-77-8

EPA Est. No. 538-OH-1

Net Weight XX.XX lb (X.XX kg)

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call A poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment. You may also contact 1-800-XXX-XXXX for emergency medical treatment information during normal business hours.

The Scotts Company
14111 Scottslawn Rd.
Marysville, OH 43041

[BACK]

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Caution: Avoid contact with skin, eyes or clothing. May be harmful if swallowed. Avoid inhalation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash clothing before reuse.

Personal Protective Equipment (PPE)

- All loaders, applicators and other handlers must wear:
1. Long-sleeved shirt and long pants
 2. Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Controls Statements:

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. If pesticide gets on skin, wash immediately with soap and water.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This pesticide may be toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Apply this product only as specified on the label. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwaters.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources.

Directions for use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, chemical resistant gloves made of any waterproof material, shoes plus socks, protective eyewear.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to use of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR part 170). The Worker Protection Standard applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until dust has settled.

ORNAMENTAL TURFGRASS USE

This product applies 1.5 pounds of 2,4-D per acre per application. The maximum number of broadcast applications per treatment site is two per year.

Not for use on golf course putting greens. Fertilizes grass and controls these rosette and vining type weeds:

aster	bindweed	bittercress
black medic	bristly oxtongue	buckhorn
bull thistle	burclover	buttonweed
Canada thistle	carpetweed	catsear (coast dandelion)
centella	chickweed	chicory
cinquefoil	clover (hop)	clover (red)
clover (white)	cudweed	curly dock
dandelion	dichondra	dollarweed
English daisy	eveningprimrose	filaree
fleabane	ground ivy	hawkweed
healall	henbit	horsetweed

knotweed (seedling)	lambsquarter	lespedeza (seedling)
lippia (matchweed)	mallow	moneywort
morningglory	mustard	pennywort
pepperweed	pigweed	plantain
prickly lettuce	puncturevine	purslane
pusley (Florida)	pussytoes	ragweed
red sorrel (sheep sorrel)	scarlet pimpernel	shadflower (whitlowort)
shepherdspurse	smartweed	sow thistle
spurweed	stitchwort	threeseeded mercury
thymeleaved sandwort	vetch	wild carrot
yarrow	yellow rocket	

For use on ornamental Turfgrass areas other than putting greens.

Apply to moist foliage at the RECOMMENDED RATE or for better distribution when using a rotary spreader, apply at the HALF RATE with a reduced width of coverage (see spreader settings). Apply when weeds are growing actively. Grass should not be so tall it touches the bottom of the spreader.

Rain, sprinkling, mowing, or heavy traffic within 24 hours after application can knock granules off weeds and may reduce effectiveness. Apply under non-windy conditions, thereby reducing drift to non-target areas, and optimizing particle distribution for good weed control. Retreating may be necessary, but wait at least 3 weeks to observe full results of first application.

Precautions

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Avoid application when daytime temperatures are consistently 90°F or above.

Do not over apply, especially under the branch spread of trees and shrubs.

On new grass plantings delay application until after the fourth mowing.

Delay planting grass seed until after a heavy rain or watering and not sooner than 1 month after application.

Not for use on creeping bentgrass, St. Augustinegrass, carpetgrass, dichondra, floritam, lippia, ground covers, garden plants, flowers and shrubs.

Do not apply to centipedegrass turf in the Spring before March 15 (or before the danger of frost has passed), or after September. Do not apply to bahiagrass before March 15 or after November 1.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal law and may contaminate groundwater. If these wastes can not be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Suggested Spreader Settings

To provide proper distribution calibrate spreader before application.

This bag treats XX ft² (½ acre) at RECOMMENDED RATE

This bag treats XX ft² (½ acre) at HALF RATE and HALF WIDTH.**

			RECOMMENDED RATE	HALF RATE
Scotts Drop Type	3 mph	overlap wheels	X	X
Gandy – 30"	3 mph	overlap wheels	X	X
Scotts Rotaries*				
R-7, R-7X	3 mph	XX ft.	X	X
R-8, R-8A (cone 8)	3 mph	XX ft.	X	X
Lely models (see below)	4.5 mph	XX ft.	X	X

* Use discharge hole cover #13030 (already attached to the PT-10 and PT-11 models). For the R-7X model use with adjustable pattern slide ¼ closed.

** At the HALF RATE setting, apply at coverage width of 3 ½ feet for Scotts rotaries and 9 feet for the Lely rotaries to achieve the overall RECOMMENDED RATE.

Lely models WTR, WFR, HR and 1250. PTO at 450 rpm.

Metric coverage: 28.1 kg treats 2044m² at the RECOMMENDED RATE.

7/8

NOTE TO EPA: This product applies 1.5 lbs of 2,4-D and 0.75 lbs of MCPP-p.

Professional Business Group
The Scotts Company
14111 Scottslawn Road
Marysville, Ohio 43041

***GUARANTEED ANALYSIS**

Private Label Weed and Feed XX-X-X

Total nitrogen(N) XX%
 XX% ammoniacal nitrogen
 XX% urea nitrogen
 XX% other water soluble nitrogen*
 XX% water insoluble nitrogen

Available phosphate (P₂O₅) X%

Soluble potash (K₂O) X%

Sulfur (S) XX%
 XX% combined sulfur (S)

Derived from: methylene urea, ammonium sulfate, ammoniated phosphate, and potassium sulfate

*Contains X.X% slowly available methylenediurea and dimethylenetriurea nitrogen.

U.S. Patent No. XXXXXXXX

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-sc.com>

Visit our website
www.scotts.com

**Limitation Of Liability
Fertilizer and Plant Protection Products**

**IMPORTANT NOTICE FROM THE SCOTTS COMPANY LLC AND SCOTTS-SIERRA HORTICULTURAL PRODUCTS COMPANY ("SCOTTS").
PLEASE READ BEFORE USE**

By using this product, user or buyer accepts the conditions, disclaimer of warranties and limitations of liability. Read the entire directions for use, conditions of warranties and limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once for full refund.

CONDITIONS: This product has been researched to provide necessary data to supports its uses listed on the label. The directions for use of this product are believed to be adequate and the user or buyer must always follow the label directions carefully and exercise judgment and caution when using this product under their growing conditions. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness, unsatisfactory or substandard results or other unintended consequences may result because of such factors as weather conditions, presence or absence of other materials, or the manner of use or application, all of which are beyond the control of Scotts. All such risks shall be assumed by the user or buyer.

WARRANTY: This product corresponds to all claims and descriptions set forth on the label and, subject to the conditions set forth above, is reasonably fit for use for any purpose for which it is intended. Scotts recognizes that the rights and remedies of the user or buyer are subject to the provisions of the applicable state law, but makes no other warranties or representations, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Scotts is authorized to make any warranties beyond those contained herein or to modify the warranties contained therein. Subject to the user's or buyer's rights and remedies under the applicable state law, Scotts disclaims any liability whatsoever for special, incidental or consequential damages resulting the use or handling of this product.

LIMITATIONS OF LIABILITY: Subject to the user's or buyer's rights and remedies under the applicable state law, the exclusive remedy of the user or buyer and the liability of Scotts or its affiliates, for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid by the user or Buyer for the quantity of this product involved or at Scotts' election, the replacement of the product. Subject to the user's or buyer's rights and remedies under the applicable state law, any and all claims or actions related to the use or handling of this product must be commenced within one (1) year from the date the product was purchased.

©2007, Licensed by The Scotts Company LLC.
World rights reserved.
Made in U.S.A. (or Product of U.S.A.)