

FRONT:

Lawn Pro Weed N' Feed XXXXX
(F-886)

10/13
pm 2
7/22/87

12/22/86 CR
01/05/87 CR

04/08/87 CR

XXXXX

(Scotts (R))
(Lawn Pro)
(R)

Weed N' Feed
weed control plus lawn fertilizer

(NOTE: The description above will be inverted.)

XXXXX

Treats 10,000 sq ft (929 m²)


(Scotts (R))
(Lawn Pro)
(R)

SCOTTS POLICY
No-Quibble
Guarantee
SEE BACK FOR DETAILS


WEED N' FEED
weed control plus lawn fertilizer



Controls dandelions and
25 other broadleaf weeds



Thicker, greener turf -
satisfaction guaranteed



A SCOTTS(R) Lawn Pro(R) PRODUCT

Available only at authorized Lawn Pro stores

FRONT CONTINUED:

Net Weight 25 lbs (11.34 kg)

36-0-0

KEEP OUT OF REACH OF CHILDREN
WARNING
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: Causes eye irritation. Do not get in eyes, on skin, or on clothing. In case of contact immediately wash eyes or skin with plenty of water. Get medical attention if irritation persists. Harmful if swallowed. Avoid contamination of feed or foodstuffs.

Environmental Hazards: Do not apply directly to any body of water. Do not apply when weather conditions favor drift from target area.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

ACTIVE INGREDIENTS:

2-Methyl-4-chlorophenoxyacetic acid. 1.37%
2-(2-Methyl-4-chlorophenoxy) propionic acid. 1.37%

INERT INGREDIENTS: 97.26%
Total 100.00%

EPA Reg No 538-XXX

EPA Est 538-OH-1

Lawn Pro Weed N' Feed

36-0-0

Guaranteed Analysis

Total nitrogen (N) 36%
24.0% urea, methylene ureas nitrogen
12.0% water insoluble nitrogen
Available phosphoric acid (P₂O₅) 0%
Soluble potash (K₂O) 0%

Derived from: urea and methylene ureas.

Product of USA

The O M Scott & Sons Company
Marysville, Ohio 43041

GUSSETS:

RIGHT GUSSET:

| | | | | |
|-------|------------------------------------|------------------------------------|---|--|
| XXXXX | A SCOTTS Lawn Pro PRODUCT | (Scotts (R)) (Lawn Pro) (R) | Weed N' Feed weed control plus fertilizer | SCOTTS POLICY No-Quibble Guarantee SEE BACK FOR DETAILS |
|-------|------------------------------------|------------------------------------|---|--|

LEFT GUSSET:

| | | | | |
|------------------------------------|---|--|------------------------------------|-------|
| (Scotts (R)) (Lawn Pro) (R) | Weed N' Feed weed control plus fertilizer | SCOTTS POLICY No-Quibble Guarantee SEE BACK FOR DETAILS | A SCOTTS Lawn Pro PRODUCT | XXXXX |
|------------------------------------|---|--|------------------------------------|-------|

PULL TAB
and remove for
pour spout
(ILLUS.)
Easy
Open PULL HERE

Treats 10,000 sq ft (929 m²)

LPWC+LF XXXXX
10M
PROOF
OF
PURCHASE
(Scotts)

(Scotts (R))
(Lawn Pro)
(R)

Weed N' Feed
weed control plus fertilizer

Advantages

- . Lightweight and concentrated--made by Scotts patented Polyform process
- . Safe feeding--won't burn when applied as directed
- . Quick-greening--usually in 3 to 5 days
- . Long-lasting--feeds up to 2 months
- . Dependable--traditional Scotts quality
- . Controls dandelions and 25 other broadleaf weeds

bindweed
black medic
buckhorn
coast dandelion (catsear)
chickweed
cinquefoil
cudweed
dandelion

English daisy
eveningprimrose
fleabane
ground ivy
healall
henbit
mallow
moneywort
pepperweed

plantain
ragweed
red sorrel
scarlet pimpernil
shepherdspurse
threeseeded mercury
white clover
wild carrot
yellow rocket

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

APPLICATION

- . Apply any time weeds are actively growing (when daytime temperatures are consistently above 60°F).
- . Apply on a calm day.

BACK CONTINUED:

- Apply to moist grass. To help particles stick to weed leaves the grass should be thoroughly watered or wet from dew before applying Lawn Pro Weed N' Feed.
- Do not use this product on flowers, shrubs, fruit or vegetable plants or on creeping bentgrass, St. Augustine, lippia and dichondra lawns. On bermudagrass lawns, under certain conditions, some temporary discoloration may result.

WATERING OR RAIN

Do not water your lawn for 24 hours after application. Water will wash the weed control off the weed's leaves and reduce the effectiveness of this product.

This product should not be applied if rain is expected within the next 24 hours.

SPREADER

Be careful when applying this product near shrubs, flower beds or vegetable gardens as contact with weed control may damage these desirable plants. The Scotts PF Drop Spreaders provide excellent controlled application to protect these areas. When using the EasyGreen™ Rotary Spreader take special care near desirable plants.

Spreader Settings

| | Scotts Drop Spreaders | Scotts EasyGreen™ Rotary |
|-----------------------|-----------------------------|--------------------------------|
| (treats 10,000 sq ft) | X | XX |

IMPORTANT

WHAT TO EXPECT

Weed stems and leaves will begin to twist and curl in a few days, but a month or more may be required for complete control.

This product will not prevent weed seeds from producing new plants.

EXTREME TEMPERATURES

Avoid applying when temperatures are consistently above 90 degrees.

SEEDING/SODDING

Wait until the new grass has been mowed at least four times before applying Lawn Pro Weed N' Feed weed control.

If you are planning to seed, you should wait at least one month after you have applied Lawn Pro Weed N' Feed.

BACK CONTINUED:

TIPS ON SPREADING WITH SCOTT'S SPREADERS

Scotts Drop:

- First apply 2 header strips
- Operate spreader the longest way of the lawn (ILLUS.)
- Overlap wheels to insure uniform feeding
- Shut off spreader when you have reached the header strips or stopped (ILLUS.)
- Mow lawn first if grass is tall enough to touch the bottom of spreader

EasyGreen™ Rotary:

- Slide shut-off lever to the right. Application automatically starts and stops when you do
- Avoid misses by making each pass about 30 inches from the previous one so some overlapping occurs

Your Do-It-Yourself Lawn Care Headquarters

Scotts Lawn Pro retailers can provide you with the do-it-yourself expertise and products to have a beautiful Scotts lawn simply and easily...for less money than hiring a lawn service. That's why we call them Lawn Pros!

XXXXXX

Scotts Policy
No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

Scotts...the lawn people
Marysville, Ohio 43041

0 (UPC)

XXXXXX XXXXX

(c) 1987. The O M Scott & Sons Company. All rights reserved.

FRONT:

Lawn Pro Weed N' Feed XXXXX
(F-9348)

12/22/86 CR 04/08/87 CR
01/05/87 CR
03/02/87 CR

XXXXX

(Scotts (R))
(Lawn Pro)
(R)

Weed N' Feed
weed control plus lawn fertilizer

(NOTE: The description above will be inverted.)

Treats 5,000 sq-ft (465 m²)

XXXXX

(Scotts (R))
(Lawn Pro)
(R)

SCOTTS POLICY
No-Quibble
Guarantee
SEE BACK FOR DETAILS

WEED N' FEED
weed control plus lawn fertilizer



Controls dandelions and
25 other broadleaf weeds



Thicker, greener turf -
satisfaction guaranteed

ACCEPTED!

MAY 18 1987

U.S. Federal Insecticide, Fungicide, and Rodenticide Act, for the Pesticide Registration under EPA Reg. No. 538-222
accepted range
0.66-1.37%
each ai

A SCOTTS(R) Lawn Pro(R) PRODUCT

Available only at authorized Lawn Pro stores

FRONT CONTINUED:

Net Weight 26 lbs (11.79 kg)

24-3-3

KEEP OUT OF REACH OF CHILDREN
WARNING
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: Causes eye irritation. Do not get in eyes, on skin, or on clothing. In case of contact immediately wash eyes or skin with plenty of water. Get medical attention if irritation persists. Harmful if swallowed. Avoid contamination of feed or foodstuffs.

Environmental Hazards: Do not apply directly to any body of water. Do not apply when weather conditions favor drift from target area.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

ACTIVE INGREDIENTS:

2-Methyl-4-chlorophenoxyacetic acid 0.66%
2-(2-Methyl-4-chlorophenoxy) propionic acid 0.66%

INERT INGREDIENTS: 96.68%
Total 100.00%

EPA Reg No 538-XXX

EPA Est 538-OH-1

Lawn Pro Weed N' Feed

24-3-3

Guaranteed Analysis

Total nitrogen (N) 24%
0.6% ammoniacal nitrogen
15.7% urea, methylene ureas nitrogen
7.7% water insoluble nitrogen
Available phosphoric acid (P₂O₅) 3%
Soluble potash (K₂O) 3%
Chlorine, not more than. 2.59%

Derived from: monoammonium phosphate, urea, methylene ureas, muriate of potash.

U.S. Pat No

Product of USA

The O M Scott & Sons Company
Marysville, Ohio 43041

GUSSETS:

9 of 12

RIGHT GUSSET:

| | | | | |
|-------|------------------------------------|------------------------------------|---|--|
| XXXXX | A SCOTTS Lawn Pro PRODUCT | (Scotts (R)) (Lawn Pro) (R) | Weed N' Feed weed control plus fertilizer | SCOTTS POLICY No-Quibble Guarantee SEE BACK FOR DETAILS |
|-------|------------------------------------|------------------------------------|---|--|

LEFT GUSSET:

| | | | | |
|------------------------------------|---|--|------------------------------------|-------|
| (Scotts (R)) (Lawn Pro) (R) | Weed N' Feed weed control plus fertilizer | SCOTTS POLICY No-Quibble Guarantee SEE BACK FOR DETAILS | A SCOTTS Lawn Pro PRODUCT | XXXXX |
|------------------------------------|---|--|------------------------------------|-------|

BACK:

PULL TAB
and remove for
pour spout
(ILLUS.)
Easy
Open PULL HERE

Treats 5,000 sq ft (465 m²)

LPWC+LF XXXXX
5M
PROOF
OF
PURCHASE
(Scotts)

(Scotts (R))
(Lawn Pro)
(R)

Weed N' Feed
weed control plus fertilizer

Advantages

- . Lightweight and concentrated--made by Scotts patented Polyform process
- . Safe feeding--won't burn when applied as directed
- . Quick-greening--usually in 3 to 5 days
- . Long-lasting--feeds up to 2 months
- . Dependable--traditional Scotts quality
- . Controls dandelions and 25 other broadleaf weeds

bindweed
black medic
buckhorn
coast dandelion (catsear)
chickweed
cinquefoil
cudweed
dandelion

English daisy
eveningprimrose
fleabane
ground ivy
healall
henbit
mallow
moneywort
pepperweed

plantain
ragweed
red sorrel
scarlet pimpernil
shepherdspurse
threeseeded mercury
white clover
wild carrot
yellow rocket

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

APPLICATION

- . Apply any time weeds are actively growing (when daytime temperatures are consistently above 60°F).
- . Apply on a calm day.

BACK CONTINUED:

- . Apply to moist grass. To help particles stick to weed leaves the grass should be thoroughly watered or wet from dew *before* applying Lawn Pro Weed N' Feed.
- . Do not use this product on flowers, shrubs, fruit or vegetable plants or on creeping bentgrass, St. Augustine, Hippias and dichondra lawns. On bermudagrass lawns, under certain conditions, some temporary discoloration may result.

WATERING OR RAIN

Do not water your lawn for 24 hours *after* application. Water will wash the weed control off the weed's leaves and reduce the effectiveness of this product.

This product should not be applied if rain is expected within the next 24 hours.

SPREADER

Be careful when applying this product near shrubs, flower beds or vegetable gardens as contact with weed control may damage these desirable plants. The Scotts PF Drop Spreaders provide excellent controlled application to protect these areas. When using the EasyGreen™ Rotary Spreader take special care near desirable plants.

Spreader Settings

| | Scotts Drop Spreaders | Scotts EasyGreen™ Rotary |
|----------------------|-----------------------------|--------------------------------|
| (treats 5,000 sq ft) | X | XX |

IMPORTANT

WHAT TO EXPECT

Weed stems and leaves will begin to twist and curl in a few days, but a month or more may be required for complete control.

This product will not prevent weed seeds from producing new plants.

EXTREME TEMPERATURES

Avoid applying when temperatures are consistently above 90 degrees.

SEEDING/SODDING

Wait until the new grass has been mowed at least four times before applying Lawn Pro Weed N' Feed weed control.

If you are planning to seed, you should wait at least one month after you have applied Lawn Pro Weed N' Feed.

BACK CONTINUED:

TIPS ON SPREADING WITH SCOTTS SPREADERS

Scotts Drop:

- First apply 2 header strips
- Operate spreader the longest way of the lawn (ILLUS.)
- Overlap wheels to insure uniform feeding
- Shut off spreader when you have reached the header strips or stopped (ILLUS.)
- Mow lawn first if grass is tall enough to touch the bottom of spreader

EasyGreen™ Rotary:

- Slide shut-off lever to the right. Application automatically starts and stops when you do
- Avoid misses by making each pass about 30 inches from the previous one so some overlapping occurs

Your Do-It-Yourself Lawn Care Headquarters

Scotts Lawn Pro retailers can provide you with the do-it-yourself expertise and products to have a beautiful Scotts lawn simply and easily...for less money than hiring a lawn service. That's why we call them Lawn Pros!

XXXXX

Scotts Policy
No-Quibble Guarantee


If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

0 (UPC)

XXXXX XXXXX

Scotts...the lawn people
Marysville, Ohio 43041

(c) 1987. The O M Scott & Sons Company. All rights reserved.



0661o/0935R