

538-223

09-07-2010

1/18



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

Sanford R. Simon  
The Scotts Company  
14111 Scottslawn Road  
Marysville, OH 43014

SEP - 7 2010

Dear Mr. Simon:

SUBJECT: Label Amendment  
Moss Control Plus Lawn Fertilizer  
EPA Registration No. 538-223  
Your Application Dated June 2, 2010

The label amendment referred to above, submitted in accordance with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following comments:

1. The "Storage and Disposal" must be updated per PR 2007-4:
  - if non-refillable, must have recycling information, statement limiting reuse, and a batch code
  - if refillable, must have a statement regarding refill limitations
2. Under the "Storage and Disposal" section, add the word "Pesticide" in front of "Storage", and "Container" in front of "Disposal".

A stamped copy is enclosed for your records. Please submit one (1) copy of your final printed labeling before you release the product for shipment. This amended labeling supersedes all previously accepted ones.

Sincerely,

A handwritten signature in black ink, appearing to read "Kathryn V. Montague".

Kathryn V. Montague  
Product Manager (23)  
Herbicide Branch  
Registration Division (7505P)

Enclosure

NOTE::

**Bold, italicized text is information for the reader and is not part of the label.**  
[Bracketed information is optional text]. Text separated by "/" denotes and/or options.

EPA Reg. No. 538-223

2  
18



EPA #538-223



**NOTE TO PM: LABEL SUBSET #1 (SCOTTS BRANDING)**

**FRONT**

(Scotts) Moss Control Plus Lawn Fertilizer  
*(NOTE: The description above will be inverted)* XXXXX

(ILLUST) TREATS AND FEEDS XX,XXX SQ FT

SCOTTS®  
Moss Control Plus Lawn Fertilizer

**Optional Branding**

Turf Builder Plus Moss Control  
Moss Control Granules for Lawns  
Turf Builder with Moss Control

Ortho®  
Moss-B-Gon Granules for Lawns (see sub-registrant label section)


[Lawn] Moss Killer/Control  
Moss Killer/Control for Lawns

(Scotts®)  
Step™1  
*(NOTE: The description above will be inverted.)*  
Treats 5,000 sq. ft.

(Scotts®)  
Lawn Pro®  
Annual Program

**ACCEPTED**  
**with COMMENTS**  
**In EPA Letter Dated:**  
**SEP - 7 2010**  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

538-223



**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**  
See back for additional precautionary statements.

ACTIVE INGREDIENT:		
Ferrous sulfate monohydrate	.....	17.50%
OTHER INGREDIENTS	.....	82.50%
		<b>Total 100.00%</b>

NET WEIGHT XX LBS EPA Est.

NOTE::

**Bold, italicized text is information for the reader and is not part of the label.**  
[Bracketed information is optional text]. Text separated by "™" denotes and/or options.

**Optional Claims**

[Claims regarding "What it is..."]

- step™1 of 4 easy steps to a better lawn
- MOSS CONTROL PLUS LAWN FERTILIZER
- Controls [kills] moss while helping develop a thick, green lawn [turf].
- ---The Scotts Difference™---
- Toll-free Consumer Hotline: 1-800-543-TURF
- Enjoy a beautiful lawn
- [Treats/Covers] up to 5,000 sq. ft.

**FRONT PANEL (CONT.)**

[Claims regarding "What it does..."]

- Kills moss [& feeds your lawn]
- Kills moss and helps develop a thick, green lawn [turf]
- Kills moss and helps develop a thick, green lawn [turf] to discourage moss from returning
- [Patented formula] kills moss that ordinary mixed moss control products miss
- Guaranteed results
- Kills moss, not lawns - guaranteed

[Claims regarding the fertilizer properties]

- POLY-S™ TECHNOLOGY
- Scotts® slow-release polymer-encapsulated nitrogen fertilizer—for uniform growth with extended feeding
- POLY-S™ TECHNOLOGY POLYMER ENCAPSULATED NITROGEN
- Builds thick, green turf from the roots up [without burning your lawn]
- Unlike other fertilizers with moss control, every particle of Turf Builder moss Control
- Timed-release nitrogen won't burn your lawn or cause surge growth
- Supplies four nutrients to help your lawn (16% potassium, 5% iron, 20% sulfur, and 8% magnesium),
- Contains Poly-S™ exclusive controlled-release nitrogen
- For best results, apply a Turf Builder® product four times a year (see back for details)
- Patented Particle Technology
- Supplies added nutrients to help your lawn
- Can be used [applied] alone, or [in conjunction] with other [lawn] products
- Controls major moss problems without promoting grass growth.
- Won't burn lawn – guaranteed
- Apply anytime moss is growing
- Contains added nutrients to strengthen and green your lawn

[Claims regarding packaging]

- Easy open, resealable [bag], easy close

SCOTTS®  
No-Quibble  
Guarantee®  
SEE BACK FOR DETAILS

NOTE::

**Bold, italicized text is information for the reader and is not part of the label.**  
[Bracketed information is optional text]. Text separated by "/" denotes and/or options.

EPA Reg. No. 538-223

4  
18

**Gussets**

XXXXX (Scotts®)

Annual Program

Step™1

SCOTTS®  
No-Quibble  
Guarantee

SEE BACK FOR DETAILS

(Name)

Treats and Feeds XX,XXX Square Feet  
Stock Number

**BACK**

PULL TAB  
and remove for  
pour spout  
(ILLUS.)

XXXXX  
XM

[TREATS/COVERS] XX,XXX SQ FT

PROOF OF  
PURCHASE

Easy  
Open PULL HERE –

Cut Here To Open  
(Scissors Illust)

**OPTIONAL BACK PANEL CLAIMS**

(Scissors Illust)

(Scotts®)  
(Lawn Pro®)

Annual  
Program

Now it's easy for you to have a better lawn.

**[Save money** Why even consider a lawn care service? Scotts Annual Program will give you a beautiful lawn for about half (one-third) the cost.]

**Simple and easy** No more guesswork. You simply apply the right product - one Step at a time.

**Start anytime** You can start the Annual Program anytime of the year. Just check the month and select the appropriate Step listed below. If weeds or bugs are not a problem, substitute *(insert name of fertilizer only)* [up to 4 times per year].

**Guaranteed results** Each Step is designed for the specific season to help give you a greener lawn.

NOTE::

***Bold, italicized text is information for the reader and is not part of the label.***  
[Bracketed information is optional text]. Text separated by "r" denotes and/or options.

EPA Reg. No. 538-223

5  
18

(ILLUS)

(The 4 Steps listed below will be placed horizontally in one row.)

**Step™1. Early Spring  
February –April**

If moss is a problem use Moss Control plus Lawn Fertilizer – controls unsightly moss while providing deep, thick greening for up to 2 months. For St. Augustinegrass, Step™1 is "Super Bonus S".

**Step™2 Late Spring  
April – June**

If weeds are a problem use Weed Control plus Fertilizer – controls broadleaf weed while greening your lawn for up to 2 more months. This is Scotts best weed and feed. For St. Augustinegrass, Step™2 is "Super Turf Builder."

**Step™3 Summer  
June – August**

If bugs are a problem use Insect Control plus Fertilizer – controls white grubs, chinch bugs, sod webworms and other lawn insects plus keeps your lawn green through the Summer.

**Step™4. Fall  
August – November**

Lawn Fertilizer - specially formulated for the Fall – the best time to develop a stronger root system for a more vigorous, thicker lawn. Helps your lawn green-up even quicker next Spring. This is Scotts best fall fertilizer.

**OR**

Scotts® Turf Builder® Annual Program

- No more guesswork...apply the right product at the right time for a thick, green lawn
- Start anytime...just check the month and apply products at 2 month intervals. If weeds or bugs are not a problem, substitute (*insert name of fertilizer only*) [up to 4 times per year].

(The four products listed below will be placed horizontally in one row.)

Scotts® Turf Builder® – Early Spring (Feb-April) Prevents crabgrass and other annual weeds while feeding your lawn. (In the Pacific Northwest, substitute Turf Builder with Moss Control. For St. Augustinegrass, substitute Bonus S®. For dormant bermudagrass, substitute Halts®.)

Scotts® Turf Builder® with Plus 2® Weed Control – Late Spring (April-June) Kills dandelions and other broadleaf weeds while feeding your lawn. (For St. Augustinegrass, substitute Turf Builder.)

Scotts® Turf Builder® with Insect Control [Turf Builder® with SummerGuard] – Summer (June-Aug) Kills lawn damaging insects, fleas and ticks while feeding your lawn. For grub control, apply Scotts® GrubEx® anytime from April to mid-August.

Scotts® Turf Builder® Lawn Fertilizer – Fall (Aug-Nov) Important time to feed for a thicker, greener lawn.

NOTE::

EPA Reg. No. 538-223

6  
18

**Bold, italicized text is information for the reader and is not part of the label.**  
[Bracketed information is optional text]. Text separated by "/" denotes and/or options.

**OR**

-----The Scotts Difference®-----

Scotts Patented Particle Technology is available only in Scotts® products, so don't be fooled by moss control and fertilizer products claiming to be "just like Scotts."

Remember, even moss control and fertilizer products claiming to contain slow or controlled-released nitrogen typically are just simple mixes, so they can't deliver the consistent great results you'll get from Scotts Patented Particle Technology. With Scotts Turf Builder Plus Moss Control, every particle contains time-released nitrogen, plus the other primary nutrients and moss control.

(photos: piles of simple mix and Scotts products)

**ORDINARY SIMPLE MIXES**

- Nutrient and moss control granules of many different sizes and shapes.
- Result: granules of unequal size can separate during application.

**SCOTTS TECHNOLOGY**

- Turf Builder Plus Moss Control granules are consistent in size and shape.
- Result: consistent distribution of nutrients and moss control.

(photos: spread patterns of simple mix and Scotts products)

**ORDINARY SIMPLE MIXES**

- The amount of individual nutrients and moss control delivered in each square inch of lawn may vary greatly.
- Result: uneven, inconsistent moss control and feeding.

**SCOTTS TECHNOLOGY**

- Turf Builder Plus Moss Control particles deliver the same ratio of primary nutrients plus moss control to every square inch of turf.
- Result: Consistent greening plus better moss control.

(Alternate "Scotts Difference" Section)

-----The Scotts Difference®-----

Unlike other fertilizers with moss control, every particle of Turf Builder® With Moss Control contains: Scotts patented timed-release nitrogen, phosphorus, potassium and moss control.

(Illustration of Scotts product)

(Illustration of simple mix)

**Scotts Turf Builder®  
With Moss Control**

**Ordinary Mixed Moss Controls**

Turf Builder With Moss Control particles deliver the same ratio of nitrogen, phosphorus, potassium and moss control to every square inch of turf for even, consistent feeding plus better moss control.

Granules contain different nutrients. Nutrient and moss control granules of different sizes and shapes can separate during application resulting in uneven, inconsistent feeding and moss control.

NOTE::

**Bold, italicized text is information for the reader and is not part of the label.**  
[Bracketed information is optional text]. Text separated by "/" denotes and/or options.

EPA Reg. No. 538-223

7  
18

**OR**

## **CONTROLS MOSS**

### **What to expect**

Each uniform granule in this bag contains the necessary active ingredient to control the moss in your lawn [as well as Turf Builder fertilizer to help make your lawn thick and green]. Each moss plant in your lawn will get thoroughly coated to assure a complete effective control. The moss will turn black and eventually disappear. [This product controls only existing moss. To prevent moss from becoming established during winter or spring, apply Turf Builder® with Halts® in the fall (August-October), after temperatures have cooled and fall rains have begun (except in California).]

(ILLUS)—Thick moss can overwhelm grass during winter and spring.

(ILLUS)—The uniform granules in Scotts Moss Control provide an effective control.

(ILLUS)—Other moss control products with a mixture of large and small granules can give uneven control

**OR**

"Scotts provides a simple, easy to use answer for the toughest lawn problems. Their highly effective ingredients treat the lawn and control the problem. Scotts can be used alone, or with other products to solve your lawn problems."

**OR**

Scotts [to be named] provides a simple, easy to use answer for the toughest lawn problems. Moss control treats the lawn to kill moss. It can be used alone, or with other products to solve your lawn problems.

**OR**

### **Scotts LawnCare Tips**

The best moss prevention begins with a complete lawn care program:

- 1) Feeding your lawn regularly using Scotts Annual Lawn Care Program helps the lawn to crowd out moss, making it difficult for it to establish
- 2) Mow your lawn at the recommended height.

## **Controls/Kills**

Moss

### **What to expect**

- Moss will turn black and eventually disappear.
- Grass blades may show a temporary black color, however, this condition will grow-out and disappear after mowing.

### **Where to use**

- For use on all lawns and grass types.

NOTE::

**Bold, italicized text is information for the reader and is not part of the label.**  
[Bracketed information is optional text]. Text separated by "/" denotes and/or options.

EPA Reg. No. 538-223

8  
18

**OR**

**Note: The Scotts & Your Environment section as indicated in the box will appear in its entirety if used on a label. Claims will not be used as stand-alone statements.**

**Scotts & Your Environment >> [art-Scotts]**

**We care:**

Scotts products are designed with care to grow thicker, greener lawns.

**[Because] A Green Lawn is a Good Lawn**

A healthy lawn can clean the air, produce oxygen and prevent runoff and soil erosion.

**You can make a difference.**

Help keep our water resources clean. Apply this product only to your lawn, and sweep any product that lands in the driveway, sidewalk or street back onto your lawn.

Use Any of These Products Next to Keep Your Lawn Looking Great All Season!

Anytime

[art –straight fertilizer bag] Use anytime if weeds or insects are not a problem.

Late Spring

[art – broadleaf weed killer bag] Use to kill broadleaf weeds and build a thicker, greener lawn.

Summer

[art – lawn insect killer bag] Use to kill insects and strengthen your lawn against heat and drought

The Scotts Advantage® \* [N-P-K icon]

Each of Scotts exclusive All-in-One Particles® \* contains the guaranteed feeding nutrients and the moss control ingredients to provide consistent feeding and moss control to every treated square inch of your lawn. The result: A thick, green lawn without burning. Guaranteed.

\*All-in-One Particles® = nitrogen, phosphorus, potassium and the moss control ingredient contained in every particle.

Get expert advice for your lawn now! [Scotts artwork]

Want information on what to use and when? Sign up today to get free expert advice specifically for your lawn.

Visit [scotts.com](http://scotts.com) or call 1-800-543-TURF (8873)

NOTE::

**Bold, italicized text is information for the reader and is not part of the label.**  
[Bracketed information is optional text]. Text separated by " / " denotes and/or options.

EPA Reg. No. 538-223

9  
18

## **NOTE TO PM: OPTION #1 DIRECTIONS FOR USE**

### **[Optional Header: Key Product Facts]**

#### **Directions for use**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

#### **When to use**

- Apply anytime moss is present and actively growing.
- Apply when the grass blades and moss are wet.

#### **With other products**

- Does not interfere with the performance of other lawn products such as fertilizers, weed controls and insect controls.
- Allow at least one-week before applying other products in the lawn.

#### **With new lawns or seeding**

- Do not use on newly seeded lawns until after the fourth mowing.
- Areas can be seeded after one-week following treatment. For best results wait until moss is dead (approximately 2-weeks), then rake-up area and reseed.

#### **Reapplication**

- This product does not prevent moss. Reapply as new moss develops.
- Wait 2 to 4 weeks between applications

#### **Reentry**

For best results, avoid disturbing particles by keeping children and pets off of treated area until foliage is dry.

#### **Instructions**

##### **1. Mowing**

- If grass is tall enough to touch the bottom of the spreader, mow before application.
- Mow tall grass a day or two before application to expose low growing moss.

##### **2. How to apply**

Apply when the grass blades are wet with a drop or rotary spreader. Do not apply by hand or hand-held spreader. For best results, use a Scotts Spreader

##### **3. Set spreader**

- Use the REGULAR RATE for normal moss infestation
- Use the HEAVY RATE for heavy moss infestation

##### **4. Fill spreader**

- Fill spreader over bare ground or hard surface.
- Sweep or brush any particles off of hard surfaces and use on lawn or dispose of properly.

##### **5. Apply Product**

- Apply one or two header strips, then apply product in longest direction of lawn.
- Shut off spreader each time you reach the header strip, or stop.
- **This product can cause staining**
  - Do not apply to cement, stone, clothing or shoes.
  - If contact occurs, brush off particles to prevent staining.

##### **6. Watering**

- Do not water-in after application.
- Light rain, snow or freezing weather after application will not affect product performance. Heavy precipitation of ½" or more may reduce effectiveness and require a second application

## **NOTE TO PM: END OF OPTION #1**

NOTE::

***Bold, italicized text is information for the reader and is not part of the label.***  
[Bracketed information is optional text]. Text separated by "/" denotes and/or options.

EPA Reg. No. 538-223

17  
18

**NOTE TO PM: OPTION #2 DIRECTIONS FOR USE**

**Directions for use**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

**Optional Header: Key Product Facts]**

**[How and when to apply [-OR-] Instructions [-OR-] Application]**

Apply during winter or spring when moss is actively growing.

**-OR-**

Apply during winter through early spring [(February – April) or (December – April)] when moss is actively growing.)

It is best to apply when the lawn is moist and tall grass has been mowed to expose low growing moss. Use the **REGULAR RATE** (covers 5,000 sq. ft.) for normal moss infestations. Use the **HEAVY RATE** (covers 4,000 sq. ft.) for heavy moss infestations.

**[Use Precautions]**

[NOTE TO PM: OPTIONAL CLAIM]: The moss will turn black and eventually disappear.

- Do not apply to newly a seeded or sodded lawn until it has been mowed four times.
- Brush or rinse particles from cement, stone, clothing, or shoes to prevent staining.
- Grass blades may show a temporarily black color, [however/but], this condition will disappear after mowing.

[NOTE TO PM: OPTIONAL CLAIM]: The fertilizer in Scotts Moss Control Plus Lawn Fertilizer will help make your lawn thick and green.

**NOTE TO PM: END OF OPTION #2**

NOTE::

***Bold, italicized text is information for the reader and is not part of the label.***  
[Bracketed information is optional text]. Text separated by "/" denotes and/or options.

EPA Reg. No. 538-223

11  
18

### [Optional Header - First Aid and Environmental Information]

#### KEEP OUT OF REACH OF CHILDREN

#### CAUTION

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS [icon]

**CAUTION:** Harmful if swallowed, inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.

#### FIRST AID [first aid symbol]

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

**If swallowed:** Call A poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment. You may also contact 1-800-XXX-XXXX for emergency medical treatment information.

#### ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn will help to prevent runoff to water bodies or drainage systems.

#### STORAGE & DISPOSAL [trashcan icon]

**Storage:** Store in a clean, dry place. Reseal opened bag by folding top down and securing. Do not contaminate feed or foodstuffs.

**Disposal:** IF EMPTY: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTE::

**Bold, italicized text is information for the reader and is not part of the label.**  
[Bracketed information is optional text]. Text separated by "f" denotes and/or options.

EPA Reg. No. 538-223

12  
18

Guaranteed Analysis

[Insert Product Name] [Insert N-P-K] [Insert FL Fertilizer ID]

Total nitrogen (N).....XX%  
 XX.X% ammoniacal nitrogen  
 X.X% urea nitrogen\*  
 X.X% other water soluble nitrogen\*\*  
 X.X% water insoluble nitrogen

Sulfur (S).....XX%  
 XX% combined sulfur (S)

Iron (Fe)..... X%  
 X% water soluble iron (Fe)

Derived from: monoammonium phosphate, urea, methylene ureas, muriate of potash, and ferrous sulfate [potassium sulfate, ammonium phosphate, ammonium sulfate].

\*Contains: XX% coated release nitrogen from polymer-encapsulated sulfur-coated urea.

\*\* Contains XX% slowly available [nitrogen from] methylenediurea and dimethylenetriurea nitrogen.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info.sc.com>.

**Example application rates previously approved, but inadvertently dropped from the master label**

<i>Bag wt. (lbs.)</i>	<i>Lbs. ai/acre Regular Rate 5,000 sq. ft.</i>	<i>Lbs. ai/acre Heavy Rate 4,000 sq. ft.</i>
<b>13.10</b>	<b>19.97</b>	<b>24.97</b>
<b>18.37</b>	<b>28.00</b>	<b>35.00</b>
<b>25.00</b>	<b>38.12</b>	<b>47.64</b>
<b>31.48</b>	<b>48.00</b>	<b>60.00</b>

**SPREADER SETTINGS:** For best results, use a Scotts spreader.  
(Scotts Spreader Settings)

	Scotts Drop Spreaders	Scotts EasyGreen® Rotary	Scotts SpeedyGreen® Rotary
REGULAR RATE (covers 5,000 sq. ft.)	X	XX	XX
HEAVY RATE (covers 4,000 sq. ft.)	X	XX	XX

NOTE::

**Bold, italicized text is information for the reader and is not part of the label.**  
 [Bracketed information is optional text]. Text separated by "f" denotes and/or options.

EPA Reg. No. 538-223

13  
18

**TIPS ON SPREADING WITH SCOTTS SPREADERS**

**Scotts Drop:**

- First apply 2 header strips
- Operate spreader the longest way of the lawn
- Overlap wheels to insure uniform feeding
- Shut off spreader when you have reached the header strips or stopped

**EasyGreen® Rotary:**

- Slide shut-off lever to the right, application automatically starts and stops when you do
- Avoid misses by making each pass about 30 inches from the previous one so some overlapping occurs

**SpeedyGreen® Rotary:**

- Shut off spreader anytime you stop
- Avoid misses by making each pass about 5 feet from the previous one so some overlapping occurs

**-OR-**

	<b>Spreading Tips</b> Apply header strips. Then apply product in longest direction of lawn. For best results, use a Scotts spreader.	<b>REGULAR RATE</b> Covers [up to] 5,000 sq. ft.	<b>HEAVY RATE</b> Covers [up to] 4,000 sq. ft.
[Illustrations]	[Spreader Settings]		
	<b>Scotts Broadcast/Rotary Spreaders</b> Each pass should be within 5 feet of each other to ensure an overlap.	<b>X</b>	<b>X</b>
	Scotts Basic, Standard, Deluxe Edgeguard, Lawn Pro or Speedygreen		
	Scotts EasyGreen	<b>XX</b>	<b>XX</b>
	<b>Scotts Drop Spreaders</b> Make sure spreader wheel completely overlaps previous wheel marks.	<b>X</b>	<b>X</b>
	Scotts AccuGreen		
	For additional spreader settings, please call 1-800-543-TURF (8873)		

(ILLUS)

**Additional Spreader Settings**

- Cyclone Rotary (Model B)..... X
- Central Drop (#205)..... X
- Sears Drop (#19810)..... X
- Ortho Drop (#5000)..... X
- Greenview Drop (#105)..... X
- Precision Drop (Red Devil)..... X
- EZ Drop, Republic (#530)..... X
- Quaker Drop, (#10850)..... X
- Quaker Rotary, (#10301)..... X
- Red Devil Drop (FH-22)..... X
- Red Devil Rotary (SB-50)..... X
- EZ Broadcast Republic (#540)..... X
- Scotts Broadcast Tractor Spreader..... X

NOTE::

***Bold, italicized text is information for the reader and is not part of the label.***  
[Bracketed information is optional text]. Text separated by "f" denotes and/or options.

EPA Reg. No. 538-223

14  
18

**-OR-**

Spreader	Regular Rate Setting Covers x,xxx sq. ft.	Heavy Rate Setting Covers x,xxx sq. ft.	Coverage Tip
<b>Rotary Spreaders</b>			
Scotts SpeedyGreen® (1000, 2000, 3000 series) & EdgeGuard™	X	X	Make each pass about 5 feet from the previous pass.
Scotts EasyGreen®	X	X	Make each pass about 30 inches from the previous pass.
Scotts Tractor	X	X	
<b>Drop Spreaders</b>			
Scotts Accugreen® (1000, 2000, 3000 series)	X	X	Overlap wheel marks to ensure uniform coverage.
Scotts PrecisionGreen®	X	X	

NOTE::

***Bold, italicized text is information for the reader and is not part of the label.***  
[Bracketed information is optional text]. Text separated by "f" denotes and/or options.

EPA Reg. No. 538-223

15  
18

**If you have any questions**

We designed this Program to make having a better lawn as simple and easy as possible. But you may still have some questions about your lawn during the year. If so, you can contact the Scotts LawnPro retailer where you bought this Program. They are ready to answer your questions and provide any help or information that you may need. -OR- You may get the answers by talking with one of Scotts lawn counselors. Simply dial this toll-free number 1-800-543-TURF (Monday through Friday 9:00 AM to 5:00 PM Eastern time ( in Ohio 1-800-762-4010.)

**Scotts No-Quibble Guarantee®**

If for any reason you, the consumer, are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

**Dedicated To A Beautiful World™**

Trusted by generations of homeowners, Scotts is dedicated to helping you enhance and protect the natural beauty of your home environment  
Scotts®

[NOTICE:]

[To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.]

**Questions / Information**

Consumer Helpline [phone icon]  
1-800-543-TURF(8873)

Visit our website -and/or- contact the experts @  
[www].scotts.com [mouse icon]

[[illus]SMG listed NYSE

[Manufactured/distributed/sold/guaranteed by -or- for:]

The Scotts Company  
14111 Scottslawn Rd.  
Marysville, OH 43041

©20XX, Licensed by The Scotts Company LLC. World rights reserved.

U.S. Patent No. 5,102,440

[Product of U.S.A./Made in USA]

EPA Reg. No. 538-223

EPA Est. Nos. 538-OH-1(S), 35497-OR-1(T), 8378-IN-1(K), 034637-OH-002(F), 071441-OH-001(W)

Superscript used is first letter of run code on end of container.

**NOTE TO PM: END OF SUBSET #1**

NOTE::

**Bold, italicized text is information for the reader and is not part of the label.**  
[Bracketed information is optional text]. Text separated by " / " denotes and/or options.

EPA Reg. No. 538-223

66  
18

**NOTE TO PM: LABEL SUBSET #2 (ORTHO BRANDING)**

**FRONT**

**ORTHO® MOSS-B-GON™ GRANULES FOR LAWNS**

Kills Moss – Guaranteed.\*

Active Ingredient

Ferrous sulfate monohydrate.....17.5%  
OTHER INGREDIENTS.....82.5%  
Total..... 100.0%

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION** See booklet for additional  
precautionary statements

NET WT X.X lb / X.XX kg

**BACK BOOKLET**

**NOTICE:**

To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

\*The ORTHO Guarantee

If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

(Phone Icon) Questions, Comments, or Medical Information? Call 1-800-225-2883

(Internet Icon) [www.ortho.com](http://www.ortho.com)

**ORTHO® MOSS-B-GON™ GRANULES FOR LAWNS**

- Kills Moss – Guaranteed
- Supplies added nutrients to help your lawn

Potash • Iron • Sulfur • Magnesium

Now you can enjoy a beautiful lawn. With ORTHO® MOSS-B-GON™ GRANULES FOR LAWNS you can spot treat moss problems throughout your lawn. The handy applicator makes it easy to dispense product exactly where you want it.

<b>Easy-To-Use Applicator</b>		
(Graphics)	(Graphics)	(Graphics)
1. Remove top overcap. Unscrew nozzle and remove safety seal from jug.	2. Extend nozzle applicator and rotate as shown.	3. Spot treat moss in lawn.

NOTE::

EPA Reg. No. 538-223

17  
18

**Bold, italicized text is information for the reader and is not part of the label.**  
[Bracketed information is optional text]. Text separated by "P" denotes and/or options.

**ENVIRONMENTAL HAZARDS**

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn will help to prevent runoff to water bodies or drainage systems.

**STORAGE AND DISPOSAL (trashcan icon)**

**Storage:** Store in a clean, dry place. Reseal opened bag by folding top down and securing. Do not contaminate feed or foodstuffs.

**Disposal:** IF EMPTY: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**ORTHO® MOSS-B-GON™  
GRANULES FOR LAWNS X-X-XX**

Guarantee Analysis	F1379
Soluble potash (K2O).....	XX%
Magnesium (Mg) (Total).....	X%
X% Water-Soluble Magnesium (Mg)	
Sulfur (S).....	XX%
XX% combined sulfur (S)	
Iron (Fe).....	X%
X% Water-Soluble Iron (Fe)	
Derived from: double sulfate of potash and magnesia and iron sulfate.	
Information regarding the contents and levels of metals in this product is available on the Internet at <a href="http://www.regulatory-info-sc.com">http://www.regulatory-info-sc.com</a> .	

**Directions For Use**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**Use Precautions**

Do not apply to a newly seeded or sodded lawn until it has been mowed four times.

**Brush or rinse particles from cement, stone, clothing, or shoes to prevent staining.**

Grass blades may show a temporarily black color, but this condition will disappear after mowing.

PRODUCT FACTS	
<b>COVERAGE</b>	Treats up to 1,840 sq. ft.
<b>WHEN AND HOW TO APPLY</b>  (graphics)  (graphics)	Apply during winter or spring when moss is actively growing. <ul style="list-style-type: none"> <li>It is best to apply when the lawn is moist, and tall grass has been mowed to expose low-growing moss.</li> <li>Use the REGULAR RATE (covers 1,840 sq. ft.) for normal moss infestation.</li> <li>Use the HEAVY RATE (covers 1,472 sq. ft.) for heavy moss infestation.</li> </ul>
<b>WHAT TO EXPECT</b>	The moss will turn black and eventually disappear. This product controls only existing moss.

NOTE::

**Bold, italicized text is information for the reader and is not part of the label.**  
[Bracketed information is optional text]. Text separated by " / " denotes and/or options.

18  
18

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS  
CAUTION:**

- Harmful if swallowed, inhaled or absorbed through skin.
- Causes moderate eye irritation.
- Avoid contact with skin, eyes or clothing.
- Avoid breathing dust.
- Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.

<b>FIRST AID</b>	
<b>If in eyes</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If on skin or clothing</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If swallowed</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>If inhaled</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>Other information</b>	
Have the product container or label with you when calling poison control center or doctor, or going for treatment. You may also contact 1-800-xxx-xxxx for emergency medical treatment information.	

[Manufactured/distributed/sold/guaranteed by –or– for:]  
**Insert Company Name and Address**

©20XX, Licensed by **Insert Company Name**. World rights reserved.