

538-223

(02/08/2011 (

Jacket 1/21



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

FEB - 8 2011

Ms. Jessica McLaughlin
The Scotts Company, LLC
14111 Scottslawn Road
Marysville, OH 43041

Subject: Notification
EPA Reg. no. 538-223
Moss Control Plus Lawn Fertilizer

Dear Ms. McLaughlin:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 11/19/10 for **EPA Registration 538-223**. The Registration Division (RD) has conducted a review of this request for applicability under PRN 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact me at 703-305-1243.

Sincerely,

A handwritten signature in black ink, appearing to read "Kathryn V. Montague".

Kathryn V. Montague
Product Manager 23
Herbicide Branch
Registration Division (7505P)
Office of Pesticide Programs

EPA
 United States
Environmental Protection Agency
 Washington, DC 20460

☐ Registration
☐ Amendment
☒ Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 538-223	2. EPA Product Manager Kathryn Montague	3. Proposed Classification ☒ None ☐ Restricted
4. Company/Product (Name) The Scotts Company / Moss Control Plus Lawn Fertilizer	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) The Scotts Company 14111 Scottslawn Road Marysville, OH 43041 ☐ Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

☐ Amendment - Explain below.	☐ Final printed labels in response to Agency letter dated
☐ Resubmission in response to Agency letter dated	☐ "Me Too" Application
☒ Notification - Explain below.	☐ Other - Explain below.


Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Label Notification: Submission of one (1) marked-up copy and one (1) clean copy of labeling being modified for EPA Reg. No. 538-223. See cover letter for details.

Section III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging ☐ Yes* ☐ No	Unit Packaging ☐ Yes ☐ No If "Yes" Unit Packaging wgt. No. per Container	Water Soluble Packaging ☐ Yes ☐ No If "Yes" Package wgt. No. per Container	2. Type of Container ☐ Metal ☐ Plastic ☐ Glass ☐ Paper ☐ Other (Specify)
*Certification must be submitted			
3. Location of Net Contents Information ☐ Label ☐ Container	4. Size(s) Retail Container	5. Location of Label Directions ☐ On Label ☐ On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product ☐ Lithograph ☐ Other _____ ☐ Paper glued ☐ Stenciled			

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Jessica McLaughlin	Title Scientist, Regulatory Affairs	Telephone No. (Include Area Code) 937-578-5703
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		3. Date Application Received (Stamped)
2. Signature BY:  The Scotts Company LLC	3. Title Scientist, Regulatory Affairs	
4. Typed Name Jessica McLaughlin	5. Date November 19, 2010	

4/21

NOTE:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by "/" denotes and/or options.

EPA Reg. No. 538-223

NOTE TO PM: LABEL SUBSET #1 (SCOTTS BRANDING)

Moss Control Plus Lawn Fertilizer

ACTIVE INGREDIENT:

Ferrous sulfate monohydrate 17.50%

OTHER INGREDIENTS 82.50%

Total 100.00%

NOTIFICATION

FEB 08 2011

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back for additional precautionary statements


NET WEIGHT 25.00 lb (11.34 kg)

Treats/Feed/Covers [up to] 5,000 sq. ft.

EPA Reg. No. 538-223

EPA Est. No. 538-OH-1(S), 35497-OR-1(T), 8378-IN-1(K), 034637-OH-002(F), 071441-OH-001(W),
XXX-XX-X(X)

Superscript used is first letter of run code on end of container.



5/21

NOTE:

Bold, italicized text is information for the reader and is not part of the label.
 [Bracketed information is optional text]. Text separated by "/" denotes and/or options.

EPA Reg. No. 538-223

Optional Company Identifier: Scotts®
 Ortho®

Alternate Brand Names: Turf Builder Plus Moss Control
 Moss Control Granules for Lawns
 Turf Builder with Moss Control
 Moss-B-Gon Granules for Lawns (see sub-registrant label section)

Optional Product Descriptors: [Lawn] Moss Killer
 Control Moss Killer
 Control for Lawns

[XX-X-X] ***Fertilizer information denoted by "X" will be added to FPL. NPK will not exceed the endpoints tested for acute toxicology studies.***

Example application rates previously approved, but inadvertently dropped from the master label

<i>Bag wt. (lbs.)</i>	<i>Lbs. ai/acre Regular Rate 5,000 sq. ft.</i>	<i>Lbs. ai/acre Heavy Rate 4,000 sq. ft.</i>
<i>13.10</i>	<i>19.97</i>	<i>24.97</i>
<i>18.37</i>	<i>28.00</i>	<i>35.00</i>
<i>25.00</i>	<i>38.12</i>	<i>47.64</i>
<i>31.48</i>	<i>48.00</i>	<i>60.00</i>

NOTE:

EPA Reg. No. 538-223

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by "/" denotes and/or options.

[First Aid and Environmental Information]**KEEP OUT OF REACH OF CHILDREN****CAUTION****PRECAUTIONARY STATEMENTS****HAZARDS TO HUMANS AND DOMESTIC ANIMALS [icon]**

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.

FIRST AID [first aid icon]

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

If swallowed: Call A poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment. You may also contact 1-800-XXX-XXXX for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn will help to prevent runoff to water bodies or drainage systems.

7/21

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by "/" denotes and/or options.

EPA Reg. No. 538-223

OPTION #1 DIRECTIONS FOR USE**[Key Product Facts]****Directions for use**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

When to use

- Apply anytime moss is present and actively growing.
- Apply when the grass blades and moss are wet.

With other products

- Does not interfere with the performance of other lawn products such as fertilizers, weed controls and insect controls.
- Allow at least one-week before applying other products in the lawn.

With new lawns or seeding

- Do not use on newly seeded lawns until after the fourth mowing.
- Areas can be seeded after one-week following treatment. For best results wait until moss is dead (approximately 2-weeks), then rake-up area and reseed.

Reapplication

- This product does not prevent moss. Reapply as new moss develops.
- Wait 2 to 4 weeks between applications

Reentry

For best results, avoid disturbing particles by keeping children and pets off of treated area until foliage is dry.

Instructions**1. Mowing**

- If grass is tall enough to touch the bottom of the spreader, mow before application.
- Mow tall grass a day or two before application to expose low growing moss.

2. How to apply

Apply when the grass blades are wet with a drop or rotary spreader. Do not apply by hand or hand-held spreader. For best results, use a Scotts Spreader

3. Set spreader

- Use the REGULAR RATE for normal moss infestation
- Use the HEAVY RATE for heavy moss infestation

4. Fill spreader

- Fill spreader over bare ground or hard surface.
- Sweep or brush any particles off of hard surfaces and use on lawn or dispose of properly.

5. Apply Product

- Apply one or two header strips, then apply product in longest direction of lawn.
- Shut off spreader each time you reach the header strip, or stop.
- **This product can cause staining**
 - Do not apply to cement, stone, clothing or shoes.
 - If contact occurs, brush off particles to prevent staining.

6. Watering

- Do not water-in after application.
- Light rain, snow or freezing weather after application will not affect product performance. Heavy precipitation of ½" or more may reduce effectiveness and require a second application

END OF OPTION #1

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by "/" denotes and/or options.

EPA Reg. No. 538-223

OPTION #2 DIRECTIONS FOR USE

Directions for use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

[Key Product Facts]

[How and when to apply [-OR-] Instructions [-OR-] Application]

Apply during winter or spring when moss is actively growing.

-OR-

Apply during winter through early spring [(February – April) or (December – April)] when moss is actively growing.)

It is best to apply when the lawn is moist and tall grass has been mowed to expose low growing moss. Use the **REGULAR RATE** (covers 5,000 sq. ft.) for normal moss infestations. Use the **HEAVY RATE** (covers 4,000 sq. ft.) for heavy moss infestations.

[Use Precautions]

[NOTE TO PM: OPTIONAL CLAIM]: The moss will turn black and eventually disappear.

- Do not apply to newly a seeded or sodded lawn until it has been mowed four times.
- Brush or rinse particles from cement, stone, clothing, or shoes to prevent staining.
- Grass blades may show a temporarily black color, [however/but], this condition will disappear after mowing.

[NOTE TO PM: OPTIONAL CLAIM]: The fertilizer in Scotts Moss Control Plus Lawn Fertilizer will help make your lawn thick and green.

END OF OPTION #2

STORAGE & DISPOSAL [trashcan icon]

Pesticide Storage: Store in a clean, dry place. Reseal opened bag by folding top down and securing. Do not contaminate feed or foodstuffs.

Container Disposal: IF EMPTY: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Spreader Setting Information

9/21

NOTE:

EPA Reg. No. 538-223

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by "/" denotes and/or options.

TIPS ON SPREADING WITH SCOTTS SPREADERS

Scotts Drop:

- First apply 2 header strips
- Operate spreader the longest way of the lawn
- Overlap wheels to insure uniform feeding
- Shut off spreader when you have reached the header strips or stopped

EasyGreen® Rotary:

- Slide shut-off lever to the right, application automatically starts and stops when you do
- Avoid misses by making each pass about 30 inches from the previous one so some overlapping occurs

SpeedyGreen® Rotary:

- Shut off spreader anytime you stop
- Avoid misses by making each pass about 5 feet from the previous one so some overlapping occurs

SPREADER SETTINGS: For best results, use a Scotts spreader.

(Scotts Spreader Settings)

	Scotts Drop Spreaders	Scotts EasyGreen® Rotary	Scotts SpeedyGreen® Rotary
REGULAR RATE (covers 5,000 sq. ft.)	X	XX	XX
HEAVY RATE (covers 4,000 sq. ft.)	X	XX	XX

-OR-

[Illustrations]	Spreading Tips Apply header strips. Then apply product in longest direction of lawn. For best results, use a Scotts spreader. [Spreader Settings]	REGULAR RATE Covers [up to] 5,000 sq. ft.	HEAVY RATE Covers [up to] 4,000 sq. ft.
	Scotts Broadcast/Rotary Spreaders Each pass should be within 5 feet of each other to ensure an overlap. Scotts Basic, Standard, Deluxe Edgeguard, Lawn Pro or Speedygreen	X	X
	Scotts EasyGreen	XX	XX
	Scotts Drop Spreaders Make sure spreader wheel completely overlaps previous wheel marks. Scotts AccuGreen	X	X
	For additional spreader settings, please call 1-800-543-TURF (8873)		

(Icon)

10/21

NOTE:

EPA Reg. No. 538-223

Bold, italicized text is information for the reader and is not part of the label.
 [Bracketed information is optional text]. Text separated by "/" denotes and/or options.

Additional Spreader Settings

Cyclone Rotary (Model B).....	X
Central Drop (#205).....	X
Sears Drop (#19810).....	X
Ortho Drop (#5000).....	X
Greenview Drop (#105).....	X
Precision Drop (Red Devil).....	X
EZ Drop, Republic (#530).....	X
Quaker Drop, (#10850).....	X
Quaker Rotary, (#10301).....	X
Red Devil Drop (FH-22).....	X
Red Devil Rotary (SB-50).....	X
EZ Broadcast Republic (#540).....	X
Scotts Broadcast Tractor Spreader.....	X

-OR-

Spreader	Regular Rate Setting Covers x,xxx sq. ft.	Heavy Rate Setting Covers x,xxx sq. ft.	Coverage Tip
Rotary Spreaders			
Scotts SpeedyGreen® (1000, 2000, 3000 series) & EdgeGuard™	X	X	Make each pass about 5 feet from the previous pass.
Scotts EasyGreen®	X	X	Make each pass about 30 inches from the previous pass.
Scotts Tractor	X	X	
Drop Spreaders			
Scotts Accugreen® (1000, 2000, 3000 series)	X	X	Overlap wheel marks to ensure uniform coverage.
Scotts PrecisionGreen®	X	X	

11/21

NOTE:

EPA Reg. No. 538-223

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by "/" denotes and/or options.

Guaranteed Analysis

[Insert Product Name]

[Insert N-P-K]

[Insert FL Fertilizer ID]

Total nitrogen (N).....XX%

XX.X% ammoniacal nitrogen

X.X% urea nitrogen*

X.X% other water soluble nitrogen[**]

X.X% water insoluble nitrogen

Sulfur (S).....XX%

XX% combined sulfur (S)

Iron (Fe)..... X%

X% water soluble iron (Fe)

Derived from: ***insert ingredients as required to comply with State fertilizer regulations***

*Contains: XX% ***source of slowly available nitrogen consistent with State fertilizer regulations***

[** Contains XX% ***insert source of slowly available nitrogen consistent with State fertilizer regulations***]

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info.sc.com>.

12/21

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by "/" denotes and/or options.

EPA Reg. No. 538-223

OPTIONAL TEXT AND CLAIMS

The following claims may appear on any label panel.

***Appropriate fertilizer, formula and company specific information will be
inserted on Final Printed Label to replace "X"***

NOTE:

EPA Reg. No. 538-223

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by "/" denotes and/or options.

Claims regarding "What it is..."

- step™ 1 of 4 easy steps to a better lawn
- step™ 1
- MOSS CONTROL PLUS LAWN FERTILIZER
- Controls [kills] moss while helping develop a thick, green lawn [turf].
- The Scotts Difference™
- Toll-free Consumer Hotline: 1-800-543-TURF
- Enjoy a beautiful lawn
- No-Quibble Guarantee – SEE BACK FOR DETAILS
- Proof of purchase
- Scotts Lawn Pro Annual Program

Claims regarding "What it does..."

- Kills moss [& feeds your lawn]
- Kills moss and helps develop a thick, green lawn [turf]
- Kills moss and helps develop a thick, green lawn [turf] to discourage moss from returning
- [Patented formula] kills moss
- Guaranteed results
- Kills moss, not lawns - guaranteed

Claims regarding the fertilizer properties

- POLY-S™ TECHNOLOGY
- Scotts® slow-release polymer-encapsulated nitrogen fertilizer—for uniform growth with extended feeding
- POLY-S™ TECHNOLOGY POLYMER ENCAPSULATED NITROGEN
- Builds thick, green turf from the roots up [without burning your lawn]
- Unlike other fertilizers with moss control, every particle of Turf Builder moss Control
- Timed-release nitrogen won't burn your lawn or cause surge growth
- Supplies four nutrients to help your lawn (16% potassium, 5% iron, 20% sulfur, and 8% magnesium)
- Contains Poly-S™ exclusive controlled-release nitrogen
- For best results, apply a Turf Builder® product four times a year (see back for details)
- Patented Particle Technology
- Supplies added nutrients to help your lawn
- Can be used [applied] alone, or [in conjunction] with other [lawn] products
- Controls major moss problems without promoting grass growth.
- Won't burn lawn – guaranteed
- Apply anytime moss is growing
- Contains added nutrients to strengthen and green your lawn

Claims regarding Water Smart

- [Watersmart®] Makes the Most of every drop™ [Icon]
- Water Smart [icon of water drop]
- [Water Smart] Improves Lawn's ability to absorb water & nutrients [than an unfed lawn]
- Well-fed lawns are more efficient at using available water
- Feeding with Scotts® fertilizer helps grow a thick lawn with more roots to better absorb water and nutrients than an unfed lawn. This helps protect your lawn against heat, drought and other stresses.

Claims regarding packaging

- Easy open, resealable [bag], easy close
- Easy Open – PULL HERE
- PULL TAB and remove for pour spout [Icon]
- Cut Here To Open [Scissors Icon]

NOTE:

EPA Reg. No. 538-223

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by "/" denotes and/or options.

Now it's easy for you to have a better lawn.

[Save money] Why even consider a lawn care service? Scotts Annual Program will give you a beautiful lawn for about half (one-third) the cost.]

Simple and easy No more guesswork. You simply apply the right product - one Step at a time.

Start anytime You can start the Annual Program anytime of the year. Just check the month and select the appropriate Step listed below. If weeds or bugs are not a problem, substitute **[insert name of fertilizer only]** [up to 4 times per year].

Guaranteed results Each Step is designed for the specific season to help give you a greener lawn.

The 4 Steps listed below will be placed horizontally in one row.

Step™1. Early Spring [Icon/Artwork]

February –April

If moss is a problem use Moss Control plus Lawn Fertilizer – controls unsightly moss while providing deep, thick greening for up to 2 months. For St. Augustinegrass, Step™1 is "Super Bonus S".

Step™2 Late Spring [Icon/Artwork]

April – June

If weeds are a problem use Weed Control plus Fertilizer – controls broadleaf weed while greening your lawn for up to 2 more months. This is Scotts best weed and feed. For St. Augustinegrass, Step™2 is "Super Turf Builder."

Step™3 Summer [Icon/Artwork]

June – August

If bugs are a problem use Insect Control plus Fertilizer – controls white grubs, chinch bugs, sod webworms and other lawn insects plus keeps your lawn green through the Summer.

Step™4. Fall [Icon/Artwork]

August – November

Lawn Fertilizer - specially formulated for the Fall – the best time to develop a stronger root system for a more vigorous, thicker lawn. Helps your lawn green-up even quicker next Spring. This is Scotts best fall fertilizer.

-OR-

Scotts® Turf Builder® Annual Program

- No more guesswork...apply the right product at the right time for a thick, green lawn
- Start anytime...just check the month and apply products at 2 month intervals. If weeds or bugs are not a problem, substitute **(insert name of fertilizer only)** [up to 4 times per year].

(The four products listed below will be placed horizontally in one row.)

Scotts® Turf Builder® – Early Spring (Feb-April) Prevents crabgrass and other annual weeds while feeding your lawn. (In the Pacific Northwest, substitute Turf Builder with Moss Control. For St. Augustinegrass, substitute Bonus S®. For dormant bermudagrass, substitute Halts®.)

Scotts® Turf Builder® with Plus 2® Weed Control – Late Spring (April-June) Kills dandelions and other broadleaf weeds while feeding your lawn. (For St. Augustinegrass, substitute Turf Builder.)

Scotts® Turf Builder® with Insect Control [Turf Builder® with SummerGuard] – Summer (June-Aug) Kills lawn damaging insects, fleas and ticks while feeding your lawn. For grub control, apply Scotts® GrubEx® anytime from April to mid-August.

Scotts® Turf Builder® Lawn Fertilizer – Fall (Aug-Nov) Important time to feed for a thicker, greener lawn.

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by "/" denotes and/or options.

EPA Reg. No. 538-223

-OR-

-----The Scotts Difference®-----

Scotts Patented Particle Technology is available only in Scotts® products, so don't be fooled by moss control and fertilizer products claiming to be "just like Scotts."

Remember, even moss control and fertilizer products claiming to contain slow or controlled-released nitrogen typically are just simple mixes, so they can't deliver the consistent great results you'll get from Scotts Patented Particle Technology. With Scotts Turf Builder Plus Moss Control, every particle contains time-released nitrogen, plus the other primary nutrients and moss control.

(photos: piles of simple mix and Scotts products)

SCOTTS TECHNOLOGY

- Turf Builder Plus Moss Control granules are consistent in size and shape.
- Result: consistent distribution of nutrients and moss control.

[photos: spread patterns of Scotts products]

SCOTTS TECHNOLOGY

- Turf Builder Plus Moss Control particles deliver the same ratio of primary nutrients plus moss control to every square inch of turf.
- Result: Consistent greening plus better moss control.

Alternate "Scotts Difference" Section

-----The Scotts Difference®-----

Unlike other fertilizers with moss control, every particle of Turf Builder® With Moss Control contains: Scotts patented timed-release nitrogen, [phosphorus], potassium and moss control.

(Illustration of Scotts product)

**Scotts Turf Builder®
With Moss Control**

Turf Builder With Moss Control particles deliver the same ratio of nitrogen, [phosphorus], potassium and moss control to every square inch of turf for even, consistent feeding plus better moss control.

-OR-

CONTROLS MOSS

What to expect

Each uniform granule in this bag contains the necessary active ingredient to control the moss in your lawn [as well as Turf Builder fertilizer to help make your lawn thick and green]. Each moss plant in your lawn will get thoroughly coated to assure a complete effective control. The moss will turn black and eventually disappear. [This product controls only existing moss. To prevent moss from becoming established during winter or spring, apply Turf Builder® with Halts® in the fall (August-October), after temperatures have cooled and fall rains have begun (except in California).]

(ILLUS)—Thick moss can overwhelm grass during winter and spring.

(ILLUS)—The uniform granules in Scotts Moss Control provide an effective control.

16/21

NOTE:

EPA Reg. No. 538-223

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by "/" denotes and/or options.

-OR-

Scotts provides a simple, easy to use answer for the toughest lawn problems. Their ingredients treat the lawn and control the problem. Scotts can be used alone, or with other products to solve your lawn problems.

-OR-

Scotts [*insert product name*] provides a simple, easy to use answer for the toughest lawn problems. Moss control treats the lawn to kill moss. It can be used alone, or with other products to solve your lawn problems.

-OR-

Scotts LawnCare Tips

The best moss prevention begins with a complete lawn care program:

- 1) Feeding your lawn regularly using Scotts Annual Lawn Care Program helps the lawn to crowd out moss, making it difficult for it to establish
- 2) Mow your lawn at the recommended height.

Controls/Kills

Moss

What to expect

- Moss will turn black and eventually disappear.
- Grass blades may show a temporary black color, however, this condition will grow-out and disappear after mowing.

Where to use

- For use on all lawns and grass types.

-OR-

Note: The Scotts & Your Environment section as indicated in the box will appear in its entirety if used on a label. Claims will not be used as stand-alone statements.

Scotts & Your Environment >> [art-Scotts]

We care.

Scotts products are designed with care to grow thicker, greener lawns.

[Because] A Green Lawn is a Good Lawn

A healthy lawn can clean the air, produce oxygen and prevent runoff and soil erosion.

You can make a difference.

Help keep our water resources clean. Apply this product only to your lawn, and sweep any product that lands in the driveway, sidewalk or street back onto your lawn.

17/21

NOTE:

EPA Reg. No. 538-223

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by "/" denotes and/or options.

Use Any of These Products Next to Keep Your Lawn Looking Great All Season!

Anytime

[art –straight fertilizer bag] Use anytime if weeds or insects are not a problem.

Late Spring

[art – broadleaf weed killer bag] Use to kill broadleaf weeds and build a thicker, greener lawn.

Summer

[art – lawn insect killer bag] Use to kill insects and strengthen your lawn against heat and drought

The Scotts Advantage® * [N-P-K icon]

Each of Scotts exclusive All-in-One Particles® * contains the guaranteed feeding nutrients and the moss control ingredients to provide consistent feeding and moss control to every treated square inch of your lawn. The result: A thick, green lawn without burning. Guaranteed.

*All-in-One Particles® = nitrogen, [phosphorus], potassium and the moss control ingredient contained in every particle.

Get expert advice for your lawn now! [Scotts artwork]

Want information on what to use and when? Sign up today to get free expert advice specifically for your lawn.

Visit scotts.com or call 1-800-543-TURF (8873)

If you have any questions

We designed this Program to make having a better lawn as simple and easy as possible. But you may still have some questions about your lawn during the year. If so, you can contact the Scotts LawnPro retailer where you bought this Program. They are ready to answer your questions and provide any help or information that you may need. –OR- You may get the answers by talking with one of Scotts lawn counselors. Simply dial this toll-free number 1-800-543-TURF (Monday through Friday 9:00 AM to 5:00 PM Eastern time (in Ohio 1-800-762-4010.)

Scotts No-Quibble Guarantee®

If for any reason you, the consumer, are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

Dedicated To A Beautiful World™

Trusted by generations of homeowners, Scotts is dedicated to helping you enhance and protect the beauty of your home environment
Scotts®

[NOTICE:] [To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.]

Questions / Information

Consumer Helpline [phone icon]
1-800-543-TURF(8873)

Visit our website –and/or– contact the experts @
[www.scotts.com] [mouse icon]

[Icon] SMG listed NYSE

[Manufactured/distributed/sold/guaranteed by –or– for:]
The Scotts Company
14111 Scottslawn Rd.

000538-00223.20101119.NOTIF

18/21

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by "/" denotes and/or options.

EPA Reg. No. 538-223

Marysville, OH 43041

©20XX, Licensed by The Scotts Company LLC. World rights reserved.

U.S. Patent No. 5,102,440

[Product of U.S.A./Made in USA]

NOTE TO PM: END OF SUBSET #1

19/21

NOTE:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by "/" denotes and/or options.

EPA Reg. No. 538-223

NOTE TO PM: LABEL SUBSET #2 (ORTHO BRANDING)

FRONT

ORTHO® MOSS-B-GON™ GRANULES FOR LAWNS

Kills Moss – Guaranteed.*

Active Ingredient

Ferrous sulfate monohydrate.....17.5%

OTHER INGREDIENTS.....82.5%

Total.....100.0%

NOTIFICATION

FEB 08 2011

KEEP OUT OF REACH OF CHILDREN

CAUTION

See booklet for additional precautionary statements

NET WT 9.2 lb / 4.17 kg

BACK BOOKLET

NOTICE:

To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

*The ORTHO Guarantee

If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

(Phone Icon) Questions, Comments, or Medical Information? Call 1-800-225-2883

(Internet Icon) www.ortho.com

ORTHO® MOSS-B-GON™ GRANULES FOR LAWNS

- Kills Moss – Guaranteed
- Supplies added nutrients to help your lawn

Potash • Iron • Sulfur • Magnesium

Now you can enjoy a beautiful lawn. With ORTHO® MOSS-B-GON™ GRANULES FOR LAWNS you can spot treat moss problems throughout your lawn. The handy applicator makes it easy to dispense product exactly where you want it.

Easy-To-Use Applicator

(Graphics)

1. Remove top overcap. Unscrew nozzle and remove safety seal from jug.

(Graphics)

2. Extend nozzle applicator and rotate as shown.

(Graphics)

3. Spot treat moss in lawn.

NOTE:

EPA Reg. No. 538-223

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by "/" denotes and/or options.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn will help to prevent runoff to water bodies or drainage systems.

STORAGE AND DISPOSAL (trashcan icon)

Storage: Store in a clean, dry place. Reseal opened bag by folding top down and securing. Do not contaminate feed or foodstuffs.

Disposal: IF EMPTY: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**ORTHO® MOSS-B-GON™
GRANULES FOR LAWNS X-X-XX**

Guarantee Analysis	F1379
Soluble potash (K ₂ O).....	XX%
Magnesium (Mg) (Total).....	X%
X% Water-Soluble Magnesium (Mg)	
Sulfur (S).....	XX%
XX% combined sulfur (S)	
Iron (Fe).....	X%
X% Water-Soluble Iron (Fe)	
Derived from: double sulfate of potash and magnesia and iron sulfate.	
Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-sc-com .	

Directions For Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Precautions

Do not apply to a newly seeded or sodded lawn until it has been mowed four times.

Brush or rinse particles from cement, stone, clothing, or shoes to prevent staining.

Grass blades may show a temporarily black color, but this condition will disappear after mowing.

PRODUCT FACTS	
COVERAGE	Treats up to 1,840 sq. ft.
WHEN AND HOW TO APPLY	Apply during winter or spring when moss is actively growing. - It is best to apply when the lawn is moist, and tall grass has been mowed to expose low-growing moss. - Use the REGULAR RATE (covers 1,840 sq. ft.) for normal moss infestation. - Use the HEAVY RATE (covers 1,472 sq. ft.) for heavy moss infestation.
WHAT TO EXPECT	The moss will turn black and eventually disappear. This product controls only existing moss.

21/21

NOTE:

EPA Reg. No. 538-223

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by "/" denotes and/or options.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION:

- Harmful if swallowed, inhaled or absorbed through skin.
- Causes moderate eye irritation.
- Avoid contact with skin, eyes or clothing.
- Avoid breathing dust.
- Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.

FIRST AID	
If in eyes	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If swallowed	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If inhaled	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
Other information	
Have the product container or label with you when calling poison control center or doctor, or going for treatment. You may also contact 1-800-xxx-xxxx for emergency medical treatment information.	

[Manufactured/distributed/sold/guaranteed by –or– for:]

Insert Company Name and Address

©20XX, Licensed by ***Insert Company Name***. World rights reserved.