



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

PU 14, 538-225 P. 157

5480914 310

DEC 10 1992

Mr. Vincent Snyder, Jr.
O. M. Scott & Sons Company
14111 Scottslawn Road
Marysville, OH 43041

Dear Mr. Synder:

Subject: Grub Control
EPA Registration No. 538-225
Labeling Submitted December 3, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable provided that you:

1. Make the labeling change listed below before you release the product for shipment bearing the revised labeling:

Clarify the application rate by specifying the amount of product to be applied per 1,000 sq ft.

2. Submit two (2) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Robert A. Forrest
Product Manager (14)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

FRONT:

1993 PACKAGE COPY OF TANOL GRUB CONTROL 25
Stock #2410
08/28/90 VS/cr 05/20/92 DJS 06/08/92 DJS
06/17/92 CR 09/23/92 VS 12/01/92 AR

(Scotts(R)) Oftanol(R)
Grub Control

(NOTE: Above description will be inverted.)

Treats 4,350 sq. ft. (404 m²)

(Scotts(R))
Oftanol(R)*
Grub Control
(Illustration)

ACCEPTED
with COMMENTS
by EPA Letter #
DEC 10 1992
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
538-225

FOR USE ON TURFGRASS LAWNS ONLY

Controls white grubs, mole crickets,
and billbug larvae

NET WEIGHT 10 LBS. (4.53 kg)

LEFT COLUMN

KEEP OUT OF REACH OF CHILDREN
CAUTION
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION: Harmful if swallowed.
Harmful if inhaled. Avoid breathing dust. Avoid contact with skin, eyes, or
clothing. Wash thoroughly with soap and warm water after handling. Wash
contaminated clothing with soap and hot water before reuse. Keep out of reach
of children.

STATEMENT OF PRACTICAL TREATMENT


If in Eyes: Flush with plenty of water.

If on Skin: Wash with soap and hot water.

If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2
glasses of water and induce vomiting by touching back of throat with finger.
Do not induce vomiting or give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Isofenphos is a cholinesterase inhibitor. Atropine and
2-PAM are effective antidotes.

BEST AVAILABLE COPY



RIGHT COLUMN:

Environmental Hazards: This pesticide is toxic to fish and wildlife. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

ACTIVE INGREDIENT:

Isofenphos, 1-Methylethyl 2-[[ethoxy[(1-methylethyl)amino]phosphinothioyl] oxy]benzoate

1.50%

INERT INGREDIENTS:

98.50%

Total 100.00%

EPA Reg.No. 538-225

EPA Est. 44616-MO-1


Product of USA

Distributed By:

The O.M. Scott & Sons Company
14111 Scottslawn Road
Marysville, Ohio 43041

*Oftanol is a registered trademark of the parent company of Farbenfabriken Bayer GmbH Leverkusen.

FOR USE ON TURFGRASS LAWNS ONLY



GUSSETS:

45-

RIGHT GUSSET:

2410

(Scotts(R)) Oftanol(R)
Grub Control

UPC CODE
0 32247 02410 5

LEFT GUSSET:

(Scotts(R)) Oftanol(R)
Grub Control

UPC CODE
0 32247 02410 5

2410

SCOTT'S

BACK:

357

PULL TAB
and remove for
pour spout

(ILLUS.)

Treats 4,350 sq.ft. (404 m²)

Easy
Open PULL HERE

(Scotts(R)) Oftanol(R)
Grub Control

(Illustrations)

Controls white grubs, (Japanese beetle, masked chafer,
European chafer), mole crickets, and billbug larvae

(Use Scotts Diazinon Lawn Insect Control, Dursban(R) Lawn Insect Control, or
Sevin(R) Lawn Insect Control to control chinch bugs, sod webworms, and other
surface insect problems - see list on package)

DIRECTIONS FOR USE


It is a violation of federal law to use this product in a manner inconsistent
with its labeling.

- For White Grub Control: For optimum results, control grubs in the summer/early fall by applying the product before peak grub feeding activity (June-July in southern states; late July-early August in northern states).
- For Billbug Larvae Control: Apply in early-mid summer prior to the time of maximum larval activity. This is usually during the June-July period.
- For Mole Cricket Control: The best time to treat is during May-July when the crickets have hatched and are still young.
- In order to move the insecticide down to the zone of insect activity, please adhere to the following watering instructions:

<u>Insect</u>	<u>Water</u>
White Grub & Billbug Larvae*	1/2 to 1 inch immediately after application
Mole Cricket	1/2 inch before application, followed by 1/2 to 1 inch after application.

*For best results, water your lawn 24 hours prior to application. This will better enable the active ingredient to penetrate the thatch and control the white grubs and billbug larvae.

BEST AVAILABLE COPY



RIGHT

- Do not graze treated areas or use clippings from treated areas for feed or forage.
- Do not allow children or pets on the treated lawn until it has dried.
- Do not use other lawn control products for at least one week after application.
- Do not apply Oftanol(R) Grub Control more than twice annually.

	Scotts Drop Spreaders	Scotts EasyGreen(R) Rotary	Scotts SpeedyGreen(R) Rotary
Application Rate (treats 4,350 sq. ft.)	6 1/4	27	4

TIPS ON SPREADING WITH SCOTTS SPREADERS

Scotts Drop:


- First apply two header strips (ILLUS.)
- Operate spreader the longest way of the lawn
- Overlap wheels to insure complete insect control
- Shut off spreader when you have reached the header strips or anytime you stop (ILLUS.)
- Mow lawn first if grass is tall enough to touch the bottom of the spreader

EasyGreen(R) Rotary:

- Slide shut-off lever to the right. Application automatically starts and stops when you do
- Avoid misses by making each pass about 30 inches from the previous one so some overlapping occurs

SpeedyGreen(R) Rotary:

- Shut off spreader anytime you stop
- For complete coverage make each pass about five feet from the previous one, so some overlapping occurs. Avoid applying this product on flower, vegetable and shrub plantings.



BEST AVAILABLE COPY

BACK CONTINUED:

Questions?
Call Scotts toll-free
Consumer Hotline:
1-800-543-TURF

Scotts No-Quibble Guarantee™

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

0 (UPC) 5

32247 02410

(Scotts®)...the lawn peopleSM
Marysville, Ohio 43041

Made in USA

(c) 1992, The O.M. Scott & Sons Company, Marysville, OH 43041. All rights reserved.

(NOTE: The description below will be inverted.)

2410

(Scotts®) Oftanol®
Grub Control

21200/1-6

