

PM 25

538-229
15 13 92

JUN - 5 1992

Dr. Vincent Snyder, Jr.
The O.M. Scott & Sons Company
14111 Scottslawn Road
Marysville, OH 43041

Dear Dr. Snyder:

Subject: Minor Label Amendments Submitted for the
Following Products on May 13, 1992
Bonus S
EPA Registration No. 538-18
Turf Builder Plus Halts for Lawns
EPA Registration No. 538-190
Crabgrass Preventer Plus Fertilizer (Step 1)
EPA Registration No. 538-202
Super Bonus S Lawn Weed Control Plus
Fertilizer
EPA Registration No. 538-229

The labeling amendments referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. Submit five (5) copies of your final printed labeling before you release the product for shipment. A stamped copy is enclosed for your records.

BEST AVAILABLE COPY

Sincerely yours,

Robert J. Taylor
Product Manager (25)
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosure

64679:I:WP50:Allen:WP25-4:KEVRIC:06/04/92:07/03/92:DD

FRONT:


1992 PACKAGE COPY FOR
SUPER BONUS SR 39107-1

05/30/90 AR 06/15/90 AR
06/19/90 VS/cr 04/11/91 VS/cr
05/13/92 VS/cr

(Scotts®) Super Bonus S lawn weed control plus fertilizer (Weed-and-Feed) Treats and Fertilizes 5,000 sq. ft. (Treats and feeds)

Use on St. Augustinegrass, zoysia, centipede and carpetgrass lawns only
39107-1

Scotts®(R) Lawn Pro®(R)
Scotts Best Annual Program
Step™ 1
of 4 easy steps to
a better lawn



Controls weeds and helps make your lawn its thickest, greenest ever

(NOTE: Above description will be inverted.)

LAWN
PRO®(R)

"Available only at authorized
Scotts®(R) Lawn Pro®(R) dealers"

Scotts®

BEST AVAILABLE COPY

Super Bonus S lawn weed control plus fertilizer Treats and Fertilizes 5,000 sq. ft. (Treats and feeds)

Controls weeds and helps make your lawn it thickest, greenest ever. Use on St. Augustine, zoysia, centipede, and carpetgrass lawns only

LEFT COLUMN

More greening power than Bonus S®(R)

Eliminates dollarweed, chickweed and over 25 common lawn weeds while greening your lawn without rapid, extreme growth.

Small, lightweight granules provide complete uniform coverage and are quickly absorbed to help insure control of large and small weeds.

Formulated for the home environment.

FRONT CONTINUED:

CENTER COLUMN

COVERAGE:

Treats and fertilizes 5,000 square feet
(Treats and feeds)

APPLICATION: (See back for details)

Apply in late winter, spring, or fall. Use on St. Augustinegrass, zoysia, centipede, and carpetgrass lawns only. Do not use on bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra lawns.

26	-	3	-	3
NITROGEN		PHOSPHORUS		POTASSIUM
Essential for plant growth; makes grass green.		Stimulates root growth; helps grass multiply.		Makes plant strong; better able to resist drought and extreme heat

RIGHT COLUMN

See Back for Details
Scott's
No-Quibble
Guarantee

CAUTION
KEEP OUT OF REACH OF CHILDREN

See BACK for additional precautionary statements.

ACTIVE INGREDIENT:		
Atrazine 2-Chloro-4-(ethylamino)-6-(isopropylamino)-s-triazine	1.254%	
RELATED COMPOUNDS	0.066%	
INERT INGREDIENTS:	<u>98.680%</u>	
	Total	100.000%

EPA Reg No 538-229 EPA Est 538-OH-1

NET WEIGHT 17 5/16 LBS.

39107-1

OPTIONAL FRONT PANEL CLAIMS

The Scotts Difference™

Perfect Particle™ Technology
(art: particle with NPK + Iron)

Unlike ordinary weed-and-feeds, every particle of Bonus^R S contains Scotts patented time-release nitrogen plus phosphorus, potassium, and weed control. (See back for details).

- We guarantee thick, green, weed-free turf without the risk of burning or surge growth."
- 25% more greening power than regular Bonus^R S.

Treats and feeds up to 5,000 sq. ft.

Made in U.S.A.

GUSSETS:

53

RIGHT GUSSET:

(Scotts)[®] Super Bonus[®] S
lawn weed control plus fertilizer
(Weed-and-Feed)

Treats and Fertilizes 5,000 sq. ft.
(Treats and feeds)

Controls weeds and helps make your lawn its thickest, greenest ever.
Use on St. Augustinegrass, zoysia, centipede, and carpetgrass lawns only.

39107-1

UPC

32247 39107

LEFT GUSSET:

(Scotts)[®] Super Bonus[®] S
lawn weed control plus fertilizer
(Weed-and-Feed)

Treats and Fertilizes 5,000 sq. ft.
(Treats and feeds)

Control weeds and helps make your lawn its thickest, greenest ever.
Use on St. Augustinegrass, zoysia, centipede, and carpetgrass lawns only.

UPC

39107

32247

OPTIONAL BACK PANEL CLAIMS

Treats and feeds 5,000 sq. ft.

(Scotts (R)) Super Bonus (R) S
Weed-and Feed

Controls weeds and helps make your lawn its thickest, greenest ever.
Use on St. Augustine, zoysia, centipede, and carpetgrass lawns only.

LEFT COLUMN

The Scotts Difference™

RIGHT COLUMN

Scotts patented Perfect Particle™ Technology is available only in Scotts^R products, so don't be fooled by weed-and-feeds claiming to be "just like Scotts."

Uniform proportions of the major nutrients -- timed-release nitrogen, plus phosphorus and potassium -- and weed control are bonded together in every Super Bonus S particle, so they are distributed evenly across the entire lawn, eliminating hit-or-miss feeding and weeding. And the timed-release nitrogen feeds your lawn safely, without burning, and steadily for up to 2 months. Because of Scotts exclusive time-released nitrogen, you won't get the rapid surge growth associated with ordinary, fast-release weed-and-feeds. With regular mowing, you will have fewer clippings and may not even have to bag your clippings.

Remember, even weed-and-feeds claiming to contain slow-or controlled-release nitrogen typically are just simple mixes, so they can't deliver the consistent great results you'll get from Scotts patented Perfect Particle Technology. With Scotts Super Bonus S, you can be assured that every particle contains time-released nitrogen, plus the other primary nutrients and weed control.

(photo: simple mix particles)
ORDINARY SIMPLE MIXES

- o Composed of nutrient and weed control granules of many different sizes and shapes
- o Each nutrient may separate from the others in the bag and during application

(photo: SBS particles)
SCOTTS TECHNOLOGY

- o Super Bonus S granules are consistent in size and shape
- o This gives consistent distribution of particles -- and nutrients and weed control -- throughout the lawn

(photo: simple mix pattern)
ORDINARY SIMPLE MIXES

- o Because of the difference in size, shape, and weight of these granules, the amount of individual nutrients and weed control delivered in each square inch of lawn can vary greatly
- o Result: uneven, inconsistent weeding and feeding of your lawn

(photo: SBS pattern)
SCOTTS TECHNOLOGY

- o Super Bonus S particles deliver the same ratio of nitrogen, phosphorus, and potassium (plus weed control) to every square inch of turf
- o Result: even, consistent greening and thickening of your lawn, plus better weed control

BACK:

Treats and Fertilizer 5,000 sq. ft.
(Treats and feeds)

Scotts®

Super Bonus® S

LEFT COLUMN

Formulation and Ingredient
Analysis

26-3-3

RIGHT COLUMN

KEEP OUT OF REACH OF CHILDREN
CAUTION
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Avoid contact with eyes, skin, or clothing. If in eyes or on skin, flush with plenty of water. Get medical attention if irritation persists. Wash thoroughly with soap and water after handling. Harmful if swallowed. Do not contaminate water used for irrigation or domestic purposes.

Environmental Hazards: This product is toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters. Atrazine can leach through soils and has been found in groundwater. Users are advised not to apply on well-drained soils where the water table (groundwater) is close to the surface. Your County Agricultural Extension Service can advise you of local conditions. Not for use on or under trees, shrubs, bedding plants or garden plants (see below for further explanation).

Super Bonus S 26-3-3 643-XXXX

Guaranteed Analysis

Total nitrogen (N) 26%
 0.7% ammoniacal nitrogen
 24.0% urea, methylene ureas nitrogen
 1.3% water insoluble nitrogen
Available phosphoric acid (P₂O₅) 3%
Soluble potash (K₂O) 3%
Derived from: monoammonium phosphate, urea,
methylene ureas, ammonium sulfate, and muriate of
potash.

Chlorine not more than 2.4%

U.S. Pat. No. 4,378,238

Product of USA

LEFT COLUMN

RIGHT COLUMN

What to expect

(ILLUS.)

Weeds will be eliminated within 6 weeks and your lawn will be greener in 4 to 6 days

Controls and prevents weeds while feeding your lawn. Super Bonus gives within 6 you a better weed-free lawn. That's because each small particle delivers weed control for complete coverage. And Super Bonus S feeds your lawn with Scotts Trionized(R) formula to help fill-in and crowd out new weeds.

CONTROLS 25 common lawn weeds.

- | | | |
|-------------------|---------------------|----------------|
| black medic | eveningprimrose | pepperweed |
| blue toadflax | Florida betony | purslane |
| buckhorn | Florida pusley | red sorrel |
| burclover | fragrant cudweed | (sheep sorrel) |
| | (rabbit tobacco) | rescuegrass |
| Carolina geranium | | shepherdspurse |
| (cranesbill) | henbit | sowthistle |
| chickweed | lippia | stinging |
| dandelion | (matchweed) | nettle |
| dichondra | oxalis | Venus |
| dollarweed | (yellow woodsorrel) | lookingglass |
| | | wild mustard |

PREVENTS these annual weeds.

- bull paspalum crabgrass sedges spotted spurge

Super Bonus(R) S provides extra nitrogen carefully blended with potassium and phosphorus. This means that each grass plant receives the feeding it needs so your lawn will grow uniformly thick and green.

Super Bonus(R) S stimulates steady grass growth. Typical all-soluble fertilizers can cause surge growth. When you mow grass that has grown too fast and too tall, you weaken the grass plant by "scalping." With Super Bonus(R) S you have less mowing and less chance of scalping when you mow.

2 MONTH PERIOD

(ILLUS.)

(ILLUS.)

STEADY GROWTH
Super Bonus(R) S

SURGE GROWTH
typical fertilizer

RIGHT COLUMN (cont'd)

Super Bonus^(R) S provides up to 2 months of greening. The nitrogen in Super Bonus^(R) S is time-released to help make your lawn its thickest, greenest ever.

LEFT COLUMN

Coverage

Treats and fertilizes
5,000 square feet

RIGHT COLUMN

How much is enough?

To determine the square footage of your lawn, walk the length and width of your lawn; one average pace equals about 3 feet. Multiply the length of the lawn by the width of the lawn. This equals the area of your lawn in square feet. Note: If your lawn has an irregular shape, measure square areas, then add the figures together to reach your total lawn size.

LEFT COLUMN

How and when to apply

Apply in late winter,
spring, or fall

RIGHT COLUMN

DIRECTIONS FOR USE

It is violation of federal law to use this product in a manner inconsistent with its labeling.

Apply only when grass is dry. Watering after application will help to activate the product. When temperatures are 80° or above rinse particles off the grass blades.

Control

- . apply any time weeds are actively growing. Controls weeds listed under "Controls" above. If complete control is not obtained a second treatment may be required 2 months after the first.
- . apply in the Fall to control winter weeds such as henbit, chickweed, rabbit-tobacco, eveningprimrose.

Prevention

- . apply in January, February or early March to prevent germination of these annual weeds: crabgrass, bull paspalum, sedges (from seed), spotted spurge.
- . don't apply to centipede or carpetgrass lawns during the period of winter dormancy--approximately October 15 to March 15 (okay to apply in Florida, however).

RIGHT COLUMN (cont'd)

• Scotts recommends the PF Spreader, the most accurate spreader you can buy, to receive the maximum value from Super Bonus^(R) S.

Don't apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra because injury may occur.

Seeding/Sprigging. Apply Super Bonus^(R) S after sprigging a new St Augustine or zoysia lawn to prevent competition from germinating weeds. Water the new sprigs, allow the grass blades to dry, then make the application of Super Bonus^(R) S.

Don't apply to newly seeded centipede and carpetgrass lawns until after the new grass has been mowed at least twice.

Don't plant sprigs for one month, or sow new grass seed for six months following application of Super Bonus^(R) S.

Do not graze treated areas. Do not feed clippings to livestock.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

LEFT COLUMN

Spreading Tips

For best results, use a Scotts spreader: (chart)

RIGHT COLUMN

DESIRABLE PLANTS: DON'T APPLY ON OR UNDER THE BRANCH SPREAD (ROOTZONE) OF TREES, SHRUBS, BEDDING PLANTS, FLOWERS OR GARDEN PLANTS, GARDEN PLANTS, PARTICULARLY IN COMPACT, SLOWLY COMPACT, SLOWLY DRAINING SOILS IN THE DALLAS-FT WORTH AREA.

Scotts Drop: Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Then (ILLUS.) operate spreader the longest way of the lawn. Overlap wheel marks to insure uniform feeding. Shut off spreader when you have reached the header strips or stopped.

Scotts EasyGreen™ Rotary: Slide shut-off lever to the right; application automatically starts and stops when you do. For complete coverage make each pass about 30 inches from the previous one so some overlapping occurs.

Scotts SpeedyGreen™ Rotary: Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one, so some overlapping occurs. Avoid applying this product on flower, vegetable and shrub plantings.

	Spreader Setting (covers 5,000 sq ft)
Scotts Drop Spreaders	X
Scotts EasyGreen™ Rotary	XX
Scotts SpeedyGreen™ Rotary	X

Additional Spreader Settings

Cyclone Rotary (Model B)	X	Ortho Drop (#5000)	X
Central Drop (#205)	X	Green View Drop	X
Sears Drop (#19810)	X	Precision Drop	X

(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

Questions?

Call Scott's toll-free consumer hotline:
1-800-543-TURF

Scotts No-Quibble Guarantee™: If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

ALTERNATE SPREADER SETTING SECTION

LEFT COLUMN

Spreading Tips

For best results, use
a Scotts spreader

RIGHT COLUMN

- DESIRABLE PLANTS: DO NOT APPLY ON OR UNDER THE BRANCH SPREAD (ROOTZONE) OF TREES, SHRUBS, BEDDING PLANTS, FLOWERS, OR GARDEN PLANTS, PARTICULARLY IN COMPACT, SLOWLY DRAINING SOILS IN THE DALLAS-FT WORTH AREA.

	Spreader Setting REGULAR RATE covers 5,000 sq.ft.	DIRECTIONS
Scotts Drop Spreaders	X	Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.
Scotts EasyGreen ^R Rotary	X	Make each pass about XX inches from previous pass to overlap spread width.
Scotts SpeedyGreen ^R Rotary	X	Make each pass about X feet from previous pass to overlap spread width.

LEFT COLUMN

Your lawn makes a good environment

RIGHT COLUMN

A well-maintained lawn provides environmental benefits as well as an attractive and pleasant setting for your home. Healthy grass takes carbon dioxide and pollutants from the air while creating oxygen; it traps dust and prevents erosion; and it reduces the heat, noise, and glare of modern urban areas while providing a safer recreation area.

The timed-release nitrogen in Scotts Super Bonus S weed-and-feed is designed to be absorbed by the grass plants slowly and steadily, to build thick turf that helps prevent runoff and leaching into groundwater.

Your lawn makes a good environment...and Scotts products help you get the best lawn.

BACK CONTINUED

LEFT COLUMN

RIGHT COLUMN

SCOTT'S[®]...the lawn peopleSM
Marysville, Ohio 43041

Made in USA

UPC

32247 39107

(c) 1992, The O.M. Scott & Sons Company,
Marysville, OH 43041
All rights reserved.

BOTTOM

Treats and Fertilizes 5,000 square feet
(Treats and feeds)

(Scotts)[®] Super
Bonus[®] S
lawn weed control plus fertilizer
(Weed-and-Feed)

Controls weeds and helps make your lawn its thickest, greenest ever.
Use on St. Augustinegrass, zoysia, centipede, and carpetgrass lawns only.

39107-1

1428R/13/24