



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

November 10, 2021

Chris Zemanek
Senior Analyst
Regulatory Affairs
The Scotts Company
14111 Scottslawn Road
Marysville, OH 43041

Subject: Registration Review Label Amendments for Atrazine Incorporating Mitigation Measures from the Interim Decision and the Technical Registrants' Commitments for the Endangered Species Act (ESA) Biological Evaluation
Product Name: Super Bonus S Lawn Weed Control Plus Fertilizer
EPA Registration Number: 538-229
Application Date: 10/27/2020
Decision Number: 567484

Dear Mr. Zemanek:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Atrazine Interim Decision and with the technical registrants' commitments for the ESA Biological Evaluation. The Agency has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved

Page 2 of 2
EPA Reg. No. 538-229
Decision No. 567484

labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Quinn Gavin at gavin.quinn@epa.gov.

Sincerely,

A handwritten signature in blue ink, appearing to read "Linda Arrington", with a stylized flourish at the end.

Linda Arrington, Branch Chief
Risk Management and Implementation Branch 4
Pesticide Re-Evaluation Division
Office of Pesticide Programs

Enclosure

MASTER LABEL

**Super Bonus S Lawn Weed Control Plus Fertilizer
EPA Reg. No. 538-229**

Weed Control Plus Lawn
Fertilizer


(ILLUS.)
THE NAME TO
GROW WITH!

Lawn Pro	Super Bonus® S	Treats and Fertilizes 5,000 square feet
(Scotts®)	Weed control plus lawn fertilizer (Weed-and-Feed)	(Treats and feeds)

Optional Front Panel Claims and Information

- Controls weeds and fertilizes your lawn.
- For use on St. Augustine grass (including Floratam), centipede, zoysia, and carpetgrass lawns ONLY
- Builds strong, green turf from the roots up without burning your lawn*
- Kills dollarweed and other common lawn weeds (as listed)
- Builds thick, green turf from the roots up without burning your lawn*
- Kills dollarweed and 24 other common lawn weeds
- For best results, apply a Scotts annual program (see back for details)
- Do not apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue, or dichondra.
- Specially formulated with Scotts Poly-S® timed released fertilizer
- Contains both readily available nitrogen for quick green up and controlled release nitrogen for uniform growth and extended feeding.
- Controls and helps make your lawn its thickest, greenest ever
- Weed control plus lawn fertilizer
- Weed-and-Feed
- Eliminates dollarweed, chickweed and over 25 common lawn weeds while greening your lawn without rapid, extreme growth.
- Formulated for the home environment.
- Your lawn makes a good environment ... and Scotts products help you get the best lawn.
- More greening power than Bonus S® [Note to PM: this claim in reference to the amount of nitrogen contained in our Bonus S® (EPA Reg. No. 538-18) and Super Bonus S® products.]
- Advanced Scotts® fertilizer technology feeds your lawn for 3 months
- Thick, green, weed-free turf
- No burning or surge growth
- Scotts No-Quibble Guarantee
- Ultra greening power ... Feeds your lawn for 3 months
- Keeps Lawns Greener Longer
- Long-lasting feeding with golf course results for your home lawn!
- Golf-Course results at Home!

*When used according to manufacturer's directions.



Front Panel Cont.

CAUTION
KEEP OUT OF REACH OF CHILDREN

See BACK for first aid and additional precautionary statements.

ACTIVE INGREDIENT:

Atrazine [†]	0.960 %
RELATED COMPOUNDS.....	0.020 %
INERT INGREDIENTS:	<u>99.020 %</u>
Total	100.000 %

EPA Reg. No. 538-229 EPA Est. 538-OH-1

[†]CAS #1912-24-9

[For Outdoor Residential Use Only]

NET WEIGHT XX.XX LBS.

GUSSETS:

RIGHT GUSSET:

Treats and Fertilizes 5,000 square feet
(Treats and feeds)

(Scotts)[®] Super Bonus[®] S
weed control plus lawn fertilizer
(Weed-and-Feed)

Controls weeds and helps make your lawn its thickest, greenest ever.

Use on St. Augustine (including Floratam), zoysia, centipede, and carpetgrass lawns only. Do not use on bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra lawns.

XXXX

UPC

32247 XXXXX

LEFT GUSSET:

Treats and Fertilizes 5,000 square feet
(Treats and feeds)

(Scotts)[®] Super Bonus[®] S
weed control plus lawn fertilizer
(Weed-and-Feed)

Controls weeds and helps make your lawn its thickest, greenest ever.

Use on St. Augustine, zoysia, centipede, and carpetgrass lawns only.

XXXX

UPC

32247 **XXXXXX**

Optional Gusset Claims

Golf's Choice for Greener Turf

[golf course photo]

Golf course superintendents have relied on Scotts products to grow fine turf since the beginning of the century. In fact, Scotts products are used by more than 80 of the top 1000 golf courses in the United States - and no Ultra Turf Builder® products allow you to use the same high-performance technology on your home lawn in a new longer-lasting form. Ultra Turf Builder products have Scotts' patented timed-release feeding system to give your lawn what it needs only when it needs it. Go for the green with Scotts.

Baseball's Choice for Greener Fields

[stadium photo]

If you've ever marveled at the beauty of the grass on baseball's finest fields and wondered how you could possibly grow that kind of turf at home, you hold the answer in your hands. Scotts, the official turf care company of Major League Baseball, now offers Ultra Turf Builder® products for homeowners, with the fertilizer technology used by professional groundskeepers for big-league ballparks

[Major League Baseball logo]

Optional Back Panel Claims

(ILLUS.)

Small, lightweight granules provide complete uniform coverage and are quickly absorbed to help insure control of large and small weeds.

COVERAGE:

Treats and fertilizes 5,000 square feet

APPLICATION: (See back for details)

Apply in late winter, spring or fall. Use on St. Augustine grass, zoysia, centipede, and carpetgrass lawns only.

XX	X	X
NITROGEN	PHOSPHORUS	POTASSIUM
Essential for plant growth; makes grass green.	Stimulates root growth; helps grass multiply.	Makes plant strong; better able to resist drought and extreme heat

RIGHT COLUMN

See back for Details

Scott's
No-Quibble
Guarantee

The Scotts Difference®
Perfect Particle™ Technology
(art: particle with NPK)

Unlike ordinary weed-and-feeds, every particle of Super Bonus S® contains Scotts patented timed-release nitrogen plus phosphorus, potassium, and weed control. (See back for details).

We guarantee thick, green, weed-free turf without risk of burning or surge growth."

XX% more greening power than regular Bonus® S

XX Longer Lasting than Bonus® S.

Treats and *feeds* up to X,XXX sq. ft.

The Scotts Difference ®

Scotts patented Perfect Particle™ Technology is available only in Scotts® products, so don't be fooled by weed-and-feeds claiming to be "just like Scotts."

Uniform proportions of the major nutrients - timed-release nitrogen plus phosphorus and potassium - and weed control are bonded together in every Super Bonus S particle, so that they are distributed evenly across the entire lawn, eliminating hit-or-miss feeding and weeding. And the time-released nitrogen feeds your lawn safely, without burning, and steadily for up to 2 months. Because of Scotts exclusive time-released nitrogen, you won't get the rapid surge growth associated with ordinary, fast-released weed-and-feeds.

With regular mowing, you will have fewer clippings and may not even have to bag your clippings.

Remember, even weed-and-feeds claiming to contain slow- or controlled-release nitrogen typically are just simple mixes, so they can't deliver the consistent great results you'll get from Scotts patented Perfect Particle Technology. With Scotts Super Bonus S you can be assured that every particle contains time- released nitrogen, plus the other primary nutrients and weed control.

(photo: simple mix particles)

ORDINARY SIMPLE MIXES

- Composed of nutrient and weed control granules of many different sizes and shapes
- Each nutrient may separate from the others in the bag and during application

-OR-

(photo: simple mix pattern)

ORDINARY SIMPLE MIXES

- Because of the difference in size, shape, and weight of these granules, the amount of individual nutrients and weed control delivered in each square inch of lawn can vary greatly
- Result: uneven, inconsistent weeding and feeding of your lawn

-OR-

(photo: simple mix pattern)

ORDINARY SIMPLE MIXES

- Usually composed of separate granules of individual nutrients
- Result: granules of unequal size and shape can separate during application, producing uneven feeding and weed control

{photo: SBS particles)

SCOTTS TECHNOLOGY

- Super Bonus S granules are consistent in size and shape
- This gives consistent distribution of particles - and nutrients and weed control - throughout the lawn

-OR-

(photo: SBS pattern)

SCOTTS TECHNOLOGY

- Super Bonus S particles deliver the same ratio of nitrogen, phosphorus, and potassium (plus weed control) to every square inch of turf
- Result: even, consistent greening and thickening of your lawn, plus better weed control

-OR-

(photo: SBS pattern)

SCOTTS TECHNOLOGY

- Ultra Super Bonus S contains the essential nutrients and weed control in every granule
- Result: consistent and extended feeding and weed control throughout the lawn.

-OR-

The Scotts Advantage®: All-in-One Particles®*

Your lawn requires essential nutrients to thrive. Unlike most weed and feeds, every Scotts Super Bonus S® particle contains nitrogen, phosphorus, potassium, and weed killer, allowing Scotts to evenly disperse the appropriate ration of nutrients and weed control to your whole lawn. Only Scotts All-in-One® particles provide consistent feeding to every square inch of turf for a green, thick, strong lawn.

•All-in-One = nitrogen, phosphorus, potassium and the weed killer ingredient contained in every particle

(ILLUS.)

Super Bonus S®

- Each All-in-One® particle contains essential nutrients and weed control ingredient
- Evenly dispersed particles provide more consistent feeding and weed control for a green, thick, strong lawn.

(ILLUS.)

Ordinary Mixed Weed & Feeds

- Each particle contains fertilizer nutrient with separate particles for weed control
- Particles can separate during application, resulting in inconsistent feeding and weed control.

What to expect

Weeds will be eliminated [killed] within 6 weeks and your lawn will be greener in 4 to 6 days.

(ILLUS.)

Controls and prevents weeds while feeding your lawn. Super Bonus® S gives you a better, weed-free lawn. That's because each small particle delivers weed control for complete coverage. And Super Bonus® S feeds your lawn with Scotts patented® formula to help fill-in and crowd out new weeds.

CONTROLS 25 [these] common lawn weeds.

black medic
 blue toadflax
 buckhorn
 Carolina geranium
 (cranesbill)
 chickweed
 dandelion
 dandelion
 dichondra
 dollarweed
 evening primrose
 Florida betony
 Florida pusley
 fragrant cudweed (rabbit-
 tobacco)
 Henbit
 lippia (matchweed)
 oxalis (yellow woodsorrel)
 pepperweed
 purslane
 red sorrel (sheep sorrel)
 rescuegrass
 shepherdspurse
 sowthistle
 stinging nettle
 venus lookingglass
 wild mustard

PREVENTS 4 [these] annual weeds:

bull paspalum
 crabgrass
 sedges
 spotted spurge

WEEDS PREVENTED OR CONTROLLED

WEEDS CONTROLLED

Black medic, blue toadflax, buckhorn, burclover, Carolina geranium (cranesbill), chickweed, dandelion, dichondra, dollarweed, eveningprimrose, Florida betony, Florida pusley, fragrant cudweed (rabbit-tobacco), henbit, lippia (matchweed), oxalis (yellow woodsorrel), pepperweed, purslane, red sorrel (sheep sorrel), rescuegrass. shepherdspurse, sowthistle, stinging nettle, Venus lookingglass, wild mustard.

WEEDS PREVENTED

Crabgrass, sedges, spotted spurge, bull paspalum.

Super Bonus® S provides extra nitrogen carefully blended with potassium and phosphorus. This means that each grass plant receives the feeding it needs so your lawn will grow uniformly thick and green.

Super Bonus® S stimulates steady grass growth. Typical all-soluble fertilizers can cause surge growth. When you mow grass that has grown too fast and too tall, you weaken the grass plant by "scalping". With Super Bonus® S you have less mowing and less chance of scalping when you mow.

2-MONTH PERIOD

(ILLUS.)
 STEADY GROWTH
 Super Bonus® S

(ILLUS.)
 SURGE GROWTH
 typical fertilizer

Super Bonus® S provides up to 2 months of greening. The nitrogen in Super Bonus® S is time-released to help your lawn grow thick and green for up to 2 months.

Coverage

Treats and fertilizes X,XXX sq. ft.

How much is enough?


To determine the square footage of your lawn, walk the length and width of your lawn; one average pace equals about 3 feet. Multiply the length of the lawn by the width of the lawn. This equals the area of your lawn in measure square areas, then add the figures together to reach your total lawn size.

A well-maintained lawn provides environmental benefits as well as an attractive and pleasant setting for your home. Healthy grass takes carbon dioxide and pollutants from the air while creating oxygen; it traps dust and prevents erosion; and it reduces the heat, noise, and glare of modern urban areas while providing a safer recreation area.

The timed-release nitrogen in Scotts Super Bonus® S weed-and-feed is designed to be absorbed by the grass plants slowly and steadily, to build thick turf that helps prevent runoff and leaching into groundwater.

For best results, apply [the] Scotts Annual [Lawn Care] Program.

- Start the program at any time
- Start anytime ... just check the month and apply products at 2 month intervals
- Allow two months between applications
- No more guesswork ... apply the right product at the right time for a thick, green, weed-free lawn



Note to PM: Option #1 Directions for Use

How and when to apply

Apply in late winter, spring, or fall

DIRECTIONS FOR USE

It is violation of Federal law to use this product in a manner inconsistent with its labeling.

Application Restrictions

- DO not apply this product in a way that will contact any person or pet, either directly or through drift.
- Keep people and pets out of the area during application.
- This product must be watered in immediately after application.
- Apply only when grass is dry.
- DO not apply granular lawn products by hand.
- Avoid contact with hands or skin.
- Broadcast applications must NOT be made using hand-held devices, such as a belly grinder or handheld rotary applicator. Such equipment may only be used for spot treatments.
- Not for use in the states of Hawaii or Alaska, or in the U.S. territories (Puerto Rico, Guam, American Samoa, the U.S. Virgin Islands, and the North Mariana Islands)

Entry Restriction

- DO not allow people or pets to enter the treated area until sprays have dried.

Maximum rate per application turfgrass (including lawns) is 4.7 lbs / 1000 sq.ft. Maximum of two applications per year.

Control

- apply any time weeds are actively growing. Controls weeds listed under "Controls" above. If complete control is not obtained a second treatment may be required 2 months after the first.
- apply in the Fall to control winter weeds such as henbit, chickweed, rabbit-tobacco, evening primrose.

Prevention

- apply in January, February or early March to prevent germination of these annual weeds: crabgrass, bull paspalum, sedges (from seed), spotted spurge.
- don't apply to centipede or carpetgrass lawns during the period of winter dormancy-approximately October 15 to March 15 (okay to apply in Florida, however).

Reentry

- Do not allow people or pets to enter treatment areas until watering-in is complete and the surface is dry.

Don't apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra because injury may occur.

Not for use on or under trees, shrubs, bedding plants, or garden plants

[Optional) Extreme Temperatures. Rinse particles off the grass blades when temperatures are 80° F or above.

Seeding/Sprigging. Apply Super Bonus® S after sprigging a new St. Augustine or zoysia lawn to prevent competition from germinating weeds. Water the new sprigs, allow the grass blades to dry, then make the application of Super Bonus® S.

- Don't apply to newly seeded centipede and carpetgrass lawns until after the new grass has been mowed at least twice.
- Don't plant sprigs for one month, or sow new grass seed for six months following application of Super Bonus® S.

Note to PM: End of Option #1

Note to PM: OPTION #2 Direction for Use**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconstant with its labeling.

Application Restrictions

- DO not apply this product in a way that will contact any person or pet, either directly or through drift.
- Keep people and pets out of the area during application.
- This product must be watered in immediately after application.
- Apply only when grass is dry.
- DO not apply granular lawn products by hand.
- Avoid contact with hands or skin.
- Broadcast applications must NOT be made using hand-held devices, such as a belly grinder or handheld rotary applicator. Such equipment may only be used for spot treatments.
- Not for use in the states of Hawaii or Alaska, or in the U.S. territories (Puerto Rico, Guam, American Samoa, the U.S. Virgin Islands, and the North Mariana Islands)

Entry Restriction

- DO not allow people or pets to enter the treated area until sprays have dried.

Maximum rate per application turfgrass (including lawns) is 4.7 lbs / 1000 sq.ft. Maximum of two applications per year.

USE PRECAUTIONS

Don't apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra because injury may occur. Desirable plants: Don't apply on or under the branch spread (rootzone) of trees, shrubs, beddings plants, flower or garden plants, particularly in compact, slowly draining soils in the Dallas/Ft. Worth areas. Don't apply to newly seeded centipede and carpetgrass lawns until after the new grass has been mowed at least twice. Don't plant sprigs for one month, or sow new grass seed for six months following application. [Optional] Extreme temperatures: Rinse particles off the grass blades when temperatures are 80 F or above.

INSTRUCTIONS

Scotts' Super Bonus® S weed control plus lawn fertilizer controls a wide range of lawn weeds, including broadleaf weeds and annual weeds commonly found in home lawns. In addition, a XX-X-X fertilizer provides a supply of plant food need for growth.

CONTROL

- Apply any time weeds are actively growing. Controls weeds listed below. If complete control is not obtained, a second treatment may be required 2 months after the first.
- Apply in the fall to control winter weeds such as henbit, chickweed, rabbit-tobacco, evening primrose.

PREVENTION

- Apply in January, February, or early March to prevent germination of these annual weeds: crabgrass, bull paspalum, sedges (from seed), and spotted spurge.
- Don't apply to centipede or carpetgrass lawns during the period of winter dormancy- approximately October 15 to March 15 (okay to apply in Florida, however).

REENTRY

- People and pets may re-enter treated area after product is watered-in and surface is dry.

SPRIGGING

- Apply after sprigging a new St. Augustine or zoysia lawn to prevent competition from germinating weeds. Water the new sprigs, allow the grass blades to dry, then make the application.

Note to PM: End of Option #2

Note to PM: Option #3 Directions for Use**How and when to apply**

Apply in late winter, spring, or fall

DIRECTIONS FOR USE

It is violation of federal law to use this product in a manner inconsistent with its labeling.

Application Restrictions

- DO not apply this product in a way that will contact any person or pet, either directly or through drift.
- Keep people and pets out of the area during application. This product must be watered in immediately after application.
- Apply only when grass is dry.
- DO not apply granular lawn products by hand.
- Avoid contact with hands or skin.
- Broadcast applications must NOT be made using hand-held devices, such as a belly grinder or handheld rotary applicator. Such equipment may only be used for spot treatments.
- Do not apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra because injury may occur.
- Do not apply on or under the branch spread (rootzone) of trees, shrubs, bedding plants, flowers, or garden plants, particularly in compact slowly draining soils.
- Not for use in the states of Hawaii or Alaska, or in the U.S. territories (Puerto Rico, Guam, American Samoa, the U.S. Virgin Islands, and the North Mariana Islands)

Entry Restriction

- DO not allow people or pets to enter the treated area until sprays have dried.

Maximum rate per application turfgrass (including lawns) is 4.7 lbs / 1000 sq.ft. Maximum of two applications per year.

Control

- Apply any time weeds are actively growing. For severe weed problems, a second treatment may be required 2 months after the first.
- Apply in the fall to control winter weeds such as henbit, chickweed, rabbit-tobacco, evening primrose.

Prevention

- Apply in January, February or early March to prevent germination of annual weeds: crabgrass, bull paspalum, sedges (from seed), spotted spurge.
- Don't apply to centipede or carpetgrass lawns during the period of winter dormancy - approximately October 15 to March 15 (Okay to apply in Florida, however)

Seeding/sodding/sprigging

- Apply Super Bonus® S after sprigging/sodding a new St. Augustine or zoysia lawn to prevent competition from germinating weeds. Water the new sprigs/sod, allow the grass blades to dry, then make the application of Super Bonus® S.
- Don't apply to newly seeded centipede and carpetgrass lawns until after the new grass has been mowed at least twice.
- Don't plant sprigs/sod for one month, or sow new grass seed for six months following application of Super Bonus® S.

Note to PM: End of Options #3

Note to PM: Option #4 Directions for Use**How and when to apply**

Apply in late winter, spring, or fall

DIRECTIONS FOR USE

It is violation of federal law to use this product in a manner inconsistent with its labeling.

Application Restrictions

- DO not apply this product in a way that will contact any person or pet, either directly or through drift.
- Keep people and pets out of the area during application. This product must be watered in immediately after application.
- Apply only when grass is dry.
- When daytime temperatures are 80°F or above, thoroughly rinse particles off grass blades after applying.
- Do not apply on or under the branch spread (rootzone) of trees, shrubs, bedding plants, flowers, or garden plants, particularly in compact slowly draining soils.
- Do not apply by hand or hand-held rotary devices such as hand-held rotary applicator.
- Do not apply this product in a way that will contact any person either directly or through drift. Keep people and pets out of area during application.
- DO not apply granular lawn products by hand.
- Avoid contact with hands or skin.
- Broadcast applications must NOT be made using hand-held devices, such as a belly grinder or handheld rotary applicator. Such equipment may only be used for spot treatments.
- Not for use in the states of Hawaii or Alaska, or in the U.S. territories (Puerto Rico, Guam, American Samoa, the U.S. Virgin Islands, and the North Mariana Islands)

Entry Restriction

- DO not allow people or pets to enter the treated area until sprays have dried.

Maximum rate per application turfgrass (including lawns) is 4.7 lbs / 1000 sq.ft. Maximum of two applications per year.

For Control

- Apply any time weeds are actively growing. Controls weeds listed under "Controls" above. If complete control is not obtained a second treatment may be required 2 months after the first.
- Apply in the fall to control winter weeds such as henbit, chickweed, rabbit-tobacco, evening primrose.

For Prevention

- Apply in January, February or early March to prevent germination of annual weeds: crabgrass, bull paspalum, sedges (from seed), spotted spurge.
- Don't apply to centipede or carpetgrass lawns during the period of winter dormancy- approximately October 15 to March 15 (Okay to apply in Florida, however)

Do not apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra because injury may occur

Seeding/sodding/sprigging

- Apply Super Bonus® S after sprigging/sodding a new St. Augustine or zoysia lawn to prevent competition from germinating weeds. Water the new sprigs/sod, allow the grass blades to dry, then make the application of Super Bonus® S.
- Don't apply to newly seeded centipede and carpetgrass lawns until after the new grass has been mowed at least twice.
- Don't plant sprigs/sod for one month, or sow new grass seed for six months following application of Super Bonus® S.

Note to PM: End of Options #4

Optional Spreading Information

Spreading Tips

DESIRABLE PLANTS: DON'T APPLY ON OR UNDER THE BRANCH SPREAD (ROOTZONE) OF TREES, SHRUBS, BEDDING PLANTS, FLOWERS OR GARDEN PLANTS, PARTICULARLY IN COMPACT SLOWLY DRAINING SOILS IN THE DALLAS-FT. WORTH AREA

Scotts recommends the PF Spreader, the most accurate spreader you can buy, to receive the maximum value from Super Bonus® S.

For best results, use a Scotts spreader:

Scotts Drop: Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Then operate spreader the longest way of the lawn. Overlap wheel marks to insure uniform feeding. Shut off spreader when you have reached the header strips or stopped.

(ILLUS.)

Scotts EasyGreen™ Rotary: Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one so some overlapping occurs. Avoid applying this product on flower, vegetable and shrub plantings.

(ILLUS.)

Scotts SpeedyGreen™ Rotary: Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one so some overlapping occurs. Avoid applying this product on flower, vegetable and shrub plantings.

(ILLUS.)

Spreader Setting
(covers X,XXX sq ft)

Spreader	Spreader Setting
Scotts Drop Spreader	X
Scotts EasyGreen®	xx
Scotts SpeedyGreen®	X

Additional Spreader Settings:

Cyclone Rotary (Model B)	X
Central Drop (#205)	X
Sears Drop (#19810)	X
Ortho Drop (#5000)	X
Green View Drop	X
Precision Drop	X

(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

-OR-

Spreading tips

For best results, use
 a Scotts spreader

DESIRABLE PLANTS: DO NOT APPLY ON OR UNDER THE BRANCH SPREAD (ROOTZONE) OF TREES, SHRUBS, BEDDING PLANTS, FLOWERS, OR GARDEN PLANTS, PARTICULARLY IN COMPACT, SLOWLY DRAINING SOILS IN THE DALLAS-FT WORTH AREAS.

[Spreader]	Spreader Setting REGULAR RATE covers 5,000 sq. ft.	DIRECTIONS
Scotts Drop Spreaders	X	Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.
Scotts EasyGreen® Rotary	X	Make each pass about XX inches from previous pass to overlap spread width.
Scotts SpeedyGreen® Rotary	X	Make each pass about X feet from previous pass to overlap spread width.

-OR-

SPREADER SETTINGS

Always apply fertilizer products with a spreader. Avoid applying this product on flower, vegetable and shrub plantings.

Scotts SpeedyGreen™ Rotary.....	X	Scotts EasyGreen® Rotary.	X
Scotts Drop.	X	Sears Drop (#19810).....	X
Greenview Drop (Spred II).....	X	Ortho Drop (#5000).....	X
Central Drop (#205).....	X	Precision Drop (Red Devil).....	X
Cyclone Rotary.....	X	Ortho Rotary.....	X

Above spreader settings are approximate. You may need to adjust for proper coverage.

-OR-

Spreading Tips

Apply header strips. Then apply product in longest directions of lawn (ILLUS.)

Spreader Setting

For best results, use a Scotts spreader

Scotts AccuGreen® Drop Spreader

XX

Scotts PrecisionGreen® &

EdgeGuard® Rotary Spreader
Scotts SpeedyGreen® &
EdgeGuard® Rotary Spreader

XX

XX

Additional Spreader Settings:

EZ Drop, Republic (#530)

X

EZ Broadcast, Republic (#540)

X

Scotts Broadcast Tractor Spreader

X

Directions

Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.

Mow lawn first; apply 2 header strips apply longest directions of

lawn, overlapping wheel marks.

Make each pass about 5 feet from previous pass to overlap spread width.

(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

First Aid and Environmental Information [Optional heading]

Keep Out of Reach of Children

CAUTION

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

- **If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
 - **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice
 - **If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor for treatment advice
 - **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.
- Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: [Optional statement: As a responsible environmental practice, where possible, it is recommended that all of the contents of the bag be used as directed] **If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Environmental Hazards

This product is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when cleaning equipment. Do not clean equipment over hard surfaces or near storm drains.

Atrazine can travel (seep or leach) through soil and enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine to permeable (i.e. well drained) soils where the water table (groundwater) is close to the surface. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water.

Not for use under trees, shrubs, bedding plants, or garden plants (see Directions for Use for further explanation).

NON-TARGET ORGANISM ADVISORY: This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize drift

UNCONDITIONALLY GUARANTEED

If you are not satisfied with the results from using this product, we will refund your purchase price. Send evidence of your purchase to:

The Scotts Company
MARYSVILLE, OHIO 43041

Questions?

Call Scotts toll-free
Consumer hotline

1-800-543-TURF
(In Ohio, 1-800-762-4010)

Open 8:00 a.m. to 5:00 p.m.
Eastern time

Scotts Policy
No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund promptly.

SCOTTS ... the lawn people
Marysville, Ohio 43041

Super Bonus® S weed control plus lawn fertilizer
(Weed-and-Feed)