LOW END OF RANGE Pm 25; 538-234

WEED CONTRUL WITH FERTILIZER XXXXX

03/09/88 AR 03/29/88 AR

09/23/88 VS/cr

06/09/92 VS/cr

(Scotts)

FRONT:

step_{TM} 2

(NOTE: The description above will be inverted.)

XXXXX

TREATS 5,000 SO FT

step_{TM} 2

of 4 easy steps to a better lawn

(ILLUS.)

(Scotts(R))

SCOTTS POLICY No-Ouibble Guarantee SEE BACK FOR DETAILS

WEED CONTROL WITH FERTILIZER

(only use on St. Augustine, zoysia, and carpetgrass lawns)


(ILLUS.)

NET WEIGHT 38 1/8 LBS

21-3-3

KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTIONARY STATEMENTS

LEFT COLUMN



Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Avoid contact with eyes, skin, or clothing. If in eyes or on skin, flush with plenty of water. Get medical attention if irritation persists. Wash thoroughly with soap and water after handling. Harmful if swallowed. Do not contaminate water used for irrigation or domestic purposes. Do not graze treated areas. Do not feed clippings to livestock.

Environmental Hazards: This product is toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Atrazine can leach through soils and has been found in groundwater. Users are advised not to apply on well-drained soils where the water table (groundwater) is '...' close to the surface. Your County Agricultural Extension Service can advise you of local conditions. Not for use on or under trees, shrubs, bedding ... plants or garden plants (see back for further explanation).

FRONT CONTINUED:

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

RIGHT COLUMN

ACTIVE INGREDIENT: Atrazine 2-Chloro-4-(ethylamino)-6-(isopropyla INERT INGREDIENTS:	amino)-s-triazine 0.60% 		
EPA Reg No 538-234 EPA Est 538-OH-1 Weed Control with Fertilizer	643-XXXX 26-3-3		
Guaranteed Analysis Total nitrogen (N)			
3.9% water insoluble nitrogen Available phosphoric acid (P ₂ O ₅)	3%		
Chlorine, not more than	2.44%		

U.S. Pat. No. 4,387,230 The O M Scott & Sons Company Marysville, Ohio 43041 Product of USA

GUSSETS:

RIGHT GUSSET:

(Scotts (R))

Annual Program

step_{TM} 2

SCOTTS POLICY No-Quibble Guarantee SEE BACK FOR DETAILS

XXXXX

LEFT GUSSET

(Scotts (R))

Annual Program

step_{TM} 2

SCOTTS POLICY No-Quibble Guarantee SEE BACK FOR DETAILS

XXXXX

BACK:

PULL TAB and remove for pour spout

(ILLUS.)

TREATS 5,000 SO FT

STP2 - XXXX.(
5M
PROOF
OF
PURCHASE
(Scotts)

Easy Open PULL HERE

(Scotts (R))

Annual Program

Now it's easy for you to have a better lawn

Save money

Why even consider a lawn care service? Scotts Annual Program will give you a beautiful lawn for about half the cost.

Start anytime

You can start the Annual Program anytime of the year. Just check the month and select the appropriate Step listed below.

Simple and easy

No more guesswork. You simply apply the right product - one Step at a time.

Guaranteed results

Each Step is designed for the specific season to help give you a healthier, greener lawn.

(ILLUS.)

(The 4 Steps listed below will be placed horizontally in one row.)

stepTM 1. Early Spring February-April

Crabgrass Preventer plus Fertilizer - prevents crabgrass, foxtail, spurge, oxalis, chickweed and other annual weeds while providing deep, thick greening for up to 2 months. This is Scotts best fertilizer plus crabgrass preventer.

step_{TM} 2. Late Spring April-May

Weed Control with Fertilizer - controls dollarweed, chickweed, matchweed and other broadleaf weeds while greening your lawn for up to 2 more months.

step_{TM} 3. Summer June-August

Insect Control plus Fertilizer - controls white grubs, chinch bugs, sod webworms and other lawn insects plus keeps your lawn green through the Summer.

steptm 4. Fall August-November

Lawn Fertilizer - specially formulated for the Fall - the best time to develop a stronger root system for a healthier, thicker lawn. Helps your lawn green up even quicker next Spring. This is Scotts best fall fertilizer.

(ILLUS.)

stepTM 2 DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- . Apply only when grass is dry.
- . Rinse particles off the grass blades when temperatures are 80°F or above.
- Don't apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra because injury may occur.
- . Don't apply to newly seeded carpetgrass lawns until after the new grass has been mowed at least twice.
- . Don't plant sprigs for one month, or sow new grass seed for six months following application of step_{TM} 2.
- DESIRABLE PLANTS: DON'T APPLY ON OR UNDER THE BRANCH SPREAD (ROOTZONE) AREA OF TREES, SHRUBS, BEDDING PLANTS, FLOWERS OR GARDEN PLANTS, PARTICULARLY IN COMPACT, SLOWLY DRAINING SOILS IN THE DALLAS—FT WORTH AREA.
- . An application of Scotts Lawn Supplement may be used anytime during the year if extra greening is desired.

Spreader Setting	Scotts Drop* Spreader	Scotts EasyGreen TM Rotary
(treats 5.000 sq ft)	X	xx

TIPS ON SPREADING WITH SCOTTS PF DROP SPREADERS

- . First apply 2 header strips
- . It is easier to follow wheel tracks if you operate spreader the longest way of the lawn or at right angles to the sun
- . Overlap wheels about 2" to avoid striping
- . Shut off spreader when you reach the header (ILLUS.) strips or anytime you stop
- If grass is tall enough to touch the bottom of the spreader, mow lawn before application

6 7 13

EasyGreenTM Rotary:

- Slide shut-off lever to the right, application automatically starts and stops when you do
- Avoid misses by making each bass about 30 inches from the previous one so some overlapping occurs

(ILLUS.)

(ILLUS.)

XXXXX

If you have questions

We designed this Program to make having a better lawn as simple and easy as possible. But you may still have some questions about your lawn during the year. If so, you can contact the Scotts Lawn Pro retailer where you bought this Program. They are ready to answer your questions and provide any help or information that you may need.—OR—You can get the answers by talking directly with one of Scotts lawn counselors. Simply dial this toll—free number 1—800—543—TURF Monday through Friday 9:00 AM to 5:00 PM Eastern time (in Ohio 1—800—762—4010).

Scotts Policy No-Ouibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

32247 XXXXX

(UPC)

SCOTTS...the lawn people MARYSVILLE, OHIO 43041

(c) 1992, The O M Scott & Sons Company. All rights reserved.

(NOTE: The description below will be inverted.)

XXXXX (Scotts) Steptm 2

7 9 13

)

)

HIGH END OF RANGE

9 13

FRONT:

WEED CONTROL WITH FERTILIZER

XXXXX

03/09/88 AR 09/23/88 VS/cr 03/29/88 AR 06/09/92 VS/cr

(Scotts)

step_{TM} 2

(NOTE: The description above will be inverted.)

XXXXX

TREATS 5,000 SQ FT

step_{TM} 2

of 4 easy steps to a better lawn

(ILLUS.)

(Scotts_(R))

SCOTTS POLICY
No-Quibble
Guarantee
SEE BACK FOR DETAILS

WEED CONTROL WITH FERTILIZER

(only use on St. Augustine, zoysia, and carpetgrass lawns)

(ILLUS.)

NET WEIGHT 17 5/16 LBS

26-3-3

KEEP OUT OF REACH OF CHILDREN CAUTION
PRECAUTIONARY STATEMENTS

LEFT COLUMN

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Avoid contact with eyes, skin, or clothing. If in eyes or on skin, flush with plenty of water. Get medical attention if irritation persists. Wash thoroughly with soap and water after handling. Harmful if swallowed. Do not contaminate water used for irrigation or domestic purposes. Do not graze treated areas. Do not feed clippings to livestock.

Environmental Hazards: This product is toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Atrazine can leach through soils and has been found in groundwater. Users are advised not to apply on well-drained soils where the water table (groundwater) is close to the surface. Your County Agricultural Extension Service can advise you of local conditions. Not for use on or under trees, shrubs, bedding plants or garden plants (see back for further explanation).

FRONT CONTINUED:

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

RIGHT COLUMN

ACTIVE INGREDIENT: Atrazine 2-Chloro-4-(ethylamino)-6-(isopropylam INERT INGREDIENTS:	ino)-s-triazine 1.32% 1.32% Total 100.00%		
EPA Reg No 538-XXX EPA Est 538-OH-1 Weed Control with Fertilizer	643~XXXX 26-3-3		
Guaranteed Analysis			
Total nitrogen (N)			
Available phosphoric acid (P_2O_5)			
nitrogen. Chlorine not more than	2.4%		

U.S. Pat. No. 4,387,230 The O M Scott & Sons Company Marysville, Ohio 43041 Product of USA

XXXXX

RIGHT GUSSET:

(Scotts (R))

Annual Program

step_{TM} 2

SCOTTS POLICY No-Quibble
Guarantee
SEE BACK FOR DETAILS

LEFT GUSSET

(Scotts (R))

Annual Program

step_{TM} 2

SCOTTS POLICY No-Quibble Guarantee SEE BACK FOR DETAILS

XXXXX

. BACK:

PULL TAB and remove for pour spout

(ILLUS.)

TREATS 5,000 SQ FT

STP2 - XXXXX

5M
PROOF
OF
PURCHASE
(Scotts)

Easy Open PULL HERE

(Scotts (R))

Annual Program

Now it's easy for you to have a better lawn

Save money

Why even consider a lawn care service? Scotts Annual Program will give you a beautiful lawn for about half the cost.

Simple and easy

No more guesswork. You simply apply the right product - one Step at a time.

Start anytime

You can start the Annual Program anytime of the year. Just check the month and select the appropriate Step listed below.

Guaranteed results

Each Step is designed for the specific season to help give you a healthier, greener lawn.

(ILLUS.)

(The 4 Steps listed below will be placed horizontally in one row.)

stepTM 1. Early Spring February-April

Crabgrass Preventer plus Fertilizer - prevents crabgrass, foxtail, spurge, oxalis, chickweed and other annual weeds while providing deep, thick greening for up to 2 months. This is Scotts best fertilizer plus crabgrass preventer.

steptm 2. Late Spring April-May

Weed Control with Fertilizer - controls dollarweed, chickweed, matchweed and other broadleaf weeds while greening your lawn for up to 2 more months.

step_{TM} 3. Summer June-August

Insect Control plus Fertilizer - controls white grubs, chinch bugs, sod webworms and other lawn insects plus keeps your lawn green through the Summer.

step_{TM} 4. Fall August-November

Lawn Fertilizer - specially formulated for the Fall - the best time to develop a stronger root system for a healthier, thicker lawn. Helps your lawn green up even quicker next Spring. This is Scotts best fall fertilizer.

step_{TM} 2 DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent 'with its labeling.

. Apply only when grass is dry.

1

- . Rinse particles off the grass blades when temperatures are 80°F or above.
- Don't apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra because injury may occur.
- . Don't apply to newly seeded carpetgrass lawns until after the new grass has been mowed at least twice.
- . Don't plant sprigs for one month, or sow new grass seed for six months following application of stepyM 2.
- DESIRABLE PLANTS: DON'T APPLY ON OR UNDER THE BRANCH SPREAD (ROOTZONE)
 AREA OF TREES, SHRUBS, BEDDING PLANTS, FLOWERS OR GARDEN PLANTS,
 PARTICULARLY IN COMPACT, SLOWLY DRAINING SOILS IN THE DALLAS-FT WORTH AREA.
- . An application of Scotts Lawn Supplement may be used anytime during the year if extra greening is desired.

Spreader Setting	Scotts Drop* Spreader	Scotts EasyGreen TM Rotary
(treats 5,000 sq ft)	X	XX

TIPS ON SPREADING WITH SCOTTS PF DROP SPREADERS

- . First apply 2 header strips
- . It is easier to follow wheel tracks if you operate spreader the longest way of the lawn or at right angles to the sun

(ILLUS.)

- . Overlap wheels about 2" to avoid striping
- . Shut off spreader when you reach the header strips or anytime you stop

(ILLUS.

If grass is tall enough to touch the bottom of the spreader, mow lawn before application

EasyGreenTM Rotary:

- Slide shut-off lever to the right, application automatically starts and stops when you do
- Avoid misses by making each pass about 30 inches from the previous one so some overlapping occurs

(ILLUS.)

(ILLUS.)

XXXXX

If you have questions

We designed this Program to make having a better lawn as simple and easy as possible. But you may still have some questions about your lawn during the year. If so, you can contact the Scotts Lawn Pro retailer where you bought this Program. They are ready to answer your questions and provide any help or information that you may need.—OR—You can get the answers by talking directly with one of Scotts lawn counselors. Simply dial this toll—free number 1—800—543—TURF Monday through Friday 9:00 AM to 5:00 PM Eastern time (in Ohio 1—800—762—4010).

Scotts Policy No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

0 (UPC) 0

SCOTTS...the lawn people MARYSVILLE, OHIO 43041

(c) 1992, The O M Scott & Sons Company. All rights reserved.

(NOTE: The description below will be inverted.)

XXXXX (Scotts) Step_{TM} 2